# city of delta

# DRINKING WATER QUALITY REPORT 2023





A Message from the Director

June 2024

At the City of Delta, we are committed to providing sustainable and high-quality drinking water to our residents and businesses. We recognize a safe, clean, and reliable drinking water supply is essential for the health and prosperity of our community. In 2023, the City successfully supplied over 25 million cubic meters of high-quality drinking water to our community.

This Annual Water Quality Report demonstrates the commitment by Metro Vancouver and Delta staff to meet the goals of ensuring high quality and sustainable water supply. We take a multibarrier approach to ensure the drinking water is safe, clean, and reliable from source to tap. Although this annual report focuses on water quality monitoring and reporting, it also discusses the operations and maintenance, as well as the renewal of our existing water distribution system. Every year, we proactively replace mains that are reaching the end of their service life to prevent breaks, service interruptions, and water quality problems.

Delta Staff work diligently to construct, operate, and maintain our water system. This annual report highlights our dedication to providing Delta with a safe, clean, and reliable water supply, today and for years to come.

Suman Shergill, P.Eng. Director, Engineering

# ACKNOWLEDGEMENTS

Field testing was conducted by Scott Bradshaw, Water Quality Technician, Engineering Operations Division.

Lab testing was conducted by Metro Vancouver, Quality Control Division – Microbiology.

Delta source water tests were conducted by Element Labs.

# **Table of Contents**

EXECU	JTIVE SUMMARYii
1.0	SYSTEM OVERVIEW1
2.0	MONITORING PROGRAM
3.0	TESTING PROGRAM
4.0	TESTING PARAMETERS & RESULTS
5.0	WATER DISTRIBUTION SYSTEM DETAILS
6.0	SYSTEM MAINTENANCE
7.0	WATERMAIN BREAKS
8.0	NOTIFICATION PROTOCOL
9.0	UNIQUE CHARACTERISTICS OF SYSTEM
10.0	PUBLIC INQUIRIES
11.0	CONCLUSION
12.0	REFERENCES

# List of Figures

Figure 1: Water Source Distribution	2
Figure 2: Water Quality Technician sampling water at a Water Sampling Station.	3
Figure 3: Water Quality Standards for Potable Water	6
Figure 4: Observed HPC at Sampling Stations	7
Figure 5: Summary of High Turbidity Events	8
Figure 6: Average Turbidity at Sampling Stations	9
Figure 7: Turbidity of Metro Vancouver Source Water	9
Figure 8: Average pH of Sampling Sites	10
Figure 9: Watermain Inventory	13
Figure 10: Pump Station on 4 Avenue at Pebble Hill Reservoir	15
Figure 11: Water reservoir and pump station on 64 Avenue	16
Figure 12: Norum Road PRV Station	17
Figure 13: Infrastructure replacement value, 2023 dollars	20
Figure 14: Delta Water Maintenance Program	21
Figure 15: Fire Hydrant Undergoing Regular Annual Maintenance	23
Figure 16: Hellings Reservoir in North Delta	23
Figure 17: Well #1, Watershed Park Wells	24
Figure 18: Watermain Breaks By Pipe Material	25
Figure 19: Original Well Pump House at Watershed Park, Constructed 1906	28
Figure 20: Watershed Park Drinking Water Station, constructed 2012	29
Figure 21: 2023 Public Inquiries	30

# Appendices

Appendix 1	Metro Vancouver Water Distribution Map
Appendix 2	Tie-in Points to Metro Vancouver Water Transmission Mains
Appendix 3	Sampling Site Index & Location Maps
Appendix 4	Metro Vancouver Source Water and Distribution Test Parameters
Appendix 5	Metro Vancouver Physical and Chemical Analysis of Source Water
Appendix 6	Delta Source Water (Wells #1, #3 and #5) Test Parameters
Appendix 7	Delta Source Water (Wells #1, #3, and #5) Test Results
Appendix 8	Delta Water Distribution System Microbiological Test Results
Appendix 9	Delta Water Distribution System Free Chlorine Residual Test Results and Map
Appendix 10	Emergency Notification Protocol
Appendix 11	Delta Water Quality Organizational Chart
Appendix 12	Disinfection By-Product Results 2016 - 2023

- Appendix 13 Metals Test Results
- Appendix 14 Vinyl Chloride Test Results
- Appendix 15 Health Information

# Acronyms/Abbreviations

AO	Aesthetic Objective
DBP	Disinfection By-product
DCDA	Double Check Detector Assembly
DCVA	Double Check Valve Assembly
E. coli	Escherichia coli
EOCP	Environmental Operators Certification Program
GCDWQ	Guidelines for Canadian Drinking Water Quality
HDPE	High Density Polyethylene
HPC	Heterotrophic Plate Count
MAC	Maximum Acceptable Concentration
MV	Metro Vancouver
mg/L	Milligram per litre (0.001 g/L)
μg/L	Microgram per litre (0.000001 g/L)
mL	Millilitre
NTU	Nephelometric Turbidity Unit
PVBA	Pressure Vacuum Breaker Assembly
PRV	Pressure Regulating Valve
PVC	Polyvinyl Chloride
RPBA	Reduced Pressure Backflow Assembly
RPDA	Reduced Pressure Detector Assembly
THAAs	Total Haloacetic Acids
TTHMs	Total Trihalomethanes

#### **EXECUTIVE SUMMARY**

Delta has annually produced a report regarding the health of the water distribution and supply system since 2000. The 2023 Drinking Water Quality Report fulfills the requirements of the British Columbia Drinking Water Protection Act<sup>1</sup> by providing an overview of the water system, discussing individual component maintenance, describing the unique features of our system, and summarizing the results of the water quality testing program. Specifically, this report is produced to satisfy a requirement of the Drinking Water Protection Regulation, May 2003 (Amended 2018), Section 11.

In summary, Delta undertook the following works in 2023:

- Exercised over 6,000 flow control valves;
- Maintained approximately 3,300 fire hydrants;
- Flushed the entire water distribution system;
- Maintained 45 pressure reducing stations;
- Maintained three pump stations;
- Maintained 416 air valves;
- Conducted 258 water quality investigations, initiated by residents, for water-related questions/concerns;
- Replaced approximately 4.3 kilometers of watermain with new mains of superior quality material and upgraded pipe diameters, if required, to provide required fire flows;
- Collected and processed approximately 1,266 water quality samples from 34 test locations throughout Delta's water distribution system;
- Conducted quarterly detailed physical and chemical analysis on Delta's well water;
- Repaired 16 watermain breaks without compromising our water system; and,
- Saved approximately \$520,000 by introducing water from the wells located near Watershed Park into our distribution system.


We take our responsibility as a water purveyor seriously and proudly. We maintain a system that consistently meets the provincial drinking water quality requirements set out in the Drinking Water Protection Regulation. This provides Delta residents and businesses with a consistent supply of high-quality drinking water.

We trust you will find the information provided in this report to be of interest, and that it demonstrates our commitment to delivering this precious resource.

# 1.0 SYSTEM OVERVIEW

Based on current consumption rates the average household would spend approximately \$500,000 on water annually if purchased from a superstore.





Approximately 98% of the water distributed in Delta is purchased from Metro Vancouver (MV). MV sources the water from the Capilano, Seymour, and Coquitlam Reservoirs. The water from these surface water sources can be directed to different areas within the municipality by a series of valves, pressure reducing stations, and pump stations.

In 2023, Delta received most of its drinking water from the Seymour and Capilano watersheds, but can also receive water from the Coquitlam watershed under certain conditions. **Figure 1** shows the breakdown of water sources for the City of Delta.


The MV supplied water enters Delta from four submarine crossings:

- 1) the Lulu Island/Delta Main entering Ladner;
- 2) the Tilbury Main entering Tilbury;
- 3) the Annacis No. 2 Main entering Annacis Island and continuing on to Surrey;
- 4) the Annacis No. 4 Main entering Annacis Island.

**Appendix 1** shows MV's distribution network while **Appendix 2** lists the tie-in locations where the MV supplied water enters Delta's system. **Appendix 3** lists Delta's sampling stations and maps their location in Delta's water distribution network.

The other 2% of the water we distribute comes from Delta's 3 artesian wells near the Watershed Park. This water is pumped from deep wells in Sunshine Hills into the 64 Avenue Reservoir and then distributed to the lowland area south of 64 Avenue. This system is relatively inexpensive to operate as it relies on gravity to supply the area south of 64 Avenue from the reservoir.

Since 2011, Metro Vancouver has updated their water use restrictions on several occasions with the goal of reducing water consumption during the summer months when water use can increase up to 50%. Delta's water usage gradually decreased since 2011 and has remained relatively consistent in recent years, even though the population has increased by approximately 13,000.



Less than 1% of water treated for potable use is consumed. The rest is put down the drains and into the sewerage system for treatment.



## 3.0 TESTING PROGRAM

Water from 34 sampling sites in Delta is sampled and tested weekly by our Water Quality Technician. Samples are tested on-site for temperature, pH, turbidity, and chlorine residual. An additional sample is taken, in accordance with the 24<sup>th</sup> Edition of Standard Methods for the Examination of Water and Wastewater, placed in a sterile bottle, sealed, identified by location with time of day noted, and placed in a cooler. At the end of each day the samples are sent to the MV laboratory where the water is tested for turbidity, chlorine residual, total coliform, E. coli, and heterotrophic plate counts. The MV laboratory is a member of the Standards Council of Canada and is an accredited laboratory with the Canadian Association of Environmental Analytical Laboratories. **Figure 2** shows the technician taking a sample at Clarence Taylor Crescent Water Sampling Station. Results are reported to Delta's Water Quality Technician within seven days of submitting the samples. However, preliminary E. coli tests are reviewed within 24 hours and are reported immediately should a positive result occur. **Appendix 10** details the reporting procedure should a positive E. coli test be indicated.

Supplementary to our weekly testing of the MV water within our distribution system, there is a quarterly testing program on the water from the three wells that contribute to Delta's water supply. The test parameters are shown in **Appendix 6**, and Element Labs, a laboratory accredited by the Canadian Association of Environmental Analytical Laboratories and by the Standards Council of Canada, conducts the tests, for which the results are shown in **Appendix 7**.





Figure 2: Water Quality Technician sampling water at a Water Sampling Station.

Turning off the tap while brushing teeth for two minutes twice a day can save up to 700 litres of water per month.



The measures taken to ensure the health of our water system are taken very seriously. The City of Delta's staff has worked closely with Fraser Health to ensure we have a program in place that meets and exceeds the conditions set out in the Water Monitoring Protocol. As such, we sample and test more sites than required, conduct more thorough and more frequent tests of our well water source than required, and have installed sampling stations to provide an accurate overview of the health of our drinking water system. When our water sampling van is in the neighbourhood, it is confirmation that we are doing whatever we can to provide our residents with safe and healthy drinking water

# 4.0 TESTING PARAMETERS & RESULTS

Based on 2023 BC Stats data, the City of Delta as a purveyor of drinking water to a population of approximately 113,000, is required to test a minimum of 93 samples per month, as outlined in the Drinking Water Protection Regulation<sup>2</sup>. Delta's water distribution network is comprised of approximately 610 kilometres of watermain, and supplies water to five distinct geographical areas; North Delta, Ladner, Tsawwassen, Tilbury and Annacis Island. To adequately represent all areas within our network, an average of 106 bacterial samples are tested per month - 13 more than the guideline suggests. The 34 sites shown in **Appendix 3** are sampled on a weekly basis and tested for microbiological characteristics; specifically, total coliforms, E.coli, heterotrophic plate counts, and turbidity. Samples are also tested for aesthetic objectives, temperature, and pH level. As it is not feasible to test directly for all pathogens in the drinking water, microbiological guidelines are based on indicator organisms outlined in the test parameters.

A Maximum Acceptable Concentration (MAC) level for each specific test parameter has been established by Health Canada's Guidelines for Canadian Drinking Water Quality (GCDWQ)<sup>3</sup>. Each MAC has been designed to safeguard health, assuming a lifelong consumption of drinking water containing the substances at the maximum concentration level.

Aesthetic Objectives (AO's) apply to characteristics of drinking water that can affect its acceptance by consumers. These include items such as taste, odour, and appearance. Some AO's, such as turbidity, could pose a health risk to some at risk consumers if the MAC levels are exceeded.

Delta conducts its own well-water analysis to ensure the quality of the source water being introduced into our distribution system. Sampling sites DmDel 305 (Watershed Park Well #1), DmDel 306 (Watershed Park Well #5), and DmDel 307 (Watershed Park Well #3) were sampled by Delta Water Technicians and tested by Element Labs. The extensive test parameters for this well-water analysis are outlined in **Appendix 6**. Sampling stations DmDel 220, 225, 308, and 329 (Watershed Park Reservoir), which are

Reducing a shower by two minutes can save up to 460 litres of water per month.



directly downstream of the wells were also scrutinized against the same parameters. Complete records of all four quarterly tests can be found in **Appendix 7**. All well-water samples were found to be in compliance with the Guidelines for Canadian Drinking Water Quality.

Approximately 1,266 samples, collected weekly from 34 sites, were used to test for microbiological presence in Delta's local distribution system. The microbiological parameters that were tested are discussed below and complete test results are provided in **Appendix 8**.

Quarterly and bi-annual testing of disinfection by-products, trace metals, and vinyl chloride from select sampling sites is also discussed in the subsequent section. Full test results are attached in **Appendices 12, 13, and 14** respectively.

#### **Total Coliforms**

The presence of total coliforms in the water system is an indicator that the system is experiencing microbial re-growth, that infiltration has occurred, or that water has not been properly treated at the source. The Drinking Water Protection Regulation states that at least 90% of samples should have no detectable total coliform bacteria per 100 ml and no sample has more than 10 total coliform bacteria per 100 ml. The units for measurement are *colony forming units* (CFU) or *most probable number* (MPN).

If a sample tests positive for total coliform bacteria, it is re-sampled to confirm the original result. If the second test result is positive, the affected main is flushed, monitored, and tested again. The response to another unacceptable test result is to take the main out of service, chlorinate, flush, retest, and keep it out of service until acceptable results are obtained.

**Parameter Guideline:** At least 90% of samples have no detectable total coliform bacteria per 100 ml and no sample has more than 10 total coliform bacteria per 100 ml

In 2023, total coliforms were detected in five samples:

- Station DMDEL 302 where 28 CFU per 100mL of total coliform was detected in a sample in June.
- Station DMDEL 304 had one sample with a total coliform bacteria count of 5 MPN per 100ml in October.
- Two samples had a detectable total coliform bacteria count of 2 MPN per 100ml at Station DMDEL 317, once in June and once in October.
- Station DMDEL 228 had 1 MPN per 100mL in November.

When you go to a restaurant and they give you that complimentary glass of water, remember, it takes another 2 glasses to wash it. Decline it if you do not plan on drinking it.



No total coliforms were detected in subsequent samples taken from each station.

#### <u>E. Coli</u>

Escherichia coli is one species in the fecal coliform group, and best known because of its link to the death of seven people and illness of over 2,000 others in Walkerton, Ontario. This bacterial species is a definite indicator of the presence of feces in the distribution system. The MAC for E. coli is 0 CFU per 100 ml. A confirmed unacceptable MAC test for E. coli can trigger an immediate boil water order by the Water Operator (City of Delta) in consultation with Fraser Health's Environmental Health Officer which remains in effect until the problem is isolated, identified, resolved, and acceptable test results are obtained.

The Drinking Water Protection Regulation of British Columbia *Schedule A*, shown below in Figure 3, has established the following microbiological criteria:

Parameter:	Standard:				
Fecal coliform bacteria	No detectable fecal coliform bacteria per 100 ml				
Escherichia coli (E.coli)	No detectable Escherichia coli per 100 ml				
Total coliform bacteria: (a) 1 sample in a 30 day period (b) More than 1 sample in a 30 day period	No detectable total coliform bacteria per 100 ml At least 90% of samples have no detectable total coliform bacteria per 100 ml and no sample has more than 10 total coliform bacteria per 100 ml				

**Figure 3: Water Quality Standards for Potable Water** 

#### Parameter MAC: 0 MF/100 ml

One sample was accidentally contaminated during the sampling process which resulted in a positive test for E.coli in October 2023. As per protocols, City staff immediately notified the Environmental Health Officer, tested the residual chlorine levels in the watermain again, flushed the watermain, and took repeat samples for three consecutive days from two sampling stations located within the same pressure zone. No E. coli or total coliforms were detected in the repeat samples indicating that the positive result was due to accidental contamination during sampling. All samples including original and follow up samples were clear with good residual chlorine levels, providing confirmation that the drinking water met all regulatory requirements and was safe for consumption.

#### Heterotrophic Plate Count

Don't leave the water running when you shave. A tap can run at approximately 10 litres per minute. If it takes 10 minutes to shave, that's about 100 litres of water used.




The general bacterial population is estimated by means of a background colony count referred to as a heterotrophic plate count (HPC). Although not a significant health concern on its own, the presence of a background bacterial growth indicates that pathogenic bacteria could thrive in the system should they be able to enter it. Also, excessively high HPCs can hinder the detection of coliforms.

No MAC is specified for HPC bacteria in water supplied by public drinking water systems. Instead, increases in HPC concentrations above baseline levels are considered undesirable. Delta's baseline level for HPCs is 500 colonies per millilitre (mL). If a test result indicates more than 500, the water is resampled and tested. Further test results indicating HPCs above 500 require the watermains to be flushed and monitored until a decreasing trend is observed to below the baseline.

Parameter Guideline: < Delta's baseline level of 500 colonies/mL

The test results for HPC are shown in **Appendix 8**. **Figure 4** shows the average and maximum HPC at each sampling station in 2023. There was one event of HPC exceeding the baseline level of 500 colonies/mL this year. Sample site DmDel 307 had a count of 600 on May 9. Subsequent sample results show HPC levels below the baseline.



#### <u>Turbidity</u>

Check for leaks in your garden hose. Hoses can outflow water up to 2,700 litres per hour. If there is a leak, that can add up to a lot of wasted water.



Turbidity measurements relate to the optical properties of water. Suspended matter such as clay, silt, finely divided organic and inorganic matter, soluble coloured organic compounds, plankton, and other microscopic organisms all contribute to poor turbidity levels. Excessive turbidity not only detracts from the appearance and taste of water, it can also serve as a source of nutrients for waterborne bacteria and a surrogate for pathogens. As Delta's MV supply source is surficial, and therefore subject to changes in quality due to weather changes, the water is sometimes discoloured and may taste different following a period of heavy rain after a long dry spell. Excessively high turbidity can also have a negative effect on disinfection techniques.

Turbidity tests measure the scattering and absorbing effect of suspended particles on light which is measured in nephelometric turbidity units (NTU). The GCDWQ states that for filtration systems the turbidity levels should be as low as reasonably possible with a target of less than 0.1 NTU. However, Delta tests only within the local distribution system and the Aesthetic Objective (AO) has been set at <1 NTU at the point of consumption. The system is monitored and flushed, if necessary, when unacceptably high turbidity test results are recorded.


#### Parameter Guideline: < 1 NTU

Test results for turbidity and temperature are shown in **Appendix 8**. There were 11 instances of high turbidity reported at various sampling stations. **Figure 5** below summarizes the high turbidity events observed throughout the year. All events are minor turbidity exceedances.

Sampling Station ID	Sampled Date	Turbidity (NTU)
DEL-222	July 10, 2023	1.2
DEL-227	May 2, 2023	1.2
DEL-301	June 12, 2023	1.2
DEL-301	August 16, 2023	2.1
DEL-301	September 12, 2023	1.8
DEL-301	September 19, 2023	1.4
DEL-301	October 16, 2023	2.1
DEL-310	March 27, 2023	1.2
DEL-310	April 3, 2023	1.1
DEL-321	January 24, 2023	3.0
DEL-327	August 16, 2023	1.6

#### **Figure 5: Summary of High Turbidity Events**

The average turbidity of all sampling stations remained under the guideline value of 1 NTU, as seen in **Figure 6**. The turbidity at Metro Vancouver's source waters are shown in **Figure 7**.



#### <u>рН</u>

Garden hoses can deliver water at 45 litres per minute. Having a shut-off nozzle can save a lot of water as water runs only when you use it.




The pH of water can influence the formation of disinfection by-products and the effectiveness of treatment. An acceptable pH range for drinking water is 7 to 10.5.

To protect copper pipes and hot water tanks, MV has increased the pH and alkalinity of the region's drinking water through the use of natural minerals. The new target range for pH adopted in Spring 2021 is 8.3 - 8.5 and 20.0 mg/L of calcium carbonate (CaCO<sub>3</sub>) for alkalinity. The changes have no impact on the water's taste or smell and are in compliance with the GCDWQ.

#### Parameter Guideline: 7 - 10.5

The average pH of selected sampling sites in Delta serviced primarily by Metro Vancouver source water was 7.90. The average pH of station DmDel 305 (Well #1) was 7.70, Dmdel 306 (Well #5) was 7.61, and DmDel 307 (Well #3) was 7.66, before mixing with MV water at the reservoir. Delta also completed quarterly testing of selected sampling sites serviced primarily by well water and the pH was within the acceptable range. **Figure 8** shows the average along with the maximum and minimum accepted pH values of all sampling sites.



#### <u>Chlorine Residual</u>

Water consumption can increase up to 50% in summer, largely due to lawn sprinkling and other outdoor uses.



Chlorine is used as a disinfectant by MV. The purpose of maintaining a disinfectant residual in both MV's and Delta's distribution system, also known as free chlorine, is to control the re-growth of bacteria. Observing a chlorine residual of approximately 0.4 to 0.7 milligrams per litre (mg/L) in Delta's system is normal. However, the target minimum concentration is 0.2 mg/L, with the exception of Delta's well water service area which is a non-chlorinated supply that ties into MV's chlorinated supply. Delta's well water supply is monitored closely, and if required a backup chlorination injection system is available.

#### Parameter Guideline: >0.2 mg/L

Test results for free chlorine residual are shown in **Appendix 8**, while **Appendix 9** provides average free chlorine residual results, including a map indicating sites where samples consistently tested less than 0.2 mg/L. This typically includes stations that are downstream of the well water sources where there is dilution caused by some mixing with Metro Vancouver water or at dead end mains. As such, low chlorine residual results are expected.

Stations DmDel 305, 306, 307 generally have zero chlorine residual as this water originates from Delta's artesian wells, and is not chlorinated.

#### **Disinfection By-products**

Reactions between chlorine used for disinfection, temperature, water pH and dissolved natural organic matter in the water can form two major families of potentially carcinogenic by-products: Total Trihalomethanes (TTHMs) and Total Haloacetic Acids (THAAs). The Guideline for Canadian Drinking Water Quality states that the MAC for TTHMs and THAAs in drinking water is 0.100 mg/L (100 parts per billion) and 0.080 mg/L (80 parts per billion), respectively, based on a running annual average of a minimum of quarterly samples.

Parameter MAC: 100 ppb for Total Trihalomethanes; 80 ppb for Total Haloacetic Acid

Results of tests performed for disinfection by-products are summarized in **Appendix 12**. The levels of THAAs has reduced since the construction of the Seymour-Capilano Filtration Plant and subsequent reduction of chlorine required for disinfection. All results in 2023 were below the maximum allowable limit.

#### <u>Metals</u>

A tap that drips 2 tablespoons per minute equates to 2,600 litres of wasted water in one year. All water that goes down the drain ends up at the Annacis Island Waste Water Treatment Plant.



The guideline limits for tested metals are listed in **Appendix 5** (Physical and Chemical Analysis of Source Supply). Lead testing is completed semi-annually for MV's source water prior to and after treatment. Lead is also a tested at select Delta sampling stations.

#### Parameter MAC: see Appendix 13

A total of eight samples were collected from four locations and tested biannually by Metro Vancouver for the presence of metals. The results of these samples are summarized in **Appendix 13**; all metal concentrations were below the relevant guidelines for 2023.

#### Vinyl Chloride

Vinyl chloride, a synthetic chemical, can enter drinking water through leaching from polyvinyl chloride (PVC) pipes due to the biodegradation of synthetic solvents. The MAC for vinyl chloride is 0.002 mg/L.

#### Parameter MAC: 0.002 mg/L

Since over 50% of Delta's watermain inventory consists of PVC pipe, six sampling locations with predominantly PVC pipe were selected to test for vinyl chloride. Each location was tested twice: once in June and again in November. Out of the 12 samples taken, all vinyl chloride results were less than 0.001 mg/L, well below the GCDWQ maximum acceptable concentration of 0.002 mg/L. The test results are summarized in **Appendix 14**.


Even energy efficient washing machines use up to 50 litres of water per load. To save water, you can wait until a full laundry load.



# 5.0 WATER DISTRIBUTION SYSTEM DETAILS

Delta's water system services an area of approximately 18,100 hectares including North Delta, Tsawwassen, Ladner, Tilbury, Annacis Island, Delta Port, Boundary Bay Airport, and the BC Ferries Terminal. The City of Delta distributes water in pipes made of a variety of materials. The very first watermains were installed in 1909 and were made of wood. These wooden mains have since been replaced and new mains constructed with other material such as cast iron, ductile iron, polyvinyl chloride (PVC), steel and asbestos cement. The majority of watermains have now been replaced with PVC pipe.

**Figure 9** shows the breakdown of pipe materials that comprise Delta's distribution system.



pipe, and one due to a hole in the pipe.

#### **Ductile Iron Watermains**

Roughly 60% of a typical family household water footprint is from lawn and garden maintenance. Rain barrels, sustainable gardens, and lawn watering restrictions can greatly reduce this consumption.



Approximately 10% or 60 kilometres, of Delta's watermain inventory consists of ductile iron pipe. While most ductile iron pipe was installed between 1969 and 1988, it is still used for some applications where additional strength is required. Delta's design guidelines require cathodic protection on new ductile iron pipe installations in the lowlands, increasing the service life expectancy to 100 years. No breaks occurred for ductile iron pipes in 2023.

#### PVC Watermains

Approximately 60% or 370 kilometres, of Delta's watermain inventory consists of PVC pipe. The majority of this pipe has been installed since 1979. Although the service life of PVC pipe has not yet been demonstrated, 75 years is estimated. Watermain break records indicate that in 2023 there was one PVC watermain break due to longitudinal splitting of the pipe.

#### Steel Watermains

Approximately 1% or 7 kilometres, of Delta's watermain inventory consist of steel. These mains have a large diameter and are primarily used as transmission mains. However, the life expectancy of steel watermains can be greatly affected by corrosive soils. A break to one of these mains could have serious results as the volume of water released prior to isolation could be enormous. Additionally, some of these mains serve large areas of Delta and disruption to them could leave entire areas without water. As such, cathodic protection is utilized in an effort to protect the pipe. There were no watermain breaks in the steel pipe inventory in 2023. Yet most of these mains were constructed in the 1970s and are beginning to reach the end of their service life.

#### Asbestos Cement Watermains

Approximately 12% or 72 kilometres, of Delta's watermain inventory consists of asbestos cement pipe which was installed prior to 1978. The life expectancy of asbestos cement pipe is between 50 and 60 years, depending on soil type and ground conditions. Workers repairing or replacing asbestos pipe are required to take special safety precautions. Watermain break records indicate that three watermain breaks occurred in the asbestos cement inventory in 2023, two were caused by holes in the pipe, while one was caused by longitudinal splitting of the pipe.

#### High Density Polyethylene Watermains

Another water saving tip is to cool a jug or pitcher of water in the fridge instead of running the tap awaiting cooler water.



Approximately 1% or 10 kilometres, of Delta's watermain inventory consists of high density polyethylene pipe (HDPE). This pipe material has only been in use in Delta since 2000 and is mainly used for transmission mains or in specific applications. The construction method for polyethylene pipe is unique in that the pipe sections are joined together by fusion welding. This method of pipe joining provides for leak tight joints and greater seismic resistance. Although the service life of polyethylene pipe is not yet confirmed, 75 years is estimated. There were no HDPE watermain breaks in 2023.

#### 5.2 Other Components

#### Water Pumping Stations

The Delta water system includes three water storage and pump station facilities: Pebble Hill, Hellings and the 64 Avenue. If a pumping station or storage facility were to fail, water service to a large area of the community could be discontinued or adversely affected until repaired. Delta's water pumping stations are all equipped with backup generators. Each pump station has a service life of approximately 40 to 50 years.



Figure 10: Pump Station on 4 Avenue at Pebble Hill Reservoir

#### <u>Water Services</u>

Delta has approximately 31,800 water service connections supplying water from our distribution network to individual property lines. As with Delta watermains, these pipes age and require replacement. Whenever possible, service connections older than 25 years are replaced by the developers as part of their Building Permit, as required in

Water used to rinse fruits or vegetables can be captured and re-used to water house or garden plants.



Delta's Subdivision & Development Standards Bylaw. Service connections are also replaced when old watermains are upgraded or replaced as a part of Delta's Capital Program.

Of the approximate 31,800 service connections, approximately 80% are copper with some installed as early as 1940. Based on a study by the Seattle Water Department, the average service life for copper service pipes installed in Seattle is 40 to 50 years.

The remaining roughly 20% of service connections are comprised of cast iron, asbestos cement, ductile iron, PVC, or polyethylene pipe. The older industrial service pipes are made of asbestos cement and cast iron, while the newer industrial service pipes are made of ductile iron, PVC or polyethylene.

#### Water Storage Facilities

Two of the three water storage facilities in Delta are owned and operated by MV; namely Pebble Hill Reservoir in Tsawwassen and Hellings Reservoir in North Delta. The 64 Avenue Reservoir, with a capacity of 7,500,000 litres, is owned and operated by Delta and is primarily filled with water from Delta's artesian wells. The current reservoir structure was built in 1959 and is nearing the end of its service life. The reservoir is a key facility for water supply to East Ladner, and also plays a vital role in providing an emergency water supply.



Figure 11: Water reservoir and pump station on 64 Avenue

#### <u>Fire Hydrants</u>

Dishwashers use much less water than handwashing. If you have a dishwasher, consider using it as your primary choice.



Delta has approximately 3,300 fire hydrants, some installed as early as the 1950s. The older style slide-gate hydrants, which are less efficient at providing water for fire protection, are being replaced with new compression-style hydrants that provide more flow at a higher pressure. When a slide-gate hydrant has reached the end of its service life or a watermain is being upgraded as part of the Capital Program, slide-gate hydrants are replaced with compression hydrants.

#### Pressure Reducing Valve Stations

Pressure reducing valves are used to step-down pressure in Delta's water distribution system to an acceptable supply pressure. Delta has 45 pressure reducing valve (PRV) stations containing approximately 83 pressure regulating valves. There are 25 stations connected to the MV water supply system. The remaining 20 are internal to Delta's water system. **Figure 12** shows the recently upgraded Norum Road PRV Station.



Figure 12: Norum Road PRV Station

Fluctuating pressures can place excessive stress on plumbing systems and watermains. Delta currently overhauls the PRV stations every five years in an effort to extend their service life to 50 years, and replaces others that are near the end of their service life.

#### Flow Control Valves

If you are looking to replace your toilet, consider a dual-flush toilet as it provides the options of a water saving dualflush.



Delta has approximately 6,000 flow control valves in the water distribution system, which includes zone valves, check valves, butterfly valves, and gate valves. The valves are primarily used to isolate areas of the network for inspection or repair. If a valve were to fail, water flow to the affected main would be disrupted until repaired. The expected service life of a flow control valve is 40 to 50 years without cathodic protection, and 100 years with cathodic protection.

#### <u>Air Valves</u>

Delta has 416 air valves, installed in below-ground chambers, which "bleed" air from the pressurized system through piping that discharges above grade. Entrapped air in the distribution system could impact pipe flow capacity. Air valves receive maintenance as required and are replaced at the end of their service life, which is approximately 20 years.

#### **Backflow Prevention Assemblies**


Delta has taken a proactive approach in protecting the water distribution system from harmful cross connections. The Engineering and Plumbing Departments have had a municipal wide Backflow Prevention Program in place for several years.

Section 15 of the British Columbia Drinking Water Protection Regulation outlines that "an assessment response plan must include provisions to identify, eliminate, and prevent cross connections with non-potable water sources". In addition, Part 5 of the Delta Water Service Bylaw no. 7441, 2016 (April 11, 2022)<sup>4</sup> also contains regulations that prevent contamination.

For instance, the Bylaw states that:

40) No person shall, except as authorized by the Director under section 39, connect or cause or allow to be connected to the water supply facilities on any premises any piping, fixture, fitting, or other appurtenance that would in any circumstances permit water, wastewater, or any other liquid substances to enter any part of the Waterworks System, including that Person's Water Service.

In Metro Vancouver approximately 270 liters of water per person is used each day. The major use of indoor residential water consumption is flushing the toilet.



Within the municipality, there are 4,969 backflow prevention assemblies currently in service. All testable backflow assemblies must be tested annually. Inventory can be broken down as follows:

- Double Check Valve Assemblies (DCVA's) 2,966
- Reduced Pressure Backflow Assemblies (RPBA's) 1,801
- Pressure Vacuum Breaker Assemblies (PVBA's) 73
- Double Check Detector Assemblies (DCDA's) 121
- Reduced Pressure Detector Assemblies (RPDA's) 7
- Other 1

Most of these assemblies are privately owned and all assemblies are required to be tested annually. They can be installed at the point of hazard, or in premise isolation. In either case, a properly maintained backflow assembly prevents non-potable water, or "spent" water, from entering the potable water system by means of back-siphonage or back pressure.

Delta has partnered with BSI Online for tracking and recording backflow assembly tests. Testing companies and external owners can easily access and upload data through the BSI Online platform, while Delta can monitor compliance.

#### <u>Water Meters</u>

All new construction, including residential, secondary suites, and agricultural properties require a water meter. All properties that contain a secondary suite are required to have a water meter. In 2023, Delta installed 47 secondary suite and 66 voluntary water meters. The meters were installed at no charge to the homeowner. In total, there were 302 water meters activated in 2023.

Delta currently meters over 10,000 water services. Approximately 33% of all active agricultural, industrial, commercial, institutional, and residential lots are metered. The service life of a water meter is approximately 20 years.

#### Auto Watermain Flushers

Delta has installed auto flushing units at nine locations that have experienced higher than normal heterotrophic plate counts (HPC's) in the past. These units automatically flush the watermains at regular intervals to ensure water quality is maintained.

#### 5.3 Water System Value

Each day, residents of the Metro Vancouver region use on average 1 billion litres of water per day – enough to fill BC Place. The total value of our water distribution system, as detailed in **Figure 13**, is approximately \$1.2 billion. In 2023 Capital Plan, the City of Delta allocated \$6.2 million for water infrastructure replacement and upgrades. The Capital Plan is designed to identify, prioritize, and address deficiencies in the water system in order to maintain a reliable level of service to residents, businesses, and other stakeholders.

System Components	Quantity in Use in Delta	Estimated Replacement Cost (\$ M)
Watermains	610 km	\$854
Service Connections	31,800	\$159
Control Valves & Fittings & Chambers	6,000	\$76
Hydrants	3,291	\$38
Back-Flow Assemblies	5,967	\$5
Water Meters	9,100	\$29
Pumping Stations	3	\$9
Pressure Reducing Stations	45	\$59
Reservoirs/Tanks*	1 Delta/2 GVRD	\$12
Wells	3	\$1
TOTAL		\$1.2 Billion

\*Cost is for Delta Reservoir only

Figure 13: Infrastructure replacement value, 2023 dollars

# 6.0 SYSTEM MAINTENANCE

Instead of washing your driveway, deck, or patio, consider sweeping to conserve water.



Delta is a Class III Water Distribution System operator under the Environmental Operators Certification Program (EOCP). To operate the water system, Delta must have EOCP certified staff at or above the corresponding class level. Currently, Delta has one Level 3 Water System Operator, two Level 2 Water System Operators, and three Level 1 Water System Operators in water utility operations team.

The City's thorough and comprehensive maintenance program was developed to extend the life expectancy of water assets. Maintenance of the Delta water system involves five key programs: valve exercising, watermain flushing, hydrant maintenance, well maintenance, and reservoir maintenance. The general maintenance schedule for most programs is outlined in **Figure 14**. Well maintenance is conducted when the well yield is reduced, on an as-needed basis, and the wellheads are cleaned annually. Since replacing the entire distribution network is not feasible, system maintenance is critical to maintaining and extending the life of existing water infrastructure. Delta spent approximately \$5.5 million in 2023 on water system operations and maintenance.

#### 6.1 Annual Maintenance Program

Program	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Valve Exercising												
Watermain Flushing												
Hydrant Maintenance												
Reservoir Maintenance*											*	

\*as required


Figure 14: Delta Water Maintenance Program

#### <u>Valve Maintenance</u>

Valves are interspersed along watermains and can be closed or opened to alter the flow of water. These valves can be buried or left closed causing maintenance challenges by restricting water flow through the main. In response to this issue, Delta staff commenced a valve exercising program in 1985. Each valve is inspected annually, exposing buried valves, making repairs, and exercising every valve by turning it first to a closed position and then back to open. This process begins in January and lasts for approximately six weeks.

#### <u>Watermain Maintenance</u>

Per capita water consumption in Delta has been decreasing steadily since 1990.



Watermain maintenance involves repairing damaged or leaking watermains, and ensuring that watermains are operating effectively.

#### <u>Watermain Upgrading</u>

In addition to repairing watermains, Delta replaces aging watermains as a preventive measure. An ongoing annual replacement program is in place which targets areas with older piping materials in susceptible conditions, areas of inadequate fire flow, and neighbourhood rehabilitation sites.

#### <u>Watermain Flushing</u>

Delta is at the southern extreme of long transmission mains coming from the Seymour, Capilano, and Coquitlam Reservoirs. As water travels from the watershed, it transports sediment into Delta's water distribution system. In addition to accumulated sediment, some areas of the water system are susceptible to water stagnation where water usage is low or watermains terminate at street ends. Sediment and stagnation can create an undesirable level of turbidity in the water. As discussed, turbidity impacts aesthetic quality and promotes bacterial growth. In response to these concerns, Delta initiated a watermain flushing program in 1985. Each main is flushed annually, during daytime hours. Note that the watermain flushing schedule is impacted by seasonal water sprinkling restrictions. When flushing, a hydrant is opened causing the increase in water velocity within the main which initiates the removal of sediment. Large distribution mains, such as those found on Ladner Trunk Road, 56 Street, Scott Road, and River Road, are not flushed because velocities through these mains are routinely high enough to move sediment and prevent water stagnation. There are a number of locations throughout Delta referred to as "trouble spots" where water demand is low or where watermains terminate in a dead end. These areas are flushed as required, sometimes as often as every two months. When opportunities arise, either through new development or capital upgrades, the water system is looped. Delta also flushes mains within 24 hours of receiving test results from the MV Laboratory that indicate bacteria levels outside the acceptable provincial water quality guidelines.

#### Hydrant Maintenance

Historically, fire hydrants were only serviced when requested by the Fire Department. To ensure proper fire protection, Delta implemented a fire hydrant maintenance program in 1985. The program checks the pressure on each hydrant before it is serviced and dismantled, renewing worn parts as necessary. The hydrant is then lubricated and reassembled. This program takes approximately four months to complete.

Position sprinklers to water plants and lawns, not pavement.





Figure 15: Fire Hydrant Undergoing Regular Annual Maintenance

#### **Reservoir Maintenance**

Debris can accumulate in reservoirs requiring occasional cleaning. Fortunately the water fed into the 64 Avenue Reservoir from the three wells contains almost no sediment, and therefore cleaning is scheduled only when required. Cleaning is performed with a team of divers "vacuuming" silt from the bottom of the reservoir, which eliminates the need for draining the reservoir and reduces maintenance costs.

The Pebble Hill and Hellings reservoirs are owned and maintained by MV.



Figure 16: Hellings Reservoir in North Delta

Current dishwasher models use as little as 23 litres of water, even for partial loads. Full loads will save a lot more water.



#### Water Well Maintenance

Well maintenance is a critical component of our water infrastructure maintenance program. As the water from the wells is introduced into our distribution network untreated, we conduct daily maintenance and monitoring. The water levels are measured and recorded daily to ensure the aquifer is not over utilized and the system checked for malfunctions.



Figure 17: Well #1, Watershed Park Wells

The three wells are redeveloped every three to five years which involves surging, jetting, and treating the wells with biodegradable product applications. This helps maintain production rates, and avoids the costly alternative of replacing a well. All activities in the well compound area are closely monitored and regulated. Staff who maintain this facility are certified by the Environmental Operators Certification Program of B.C.


# 7.0 WATERMAIN BREAKS

Using a refillable water bottle or re-using a single glass to drink water for the day will reduce the number of glasses to wash per day, conserving water.



Most water utilities frequently experience minor disruptions. Pipes break, valves stick, hydrant leaks and power outages occur. Although these are not anticipated, they can usually be corrected with minimal disruption, and regular service can be quickly restored. This section summarizes typical actions taken by the City in case of a service disruption.

In 2023, our staff responded to and repaired 16 watermain breaks or leaks (**Figure 18**). 13 watermains split around the pipe and three were caused by holes in the pipe.



Procedures for Watermain Repairs or Tie-ins

Watermains are disinfected whenever they are exposed to the atmosphere. To prevent a possible introduction of contamination, our crews try to maintain positive pressure in the system. This practice makes the repair more difficult, but it is a necessary safeguard to protect the integrity of our system.

#### Repairs or Tie-ins with No Groundwater Entry

These repairs are typically the result of electrolysis holes, cracks, splits, and are repaired using repair clamps. Provided the watermain maintains positive pressure until our crews have excavated below the invert of the pipe, it is assumed that no contaminant can enter the system. The repair clamps and other materials required to complete the repairs are cleaned with a 6% chlorine solution. Upon completion of the repairs the main is flushed and put back into service.

#### Repairs or Tie-ins with Groundwater Entry

Only 1 hour a week of sprinkling is needed during dry weather for a healthy lawn.



On occasion, breaks have occurred where it is not possible to maintain positive pressure or to pump the groundwater below the invert of the watermain before throttling the main down or shutting it off. In this case, disinfection, flushing, and residual testing procedures are followed prior to re-commissioning the watermain.

Our staff adhere to the procedures set out in the American Water Works Association Standard C651-14 regarding watermain chlorination, that in summary requires: that the main is completely isolated, disinfected with a chlorine concentration of 25 to 300mg/L for a retention time between 15 minutes and 24 hours. A minimum chlorine residual must be maintained at all times or after the disinfection. If the residual requirement is not met, the main must be re-chlorinated using the same standard. After a successful result, the watermain is flushed continuously until the chlorine residual is less than one milligram per liter. When the desired residual level is achieved, the main is put back into service.

#### E. coli Detection

If E. coli is detected in a sample, then response protocol is followed as per Delta's Drinking Water Response Plan. The testing laboratory sends an immediate notification of the positive test sample. The City of Delta immediately notifies the Fraser Health Authority and the Municipal Health Officer of any positive E. coli test. Residual chlorine levels are immediately checked in vicinity of the sampling station. Engineering Operations team is deployed to the area and the watermain is flushed. Repeat samples are taken immediately upstream and downstream of the sampling station, within the same pressure zone to determine if there is any contamination in the distribution system. If there are no other E. Coli positive samples, service continues for the area. As per protocol, three days of consecutive sampling and tests are required and all must test negative for E.Coli, for the response to conclude. Should any further samples detect E.Coli, the watermain is isolated and a 'Boil Water' advisory is issued while the watermain is disinfected, until three consecutive sampling days prove negative for E.Coli.

#### Waste Water Contamination

Where a watermain break is accompanied by a sanitary sewer break, the watermain is throttled to maintain positive system pressure while the sanitary main is repaired. Once the sanitary main is repaired, the watermain is taken out of service, disinfected, flushed, and tested. The Environmental Health Officer is notified and the main is not put back into service until acceptable test results are achieved.

Adding mulch, organic matter to soil, thicker topsoil layers, or even leaving lawn mowing clippings can improve the soil's ability to retain water from rainfall or watering, needing less drinking water.



# 8.0 NOTIFICATION PROTOCOL

Normally, breaks or disruption to water service are caused by conditions that can be repaired and reinstated directly by Delta crews without risk to the public health. However, sometimes situations arise that require extra care to guarantee the infrastructure integrity.

To confirm we have acted in an appropriate manner when addressing these abnormal occurrences, the notification protocol, as shown in **Appendix 10**, is followed. It describes the proper procedure to activate emergency water supply, repair watermain and water service breaks, and provide backup power to pumping stations during a power outage. It also includes a list of personnel to be notified, and flow charts of response procedures in case of emergency events. Fraser Health is also notified of watermain breaks via email. This procedure has been implemented for mains larger than 100mm in diameter.

# 9.0 UNIQUE CHARACTERISTICS OF SYSTEM

#### Delta Water Source

The redevelopment of two wells and construction of a third well near Watershed Park has provided Delta with an emergency drinking water source. By introducing this water into the distribution system Delta offsets the rising cost of purchasing water from MV. This year, pumping from these wells resulted in savings of approximately \$520,000. The replacement of Well#1 pump in 2018 has resulted a significant increase in Well #1 production. Well #5 was redeveloped in early 2022 which increased the production of well water.

Delta has been receiving filtered Seymour source water from MV's Seymour-Capilano Filtration Plant since 2010. This has significantly reduced the turbidity results in our water system, and improved our chlorine residual results. In addition, the Capilano source water has been treated at the filtration plant since 2015, further improving Delta's drinking water quality. Delta also receives a small portion of Coquitlam source water.

#### Delta Water Source History

In the spring of 1997 MV's transmission main broke beneath the Port Mann Bridge leaving only two alternate supply sources to Surrey and Delta. This event left Delta with greatly reduced system redundancy. To compensate for the reduced supply, a ban on sprinkling was mandated and other conservation measures implemented.

Check out <u>www.welovewater.ca</u> for more water saving tips!





Figure 19: Original Well Pump House at Watershed Park, Constructed 1906

Recognizing Delta's vulnerability, Council directed the Engineering Department to come up with an alternative water source to be available in the event of a natural catastrophe. Four water wells in Watershed Park, which supplied the lower Sunshine Hills area, had been abandoned some 25 years prior, but the buildings and infrastructure, although overgrown and in need of repair, were intact. After a thorough evaluation had been conducted, it was recommended that only two of the original wells (#1 & #3) should be refurbished and that a new well (#5) should be constructed.

As work to refurbish the wells was underway, it became apparent that the water from the aquifer was of very high quality. Tests showed that it surpassed all conditions set out in the Guidelines for Canadian Drinking Water Quality, Sixth Edition. As a result, it was decided to introduce this water into our distribution system via the 64 Avenue Reservoir. A water tanker load out facility was also constructed to facilitate the distribution of well water to various locations in the case of a major emergency which would restrict water from MV sources to Delta. In 2012, a drinking water station utilizing well water was constructed for use of park patrons.

#### **DRINKING WATER QUALITY REPORT 2023**



Figure 20: Watershed Park Drinking Water Station, constructed 2012

#### Water Consumption

Delta is the highest per capita water user of all the MV member municipalities according to Metro Vancouver's 2022 Water Consumption Statistics<sup>6</sup>. Delta consumes an average of 576 litres per capita per day (including ICI) which is higher than the regional average of 394. This higher per capita consumption is likely attributed to large water-intensive industrial and agricultural operations.

In 2000, Delta implemented a leak detection program to determine the extent to which our distribution network could be contributing to the high consumption. Initial results indicate that although some leakage is occurring in areas where the service pipes are older, it does not appear to contribute in a significant way to the high average.

In an effort to better understand water use in the agricultural areas and the equity of water usage, Delta metered all agricultural properties in 2009. In addition, water meters are currently being installed on all legalized secondary suite properties, and water meters are required on all new construction. Overall, approximately 55% of Delta's total water consumption is currently metered.

Water demands increase as much as 50% in late summer while the MV reservoirs are also depleting of the accumulated water supply, especially during drought years. To reduce water consumption during the summer when there is a much larger water demand, Metro Vancouver has updated the Drinking Water Conservation Plan and reduced the allowable frequency of lawn watering in the region to one day per week, for both residential and non-residential properties.

#### **10.0 PUBLIC INQUIRIES**

The City of Delta staff responded to approximately 258 requests in 2023 to investigate water related issues. When calls were concerned about water potability, the City of Delta's Water Quality Technician would take a sample of the water in question and submit it to the MV Lab for testing.

Issues	Count
Water – Quality	23
Water – Pressure	65
Water - Other	170
Total	258

Figure 21: 2023 Public Inquiries

#### **11.0 CONCLUSION**

The majority of all water consumed in Delta is purchased from Metro Vancouver. As with all surface water sources, the water quality can be inconsistent. Following significant rain events, turbidity levels can be higher than normal and, as a result, the treatment process can be inconsistent. For several years, Delta has been benefiting from improved water quality from the Seymour-Capilano Filtration Plant. This has been observed from previous troublesome areas in Delta's system that are showing lower turbidity and HPC values, and higher, more stable, chlorine residuals.

Furthermore, maintenance and monitoring programs are designed to meet the challenges of distributing this water in a way that does not compromise the health of our residents. In 2023, approximately 1,266 water samples were collected in order to confirm a safe drinking water supply.

For any questions related to this report or requests for more specific information about the City of Delta's drinking water, please contact the Engineering Department at 604-946-3260.

#### **DRINKING WATER QUALITY REPORT 2023**


#### **12.0 REFERENCES**

- 1) Drinking Water Protection Act [SBC 2001] Chapter 9. Queen's Printer, Victoria, British Columbia
- 2) Drinking Water Protection Regulation, BC Reg. 200/2003 [includes amendments up to B.C. Reg. 237/2018, November 15, 2018]. Drinking Water Protection Act. Queen's Printer, Victoria, British Columbia
- 3) Health Canada: Guidelines for Canadian Drinking Water Quality, June 2019
- 4) Delta Water Service Bylaw No. 7441, 2023
- 5) Metro Vancouver 2023 Water Quality Control Annual Report
- 6) Metro Vancouver 2022 Water Consumption Statistics



## **Metro Vancouver**

# Water Distribution Map



# Tie-in Points To Metro Vancouver Water Transmission Mains

Location	Metro Van Main	Area Supplied	Type of Connection	PRV Name	
52 Street at 12 Avenue	South Delta No.1	South Delta	Check Valve		
747 Chester Rd	Annacis Main No. 4	Annacis Island	Direct		
120 St & 64 Ave	64 Ave	North Delta	Direct		
116 St & 86 Ave	Annacis No. 2	North Delta	Hellings PS		
5870 Vasey Road	River Road West	Ladner	PRV	L-222	
5236 Commodore Drive	South Delta No.1	Ladner & South Delta	PRV	L-230	
Ferry Rd & Admiral Way	South Delta No.1	Ladner & South Delta	PRV	L-229	
4930 Elliott Street	South Delta No.1	Ladner	PRV	L-224	
4775 - 54A Street	South Delta No.2	Ladner	PRV	L-225	
Mcneelys Way & River Rd	South Delta No.1	Ladner	PRV	L-228	
7100 - 62B Street	River Road West	Ladner	PRV	L-221	
8589 - 112 Street	Annacis Main No.2	North Delta	PRV	N-205	
9550 Alaska Way	Annacis No.2	North Delta	PRV	N-200	
9360 Alaska Way	Annacis No.2	North Delta	PRV	N-202	
9088 Norum Road	Annacis Main No.2	North Delta	PRV	N-203	
10459 Dunlop Road	River road East	North Delta	PRV	N-206	
28 Avenue & 57B Street	South Delta No.2	Rural South Delta	PRV	L-231	
Arthur Drive & 44 Avenue	South Delta No.1	Rural Ladner	PRV	L-223	
52 St at Springs Boulevard	South Delta No.1	South Delta	PRV	S-233	
5400 - 18 Avenue	South Delta No.2	South Delta	PRV	S-230	
5400 - 12 Avenue	South Delta No.2	South Delta	PRV	S-231	
52 Street & Imperial Gate	South Delta No.1	South Delta	PRV	S-232	
52 Street & Hwy 17	South Delta No.1	South Delta	PRV	S-242	
Huston Rd & 80 Street	River Road East	Tilbury & North Delta	PRV	L-220	
7515 Hopcott Road	River Road West	Tilbury	PRV	L-226	
Nordel Way & Swenson Way	River Road East	Tilbury	PRV	L-233	
7205 McDonald Road	River Road West	Tilbury	PRV	L-234	
11060 86 Avenue	Annacis No.2	North Delta	PRV	N-204	
500 Derwent Way	Annacis No.2	Annacis Island	PRV	A-201	
5200 - 4 Avenue	South Delta No.1	South Delta	PRV / PS		
6 Avenue at 52 Street*	South Delta No.2	South Delta	Valve Closed		
120 St & 96 Ave*	Whalley-Kennedy Link	North Delta	Direct		

#### Appendix 2: Supply Points from Metro Vancouver to City of Delta

(\*) This connection is not currently in use.

# Sampling Site Index and Location Maps




#### **CITY OF DELTA DRINKING WATER SAMPLING SITES**


SAMPLE NUMBER	CIVIC ADDRESS	LOCATION	PIPE SIZE	MATERIAL	AGE	C.I. MAIN UPSTREAM	FLOW CATEGORY	FREQUENCY
DmDel <b>220</b>	5860 112th Street	East Ladner	350mm	PE	1989	No	Source	* Weekly/Annually
DmDel <b>221</b>	4802 42A Avenue	Ladner	100mm	PVC	2005	Yes	Dead End	Weekly
DmDel <b>222</b>	4734 51Street	Ladner	250mm	PVC	1995	Yes	Medium	Weekly
DmDel 223	# 10 Centennial Parkway	Tsawwassen	150mm	PVC	2004	No	Dead End	Weekly
DmDel <b>224</b>	5575 9th Avenue	Tsawwassen	150mm	PVC	1998	Yes	Low	Weekly
DmDel <b>225</b>	3706 88th Street	Rural	150mm	PVC	1986	Yes	Dead End	* Weekly/Annually
DmDel <b>227</b>	6487 Sunshine Drive	North Delta	150mm	Cast Iron	1968	Yes	Low	Weekly
DmDel <b>228</b>	6603 Cabeldu Crescent	North Delta	200mm	PVC	1985	Yes	Low	Weekly
DmDel <b>229</b>	726 Chester Road	Annacis Island	300mm	A/C	1988	No	High	Weekly
DmDel <b>301</b>	11043 86th Avenue	North Delta	150mm	A/C	1961	Yes	Source	Weekly
DmDel <b>302</b>	610 Derwent Way	Annacis Island	300mm	A/C	1959	No	Source	Weekly
DmDel <b>303</b>	718 Eaton Way	Annacis Island	450mm	PVC	1985	No	Medium	Weekly
DmDel <b>304</b>	11920 70th Avenue	North Delta	300mm	PVC	2002	Yes	Low	Weekly
DmDel <b>305</b>	11600 64th Avenue	North Delta	Well # 1	Well Head	1999	N/A	Source	* Weekly/Annually
DmDel <b>306</b>	11600 64th Avenue	North Delta	Well # 5	Well Head	1999	N/A	Source	* Weekly/Annually
DmDel <b>307</b>	11600 64th Avenue	North Delta	Well # 3	Well Head	1999	N/A	Source	* Weekly/Annually
DmDel <b>308</b>	9341 Burns Drive	Rural	300mm	Cast Iron	1930	Yes	Low	Weekly
DmDel <b>309</b>	7979 Vantage Way	Tilbury	300mm	A/C	1978	No	Medium	Weekly
DmDel <b>310</b>	4905 Galbraith Street	Ladner	150mm	PVC	1983	Yes	Low	Weekly
DmDel <b>312</b>	5289 Commodore Drive	Ladner	200mm	PVC	1991	No	Source	Weekly
DmDel <b>313</b>	5191 Robertson Road	Westham Island	150mm	PVC	1984	Yes	Dead End	Weekly
DmDel <b>314</b>	4455 Clarence Taylor Crescent	Ladner	300mm	PVC	1992	No	Medium	Weekly
DmDel <b>316</b>	5408 Candlewyck Wynd	Tsawwassen	150mm	A/C	1976	No	Source	Weekly
DmDel <b>317</b>	1720 56th Street	Tsawwassen	200mm	PVC	1983	No	Medium	Weekly
DmDel <b>318</b>	4933 Cliff Drive	Tsawwassen	150mm	PVC	2010	Yes	Low	Weekly
DmDel <b>319</b>	5169 Kilkenny Drive	Tsawwassen	300mm	Ductile Iron	1977	No	Medium	Weekly
DmDel <b>320</b>	11321 80th Avenue	North Delta	200mm	Cast Iron	1966	Yes	Medium	Weekly
DmDel <b>321</b>	9434 117A Street	North Delta	150mm	PVC	2005	Yes	Medium	Weekly
DmDel <b>322</b>	11970 Clark Drive	North Delta	150mm	PVC	2007	No	Low	Weekly
DmDel <b>323</b>	7348 Priory Place	North Delta	100mm	Cast Iron	1971	Yes	Dead End	Weekly
DmDel <b>327</b>	11418 84th Avenue	North Delta	300mm	PVC	2002	Yes	Medium	Weekly
DmDel <b>329</b>	11600 64th Avenue	North Delta	Reservoir	Outlet	1975	N/A	Source	* Weekly/Annually
DmDel <b>391</b>	Ladner Trunk Rd - east of 80 St	Rural	350mm	PVC	2002	Yes	High	Weekly
DmDel <b>392</b>	3044 41B Street	Rural	300 mm	PVC	2011	No	Source	Weekly

Water samples are tested for the following: Coliforms, Turbidity, Chlorine Residual and Temperature.

Sample sites 220, 225, 305, 306, 307 & 329 are also tested annually for Metals, Chemicals and Methyl tert-butyl ethers.



Sites Sampling Water Projects\Active Drawings\2024\Delta Capital F:\Eng\1\_Active



## **Metro Vancouver**

## **Source Water and Distribution System**

**Test Parameters** 

	Metro Vancouver Source Water & Distribution Test P	
Water Type	Parameter	Frequency
Jntreated, source	Total coliform and E. coli	Daily
	Heterotrophic plate count (HPC)	Daily
	Turbidity	Daily
	Giardia and Cryptosporidium	Monthly at Capilano and
		Coquitlam. Seymore began in July
		2022.
	Ammonia, colour, iron, organic carbon, pH	Weekly
	Alkalinity, chloride, calcium, hardness, magnesium,	Monthly
	manganese, nitrate, potassium, phosphate, sulphate	
	Aluminum, copper, sodium, total and suspended solids	Bi-monthly
	Tribalamathanas, balaggatis asids	Quartarly
	Trihalomethanes, haloacetic acids	Quarterly
	Antimony, arsenic, barium, boron, cadmium, cyanide,	Semi-annually
	chromium, lead, mercury, nickel, phenols, selenium, silver,	
	zinc	
	Pesticides and herbicides	Annually
	PAHs, BTEXs	Annually
	VOC	Annually
	Radioisotopes	Annually
reated Water	Total coliform and E. coli	Daily
	Turbidity	Daily
	Temperature	Daily
	рН	Daily
	Ammonia, colour, iron, organic carbon, aluminum at SCFP	Weekly
	Aluminum, copper, sodium, total and suspended solids	Bi-monthly
	Trihalomethanes, haloacetic acids	Quarterly at selected sites
	Antimony, arsenic, barium, boron, cadmium, cyanide,	Semi-annually
	chromium, lead, mercury, nickel, phenols, selenium, silver,	
A) / ) A / = t = = = A = : = =	zinc	
AV Water Mains	Total coliform and E. coli	Weekly per site
	Heterotrophic plate count	Weekly per site
	Free chlorine	Weekly per site
	Trihalomethanes, haloacetic acids, pH	Quarterly at selected sites
	PAHs, BTEXs	Semi-annually at selected sites
/IV Reservoirs	Total coliform and E.coli	Weekly per site
	НРС	Weekly per site
	Free chlorine	Weekly per site
	Turbidity	Weekly per site
Municipal	Total coliform and E.coli	Weekly per site
	НРС	Weekly per site
bites	Free chlorine	Weekly per site
	Turbidity	Weekly per site
	1 · · · • /	

## **Metro Vancouver**

# **Physical and Chemical Analysis**

**Of Source Water** 



### **metrovancouver** SERVICES AND SOLUTIONS FOR A LIVABLE REGION

#### **Physical and Chemical Analysis of Water Supply**

	Lintropted 1	<b>.</b>	ated <sup>2</sup>		Consider Cuideling	
Devenueter				Dava Francisca	Canadian Guideline	-
Parameter	Average	Average	Range	Days Exceeded	Limit <sup>3</sup>	Reason Established
Alkalinity as CaCO <sub>3</sub> (mg/L)	2.9	21	17-26	N/A	None	N/A
Aluminum Dissolved (µg/L)	66	33	19-69	N/A	None	N/A
Aluminum Total (µg/L)	130	34	17-76	0	2,900	Health
Antimony Total (μg/L)	<0.5	<0.5	<0.5	0	6	Health
Arsenic Total (µg/L)	<0.5	<0.5	<0.5	0	10 (ALARA)	Health
Barium Total (µg/L)	2.8	2.8	2.3-3.2	0	2,000	Health
Boron Total (μg/L)	<10	<10	<10	0	5,000	Health
Bromate (µg/L)	<10	<10	<10	0	10	Health
Bromide (µg/L)	<10	<10	<10	N/A	None	N/A
Cadmium Total (μg/L)	<0.2	<0.2	<0.2	0	7	Health
Calcium Total (µg/L)	1,190	8,290	6,900-9,540	N/A	None	N/A
Carbon Organic - Dissolved (mg/L)	1.6	0.7	0.5-1.0	N/A	None	N/A
Carbon Organic - Total (mg/L)	1.6	0.7	0.5-0.9	N/A	None	N/A
Chlorate (µg/L)	<10	30	16-68	0	1,000	Health
Chloride (mg/L)	<0.6	2.6	2.3-3.2	0	≤ 250	Aesthetic
Chromium Total (µg/L)	<0.08	<0.06	<0.05-0.09	0	50	Health
Cobalt Total (µg/L)	<0.5	<0.5	<0.5	N/A	None	N/A
Colour - Apparent (ACU)	16	<2	<2-3	N/A	None	N/A
Colour - True (TCU)	10	<1	<1-2	0	≤ 15	Aesthetic
Conductivity (µmhos/cm)	11	51	42-60	N/A	None	N/A
Copper Total (µg/L)	3.2	<0.5	<0.5	0	2,000/1,000	Health/Aesthetic
Cyanide Total (mg/L)	<0.02	<0.02	<0.02	0	0.2	Health
Cyanobacterial Toxins – Microcystin – LR (µg/L)	<0.20	N/A	N/A	0	1.5	Health
Fluoride (mg/L)	<0.25	<0.05	<0.05	0	1.5	Health
Haloacetic Acids Total (µg/L)	<1	12	10-14	0	80 (ALARA)	Health
Hardness as CaCO <sub>3</sub> (mg/L)	3.7	21.4	18.1-24.8	N/A	None	N/A
Iron Dissolved (µg/L)	43	<5	<5	N/A N/A	None	N/A N/A
	131	<10	<5-19	0	≤ 300	Aesthetic
Iron Total (µg/L)		<0.5	<0.5	0		Health
Lead Total (µg/L)	<0.5 174	240	202-363		5 (ALARA) None	4
Magnesium Total (µg/L)				N/A		N/A
Manganese Dissolved (µg/L)	5.5	2.2	1.0-3.5	N/A	None	N/A
Manganese Total (µg/L)	7.4	5.7	3.4-9.6	0	120/20	Health/Aesthetic
Mercury Total (µg/L)	<0.05	<0.05	<0.05	0	1	Health
Molybdenum Total (µg/L)	<0.5	<0.5	<0.5	N/A	None	N/A
Nickel Total (µg/L)	<0.5	<0.5	<0.5	N/A	None	N/A
Nitrogen - Ammonia as N (mg/L)	<0.02	<0.02	<0.02	N/A	None	N/A
Nitrogen - Nitrate as N (mg/L)	0.09	0.08	0.03-0.14	0	10	Health
Nitrogen - Nitrite as N (mg/L)	<0.01	<0.01	<0.01	0	1	Health
pH (pH units)	6.5	8.1	7.8-8.5	0	7.0-10.5	Aesthetic
Phenol (mg/L)	<0.005	< 0.005	<0.005	N/A	None	N/A
Potassium Total (µg/L)	182	177	144-212	N/A	None	N/A
Residue Total (mg/L)	16	34	32-37	N/A	None	N/A
Residue Total Dissolved (TDS) (mg/L)	10	30	30-40	0	≤ 500	Aesthetic
Residue Total Fixed (mg/L)	7	24	16-29	N/A	None	N/A
Residue Total Volatile (mg/L)	8	10	6-16	N/A	None	N/A
Selenium Total (µg/L)	<0.5	<0.5	<0.5	0	50	Health
Silica as SiO <sub>2</sub> (mg/L)	3.3	3.3	2.6-4.0	N/A	None	N/A
Silver Total (µg/L)	<0.5	<0.5	<0.5	N/A	None	N/A
Sodium Total (µg/L)	590	1,690	1,420-2,040	0	≤ 200,000	Aesthetic
Trihalomethanes Total (μg/L)	<4	23	18-35	0	100	Health
Turbidity (NTU)	1.2	0.20	0.09-0.65	N/A	None <sup>4</sup>	N/A
Uranium Total (µg/L)	0.0294	N/A	N/A	0	50	Health
UV Absorbance 254 nm (Abs/cm)	0.067	0.011	0.008-0.016	N/A	None	N/A
Zinc Total (µg/L)	<3	<3	<3	0	≤ 5,000	Aesthetic

<sup>1</sup>Untreated water is sampled from the source intake.

<sup>2</sup>Treated water is sampled prior to entering the Capilano transmission system.

<sup>3</sup>Limits are from the *Guidelines for Canadian Drinking Water Quality*.

<sup>4</sup>Guidelines for Canadian Drinking Water Quality recommends that water entering the distribution system does not have turbidity levels exceeding 1.0 NTU.



### **metro**vancouver SERVICES AND SOLUTIONS FOR A LIVABLE REGION

#### **Physical and Chemical Analysis of Water Supply**

	Untreated <sup>1</sup>	Tre	ated <sup>2</sup>		Canadian Guideline	2
Parameter	Average	Average	Range	Days Exceeded	Limit <sup>3</sup>	Reason Established
Alkalinity as CaCO <sub>3</sub> (mg/L)	3.6	21	17-26	N/A	None	N/A
Aluminum Dissolved (µg/L)	57	34	18-68	N/A	None	N/A
Aluminum Total (µg/L)	106	40	17-120	0	2,900	Health
Antimony Total (µg/L)	<0.5	<0.5	<0.5	0	6	Health
Arsenic Total (µg/L)	<0.5	<0.5	<0.5	0	10 (ALARA)	Health
Barium Total (µg/L)	3.4	2.8	2.5-3.3	0	2,000	Health
Boron Total (µg/L)	<10	<10	<10	0	5,000	Health
Bromate (µg/L)	<10	<10	<10	0	10	Health
Bromide (µg/L)	<10	<10	<10	N/A	None	N/A
Cadmium Total (µg/L)	<0.2	<0.2	<0.2	0	7	Health
Calcium Total (µg/L)	1,650	8,180	7,220-9,490	N/A	None	N/A
Carbon Organic - Dissolved (mg/L)	1.4	0.7	0.5-1.0	N/A	None	N/A
Carbon Organic - Total (mg/L)	1.5	0.7	0.5-1.0	N/A	None	N/A
Chlorate (µg/L)	<10	31	14-75	0	1,000	Health
Chloride (mg/L)	<0.5	2.6	2.2-3.3	0	≤ 250	Aesthetic
Chromium Total (µg/L)	<0.06	<0.06	<0.05-0.07	0	50	Health
Chromium Total (µg/L) Cobalt Total (µg/L)	<0.06	<0.06	<0.05-0.07	N/A	None	N/A
	<0.5	<0.5	<0.5	N/A N/A	None	N/A N/A
Colour - Apparent (ACU)	1					
Colour - True (TCU)	10	<1	<1-2	0	≤ 15	Aesthetic
Conductivity (µmhos/cm)	13	51	41-58	N/A	None	N/A
Copper Total (µg/L)	18.5	<0.5	<0.5	0	2,000/1,000	Health/Aesthetic
Cyanide Total (mg/L)	<0.02	<0.02	<0.02	0	0.2	Health
Cyanobacterial Toxins - Microcystin - LR (µg/L)	<0.20	N/A	N/A	0	1.5	Health
Fluoride (mg/L)	<0.05	<0.05	<0.05	0	1.5	Health
Haloacetic Acids Total (µg/L)	<1	9	8-11	0	80 (ALARA)	Health
Hardness as CaCO₃ (mg/L)	4.8	21.6	19.1-24.7	N/A	None	N/A
Iron Dissolved (µg/L)	83	<5	<5	N/A	None	N/A
Iron Total (μg/L)	182	15	5-58	0	≤ 300	Aesthetic
Lead Total (µg/L)	<0.5	<0.5	<0.5	0	5 (ALARA)	Health
Magnesium Total (µg/L)	160	246	204-341	N/A	None	N/A
Manganese Dissolved (µg/L)	4.8	3.0	1.3-4.2	N/A	None	N/A
Manganese Total (μg/L)	8.9	6.3	3.5-9.8	0	120/20	Health/Aesthetic
Mercury Total (µg/L)	<0.05	<0.05	<0.05	0	1	Health
Molybdenum Total (µg/L)	<0.5	<0.5	<0.5	N/A	None	N/A
Nickel Total (µg/L)	<0.5	<0.5	<0.5	N/A	None	N/A
Nitrogen - Ammonia as N (mg/L)	<0.02	<0.02	<0.02	N/A	None	N/A
Nitrogen - Nitrate as N (mg/L)	0.08	0.08	0.03-0.14	0	10	Health
Nitrogen - Nitrite as N (mg/L)	< 0.01	<0.01	<0.01	0	1	Health
pH (pH units)	6.6	8.0	7.7-8.4	0	7.0-10.5	Aesthetic
Phenol (mg/L)	<0.005	< 0.005	< 0.005	N/A	None	N/A
Potassium Total (µg/L)	192	184	169-209	N/A	None	N/A
Residue Total (mg/L)	16	34	31-36	N/A	None	N/A
Residue Total Dissolved (TDS) (mg/L)	10	30	30-40	0	≤ 500	Aesthetic
Residue Total Fixed (mg/L)	8	25	18-28	N/A	None	N/A
Residue Total Volatile (mg/L)	8	8	6-13	N/A N/A	None	N/A N/A
Selenium Total (µg/L)	<0.5	<0.5	<0.5	0	50	Health
				-		
Silica as SiO <sub>2</sub> (mg/L)	3.3	3.3	2.6-3.9	N/A	None	N/A
Silver Total (µg/L)	<0.5	<0.5	<0.5	N/A	None	N/A
Sodium Total (μg/L)	558	1,680	1,430-1,930	0	≤ 200,000	Aesthetic
Trihalomethanes Total (μg/L)	<4	21	16-35	0	100	Health
Turbidity (NTU)	0.80	0.22	0.09-1.1	N/A	None <sup>4</sup>	N/A
Uranium Total (µg/L)	0.0224	N/A	N/A	0	50	Health
UV Absorbance 254 nm (Abs/cm)	0.063	0.011	0.008-0.016	N/A	None	N/A
Zinc Total (µg/L)	<4	<3	<3	0	≤ 5,000	Aesthetic

<sup>1</sup>Untreated water is sampled prior to the Seymour Capilano Filtration Plant.

<sup>2</sup>Treated water is sampled prior to entering the Seymour transmission system.

<sup>3</sup>Limits are taken from *the Guidelines for Canadian Drinking Water Quality*.

<sup>4</sup>Guidelines for Canadian Drinking Water Quality recommends that water entering the distribution system have turbidity levels of 1.0 NTU or less.



### **metro**vancouver SERVICES AND SOLUTIONS FOR A LIVABLE REGION

#### **Physical and Chemical Analysis of Water Supply**

					2
Average	Average	Range	Days Exceeded	Limit <sup>3</sup>	Reason Established
1.9	21	18-24	N/A	None	N/A
55	59	45-65	N/A	None	N/A
75	76	61-85	0	2,900	Health
<0.5	<0.5	<0.5	0	6	Health
<0.5	<0.5	<0.5	0	10 (ALARA)	Health
2.2	2.2	2.0-2.4	0	2,000	Health
<10	<10	<10	0	5,000	Health
<10	<10	<10	0	10	Health
<10	<10	<10	N/A	None	N/A
<0.2	<0.2	<0.2	0	7	Health
838	838	790-905	N/A	None	N/A
1		-			N/A
1			· · ·		N/A
					Health
1	-	1	-		Aesthetic
1		-	-		Health
1			-		N/A
					N/A
1			· · ·		Aesthetic
4		-		-	N/A
1		1			Health/Aesthetic
1		-	-		
1			-		Health
		1			Health
1			-		Health
4		-			Health
1		1			N/A
-	-	-			N/A
1			1		Aesthetic
			-		Health
					N/A
1	2.4	1.7-3.2	N/A	None	N/A
4.2	3.5	2.5-6.6	-		Health/Aesthetic
<0.05	<0.05	<0.05	0	1	Health
<0.5	<0.5	<0.5	N/A	None	N/A
<0.5	<0.5	<0.5	N/A	None	N/A
<0.02	<0.02	<0.02	N/A	None	N/A
0.08	0.08	0.04-0.10	0	10	Health
<0.01	<0.01	<0.01	0	1	Health
6.4	8.2	7.7-8.7	0	7.0-10.5	Aesthetic
<0.006	< 0.005	<0.005	N/A	None	N/A
122	124	113-138	N/A	None	N/A
12	35	32-40	N/A	None	N/A
10	30	30-40	0	≤ 500	Aesthetic
<5	22	20-24	N/A	None	N/A
7	13	11-19	1	None	N/A
<0.5			0		Health
					N/A
·		1	· · · · · · · · · · · · · · · · · · ·		N/A
1					Aesthetic
		1	1		Health
1		1			N/A
·		1	· · · · · · · · · · · · · · · · · · ·		Health
0.000					
0.062	0.022	0.014-0.052	N/A N/A	None None	N/A N/A
	1.9         55         75         <0.5	1.9         21           55         59           75         76           <0.5	1.9         21         18-24           55         59         45-65           75         76         61-85           -0.5         <0.5	1.9         21         18-24         N/A           55         59         45-65         N/A           75         76         61-85         0           <0.5	1.9         21         18-24         N/A         Nome           155         59         45-65         N/A         None           75         76         61-85         0         2,900           <0.5

<sup>1</sup>Untreated water is sampled from the source intake.

<sup>2</sup>Treated water is sampled prior to entering the Coquitlam transmission system.

<sup>3</sup>Limits are taken from the *Guidelines for Canadian Drinking Water Quality*.

<sup>4</sup> Guidelines for Canadian Drinking Water Quality recommends that water entering the distribution system have turbidity levels of 1.0 NTU or less.

**Delta Source Water** 

**Test Parameters** 

Untreated Source Water	Parameter	Test Frequency	Tester
Wells #1, #3 and #5	Temperature, pH, Chlorine Residual, Turbidity, Total Coliform, E.Coli	Weekly	Metro
			Vancouver Labs
	Pb, Mn, Hg, K, Se, Na, U, Zn	Quarterly	Element Labs
	<ul> <li>Health Canada (Drinking Water Quality) Metals: As, Ba, B, Cd, Cr, Cu, Fe, Pb, Mn, Hg, K, Se, Na, U, Zn</li> <li>BTEXSM in water by GC/MS, B.C. Criteria: BTEX, Styrene and MTBE, Health Canada (Drinking Water Quality) Metals: As, Ba, B, Cd, Cr, Cu, Fe, Pb, Mn, Hg, K, Se, Na, U, Zn, Multiresidue MRMW Pesticides in Water Including:3-Hydroxycarbofuran, Acephate, Alachlor, Aldicarb, Aldicarb Sulfone, Aldicarb sulfoxide, Aldrin, Aspon, Atrazine, Azinphos-ethyl, Azinphos-methyl, Bendiocarb, Benfluralin,BHC (alpha isomer), BHC (beta isomer), BHC (delta isomer), Bifenox, BPMC, Bromaphos, Bromophos, ethyl,Bromopropylate, Butralin, Butylate, Captan, Carbaryl,Carbofuran, Carbophenothion, Carboxin,</li> <li>Chinomethionate,Chlorbenside, Chlorbromuron, Chlordane-cis, Chlordane-trans,Chlordimeform, Chlorfenson, Chlordenvinphos, Chloropyrifos, Chloroptinos, Crutomate, Cyanazine,Cyanophos, Cypermethrin, Cyprazine, DDD-o,p', DDD-p,p', DDE-o,p', DDT-p,p',</li> <li>Deethylatrazine,Deltamethrin, Demeton, Demeton-s-methyl, Desmetryn,Dialifos, Diallate, Diazinon, Dichlobenil,</li> <li>Dichofenthion,Dichlofluanid, Dichloran, Dichlorvos, Diclofopmethyl,Dicofol, Dicrotophos, Dieldrin, Dimethachlor,</li> <li>Dimethoate,Dinitramine, Diphenamid, Diphenylamine,</li> <li>Disulfoton,Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin,</li> <li>EYrimfos,Fenamiphos, Fenchlorphos, Fenitrothion, Fenoxapropethyl, Fenson, Fensulfothion, Fenthion, Fenvalerate,Fluazifop-p-butyl, Fluchloralin, Folpet, Fonofos, Glyphosate, Heptachlor, Heptachlor</li> <li>Epoxide, Heptenophos, Heatchlor, Methamidophos, Methiocarb, Methomyl, Metoprene, Methoxychlor, Methyl Parathion,</li> <li>Metobromuron, Myclolachlor, Methyl Parathion, Metalaxyl, Metazachlor, Ketyl Parathion, Norflurazon, Omethoate, Singhos, Fenchlorphos, Fenitrothion, Foroyanide, Fropatine, Porparine, Porparine, Porparine, POP-p-butyl, Fluchloralin, Folpet, Fonofos, Glyphosate, Heptachlor, Porparine, Porparine, Porparine, Porparine, Porparine, Porpar</li></ul>	Quarterly Annually	

**Delta Source Water** 

**Test Results** 

# **First Quarter Reporting**

March 20, 2023



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Report Trans	smission Cover Page					
Bill To:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Project Name: Project Location: LSD:	Well Water		Lot ID: Number: eceived: eported:	<b>1637698</b> Mar 10, 2023
Attn: Sampled By: Company:	Accounts Payable Scott B City of Delta	P.O.: Proj. Acct. code:	23251597			Mar 20, 2023 2851652
Contact	Company		Addres	S		
Accounts Payab	ole City of Delta		4500 C	arence Taylor Crescent		
			Delta, E	BC V4K 3E2		
				(604) 946-4141	Fax:	(604) 946-3962
			Email:	accountspayable@delta.ca		
Delivery	Format			Deliverables		
Email	PDF			Invoice		
Scott Bradshaw	City of Delta		5404 - (	64 Street		
			Delta, E	8C V4K 3M6		
			Phone:	(604) 952-3406	Fax:	(604) 946-4855
			Email:	sbradshaw@delta.ca		
Delivery	Format		Deliverables			
Email	PDF		COA			
Email	PDF		COR			
Email	PDF		Invoice			
Email - Merge	PDF		COC / Test Report			

Notes To Clients:

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 1 of 44

Analytical Re	port					
-	City of Delta	Project ID:			Lot ID: 16376	09
Din 10.	4500 Clarence Taylor Crescent	Project Name:	Well Water	Contra		90
	Delta, BC, Canada	Project Location:			Number:	
	V4K 3E2	LSD:			Received: Mar 10, 2	
Attn:	Accounts Payable	P.O.:	23251597		Reported: Mar 20, 2	
Sampled By:	Scott B	Proj. Acct. code:		Repor	t Number: 2851652	
	City of Delta	·, ····				
Company.	-					
	R	eference Number	1637698-1			
		Sample Date	March 10, 202	3		
		Sample Time	07:30			
		Sample Location				
	Sa	mple Description	225 / 88th St. /	′ 3.6 °C		
		Sample Matrix	Water			
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
	otollia Davamatara	Units	Result	Linit	Linit	oonments
Sulfide	etallic Parameters Total	mg/L	<0.002	0.002	0.05	Below AO
Hydrogen Sulfid		mg/L	<0.002	0.002	0.05	DEIOW AU
Metals Extractal		iliy/∟	<0.00Z			
	Extractable	mg/L	0.022	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.022	0.0002	0.1 OG, 2.9 MAC 0.006	Below MAC
Artumony	Extractable	mg/L	0.00008	0.0002	0.008	Below MAC
Barium	Extractable	mg/L	0.0050	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.0030	0.0001	5	Below MAC
Cadmium	Extractable	-	<0.0003	0.002	0.007	Below MAC
Chromium	Extractable	mg/L	0.00066	0.00001	0.05	Below MAC
Cobalt	Extractable	mg/L mg/L	<0.00088	0.00003	0.05	Delow MAC
Copper	Extractable	mg/L	0.0026	0.0002	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.0020	0.00001	0.005	Below MAC
Nickel	Extractable	mg/L	<0.0002	0.0002	0.005	Delow MAC
Selenium	Extractable	mg/L	<0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.039	0.0002	7.0	Below MAC
Uranium	Extractable	mg/L	0.00097	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0017	0.00005	0.02	Delow MAO
Zinc	Extractable	mg/L	0.0006	0.0005	5.0	Below AO
Metals Total	Extraolable	ing/L	0.0000	0.0000	0.0	Delow / to
Mercury	Total	μg/L	<0.01	0.01	1	Below MAC
Microbiological		r" <del>3</del> " =				
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Co Aerobic		MPN/mL	<2.0	2		
	gregate Properties					
Colour	True	Colour units	<5	5		
Turbidity		NTU	0.11	0.1	0.1/0.3/1.0 OG	
Routine Water			<b>_</b>			
pH - Holding Tim			Exceeded			
рН	at 25 °C		7.71	0.01	7.0-10.5	Within Range
Electrical Condu	•	µS/cm at 25 °C	122	1		
Calcium	Extractable	mg/L	15	0.01		
Iron	Extractable	mg/L	0.007	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	3.5	0.02		
Manganese	Extractable	mg/L	0.004	0.001	0.02 AO; 0.12 MAC	Below AO

Terms and Conditions: https://www.element.com/terms/terms-and-conditions



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 2 of 44

W: www.element.com

Analytical Re	port					
Bill To:	City of Delta 4500 Clarence Taylor Crescent	Project ID: Project Name:	Well Water	Contre	Lot ID: <b>16376</b> DI Number:	98
	Delta, BC, Canada	Project Location:			Received: Mar 10, 2	023
	V4K 3E2	LSD:			Reported: Mar 20, 2	
Attn:	Accounts Payable	P.O.:	23251597		rt Number: 2851652	
Sampled By:	Scott B	Proj. Acct. code:				
Company:	City of Delta					
	R	eference Number	1637698-1			
		Sample Date	March 10, 2023			
		Sample Time	07:30			
		Sample Location				
	Sa	mple Description	225 / 88th St. /	3.6 °C		
		Sample Matrix	Water			
		•		Nominal Detection	Guideline	Guideline
Analyte		Units	Result	Limit	Limit	Comments
Routine Water -	Continued					
Potassium	Extractable	mg/L	0.75	0.04		
Sodium	Extractable	mg/L	3.7	0.1	200	Below AO
Bicarbonate		mg/L	57	5		
Carbonate		mg/L	<6	6		
Hydroxide		mg/L	<5	5		
P-Alkalinity	as CaCO3	mg/L	<5	5		
T-Alkalinity	as CaCO3	mg/L	47	5		
Bromide	Dissolved	mg/L	<0.02	0.02		
Chloride	Dissolved	mg/L	5.20	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.02	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	0.40	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO4)	Dissolved	mg/L	4.5	0.1	500	Below AO
Hardness	as CaCO3 (extractable)	mg/L	51	1		
Total Dissolved		mg/L	62	1	500	Below AO
VOC Screen - W	ater				_	
Benzene		µg/L	<0.5	0.5	5	Below MAC
Ethylbenzene		µg/L	<0.5	0.5	1.6 AO; 140 MAC	Below AO
Methyl t-Butyl Et	iner	μg/L	<0.5	0.5	15	Below AO
Styrene		μg/L	<0.5	0.5	04 40 00 1400	
Toluene	)	μg/L	<0.5	0.5	24 AO; 60 MAC	Below AO
Total Xylenes (m		μg/L	< 0.5	0.5	20 AO; 90 MAC	Below AO
4-Bromofluorobe	Ũ	%	91.3	70-130		
Dibromofluorome	Ũ	%	119	70-130		
Toluene-d8	Surrogate Hydrocarbons - Water	%	112	70-130		
Benzene	I IYUI UCAI DUIIS - WALEI	µg/L	<0.5	0.5	5	Below MAC
Ethylbenzene		μg/∟	<0.5	0.5	1.6 AO; 140 MAC	Below MAC
Methyl t-Butyl Et	her	μg/∟	<0.5	0.5	15	Below AO
Styrene		μg/∟	<0.5	0.5	10	
Toluene		μg/∟	<0.5	0.5	24 AO; 60 MAC	Below AO
Total Xylenes (m	n n)	μg/∟	<0.5	0.5	20 AO; 90 MAC	Below AO
4-Bromofluorobe		μg/L %	91.3	70-130		
Dibromofluorome	Ũ	%	119	70-130		
Toluene-d8	Surrogate	%	113	70-130		
	Pesticides in Water	70	112	70 100		
-	. contrato in tratol	µg/L	<0.5	0.5	0.7	Below MAC
Aldrin				<b></b>	~	

Terms and Conditions: https://www.element.com/terms/terms-and-conditions



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www

Page 3 of 44

w.element.com	

Rill To:	City of Delta	Project ID:				1637698	D
Bill TU:	4500 Clarence Taylor Crescer		Well Water	<b>A</b> ( ) · ·		103/09	D
	Delta, BC, Canada	Project Location:		Control I			•
	V4K 3E2	LSD:			eceived:	Mar 10, 202	
Attn	Accounts Payable	P.O.:	23251597		eported:		3
Sampled By:	Scott B	Proj. Acct. code:		Report	Number:	2851652	
	City of Delta						
company.		Reference Number	1637698-1				
		Sample Date	March 10, 2023	8			
		Sample Time	07:30				
		Sample Location	01.00				
	s	ample Description	225 / 88th St. /	3.6 °C			
		Sample Matrix	Water				
		-		Nominal Detection	Guidel	ine	Guideline
Analyte		Units	Result	Limit	Limi	t	Comments
Organochlorine	Pesticides in Water - Continu	ued					
BHC (beta isom		μg/L	<0.5	0.5			
BHC (delta isom	ner)	μg/L	<0.5	0.5			
Captan		μg/L	<3.0	3.0			
Chlorbenside		μg/L	<0.5	0.5			
Chlordane-cis		μg/L	<0.5	0.5			
Chlordane-trans	3	µg/L	<0.5	0.5			
Chlorfenson		μg/L	<0.5	0.5			
Chlorothalonil		μg/L	<0.5	0.5			
Chlorthal-dimeth	hyl	μg/L	<0.5	0.5			
DDD-o,p'		µg/L	<0.5	0.5			
DDD-p,p'		µg/L	<0.5	0.5			
DDE-o,p'		µg/L	<0.5	0.5			
DDE-p,p'		µg/L	<0.5	0.5			
DDT-o,p'		µg/L	<0.5	0.5			
DDT-p,p' Dichlofluanid		μg/L	<0.5 <0.5	0.5 0.5			
Dieldrin		μg/L	<0.5	0.5			
Endosulfan I		μg/L μg/L	<0.5	0.5			
Endosulfan II		μg/L	<0.5	0.5			
Endosulfan sulfa	ate	μg/L	<0.5	0.5			
Endrin		μg/L	<0.5	0.5			
Folpet		μg/L	<3.0	3.0			
Heptachlor		µg/L	<0.5	0.5			
Heptachlor Epo:	xide	μg/L	<0.5	0.5			
Hexachlorobenz		μg/L	<0.5	0.5			
Lindane		μg/L	<0.5	0.5			
Methoxychlor		μg/L	<0.5	0.5			
Mirex		μg/L	<0.5	0.5			
Permethrin-cis		μg/L	<0.5	0.5			
Permethrin-tran	S	μg/L	<0.5	0.5			
Procymidone		μg/L	<0.5	0.5			
Propachlor		μg/L	<0.5	0.5			
Quintozene		μg/L	<0.5	0.5			
Tecnazene		μg/L	<0.5	0.5			
Tetradifon		μg/L	<0.5	0.5			
Tolyfluanid		µg/L	<0.5	0.5			
Triadimefon		µg/L	<0.5	0.5			
Vinclozolin		µg/L	<0.5	0.5			



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 4 of 44

Bill To:	City of Delta	Project ID:			Lot ID: 1637	7698
Din 10.	4500 Clarence Taylor Cresce		Well Water	Control		030
	Delta, BC, Canada	Project Location:			Number:	
	V4K 3E2	LSD:			eceived: Mar 10	
Atto-	Accounts Payable	P.O.:	23251597		eported: Mar 20	
	-	Proj. Acct. code:	20201001	Report	Number: 28516	52
Sampled By:		1 10j. / 1001. 0000.				
Company:	City of Delta		(00-000)			
		Reference Number	1637698-1			
		Sample Date	March 10, 202	23		
		Sample Time	07:30			
		Sample Location		10.000		
	5	ample Description	225 / 88th St.	/ 3.6 °C		
		Sample Matrix	Water	Naminal Datastian	Quidalina	Out dallar
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
-	Pesticides -Water- Surrogate		Result			
TPP	Surrogate	%	80	50-140		
	ate Pesticides in Water	/0	00			
Aspon	ato i ootividoo ili tfatoi	µg/L	<0.5	0.5		
Azinphos-ethyl		μg/L	<0.5	0.5		
Azinphos-methy	4	μg/L	<0.5	0.5	20	Below MAC
Bromophos		μg/L	<0.5	0.5	20	
Bromophos-ethy	/	μg/L	<0.5	0.5		
Carbophenothio		μg/L	<0.5	0.5		
Chlorfenvinphos		μg/∟	<0.5	0.5		
Chlormephos		μg/L	<0.5	0.5		
Chlorpyrifos		μg/L	<0.5	0.5	90	Below MAC
Chlorpyrifos-me	thyl	μg/L	<0.5	0.5	00	Bolon in to
Chlorthiophos		μg/L	<0.5	0.5		
Cyanophos		μg/L	<0.5	0.5		
Demeton		μg/L	<0.5	0.5		
Diazinon		μg/L	<0.10	0.10	20	Below MAC
Dichlofenthion		μg/L	<0.5	0.5	20	Bolon Mirto
Dimethoate		μg/L	<0.5	0.5	20	Below MAC
Disulfoton		μg/L	<0.5	0.5	20	
Ethion		μg/L	<0.5	0.5		
Fenchlorphos		μg/L	<0.5	0.5		
Fenitrothion		μg/L	<0.5	0.5		
Fenthion		μg/L	<0.5	0.5		
Fonofos		μg/L	<0.5	0.5		
Isofenphos		μg/L	<0.5	0.5		
Malaoxon		μg/L	<0.5	0.5		
Malathion		µg/L	<0.1	0.1	190	Below MAC
Methyl Parathio	n	µg/L	<0.5	0.5		
Mevinphos		µg/L	<0.5	0.5		
Parathion		μg/L	<0.5	0.5		
Phorate		μg/L	<0.5	0.5	2	Below MAC
Phosalone		μg/L	<0.5	0.5		
Phosmet		μg/L	<0.5	0.5		
Phosphamidon		μg/L	<0.5	0.5		
Pirimiphos-ethyl		µg/L	<0.5	0.5		
Pirimiphos-meth		µg/L	<0.5	0.5		
Pyrazophos	,	μg/L	<0.5	0.5		
Quinalophos		μg/L	<0.5	0.5		
Sulfotep		μg/L	<0.5	0.5		



**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 5 of 44

Bill To:	City of Delta 4500 Clarence Taylor Crescent	Project ID: Project Name: Project Location:	Well Water		Lot ID: 1637 Number:	
	Delta, BC, Canada	LSD:			eceived: Mar 10,	
A 11 -	V4K 3E2	P.O.:	23251597		eported: Mar 20,	
	Accounts Payable	Proj. Acct. code:	23231397	Report	Number: 285165	2
Sampled By:		Tioj. Acci. code.				
Company:	City of Delta					
	R	eference Number	1637698-1	0		
		Sample Date	March 10, 202	3		
		Sample Time	07:30			
		Sample Location	225 / 88th St. /	26.00		
	Sa	mple Description Sample Matrix	Water	3.0 °C		
			Water	Nominal Detection	Guideline	Guideline
nalyte		Units	Result	Limit	Limit	Comments
rganophospha	ate Pesticides in Water - Conti	nued				
Terbufos		μg/L	<0.5	0.5	1	Below MAC
Tetrachlorvinpho	OS	µg/L	<0.5	0.5		
•	ate Pesticides -Water- Surroga					
TPP	Surrogate	%	80	50-140		
leutral Herbicic	-		-	-		
Alachlor		μg/L	<0.5	0.5		
Benfluralin		µg/L	<0.5	0.5		
Butylate		μg/L	<0.5	0.5		
Chlorpropham		μg/L	<0.5	0.5		
Diallate		μg/L	<0.5	0.5		
Dichlobenil		μg/L	<0.5	0.5		
Diclofop-methyl		μg/L	<0.1	0.1	9	Below MAC
Diphenylamine		μg/L	<0.5	0.5		
Eptam (EPTC)		μg/L	<0.5	0.5		
Ethalfluralin		μg/L	<0.5	0.5		
Fenoxaprop-eth	yl	μg/L	<0.5	0.5		
Fluazifop-p-buty	•	μg/L	<0.5	0.5		
Hexazinone		μg/L	<0.5	0.5		
Metalaxyl		μg/L	<0.5	0.5		
Metolachlor		μg/L	<0.5	0.5	50	Below MAC
Metribuzin		μg/L	<0.5	0.5	80	Below MAC
Pirimicarb		μg/L	<0.5	0.5		
Profluralin		μg/L	<0.5	0.5		
Prometryn		μg/L	<0.5	0.5		
Propazine		μg/L	<0.5	0.5		
Propyzamide		µg/L	<0.5	0.5		
Quizalofop-ethy	l	µg/L	<0.5	0.5		
Simetryn		µg/L	<0.5	0.5		
Terbuthylazine		μg/L	<0.5	0.5		
Terbutryn		μg/L	<0.5	0.5		
Triallate		μg/L	<0.10	0.10		
Trifluralin		μg/L	<0.1	0.1	45	Below MAC
leutral Herbicic	des - Water - Surrogate Recove	ery				
TPP	Surrogate	%	80	50-140		
Iultiresidue Pe	sticides in Water					
Bifenox		μg/L	<0.5	0.5		
Carboxin		μg/L	<0.5	0.5		
Deltamethrin		μg/L	<0.5	0.5		
Fenamiphos		µg/L	<0.5	0.5		



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 6 of 44

Analytical Re	eport					
Bill To:	City of Delta	Project ID:			Lot ID: 1637	698
	4500 Clarence Taylor Crescent	Project Name:	Well Water	Control	Number:	
	Delta, BC, Canada	Project Location:		Date R	eceived: Mar 10,	2023
	V4K 3E2	LSD:		Date R	eported: Mar 20,	2023
Attn:	Accounts Payable	P.O.:	23251597		Number: 285165	
Sampled By:	Scott B	Proj. Acct. code:				
Company:	City of Delta					
	Re	ference Number	1637698-1			
		Sample Date	March 10, 2023	1		
		Sample Time	07:30			
	:	Sample Location				
	Sar	nple Description	225 / 88th St. /	3.6 °C		
		Sample Matrix	Water			
				Nominal Detection	Guideline	Guideline
Analyte		Units	Result	Limit	Limit	Comments
	sticides in Water - Continued					
Fenvalerate		µg/L	<0.5	0.5		
Methoprene		µg/L	<0.5	0.5		
Norflurazon		µg/L	<0.5	0.5		
Pebulate		µg/L	<0.5	0.5		
Prometon		µg/L	<0.5	0.5		
Propargite		µg/L	<0.5	0.5		
Propiconazole		µg/L	<0.5	0.5		
Terbacil		µg/L	<0.5	0.5		
Vernolate		µg/L	<0.5	0.5		
Carbamates in N						
3-Hydroxycarbo	furan	µg/L	<0.1	0.1		
Aldicarb		µg/L	<0.1	0.1	9	Below MAC
Aldicarb sulfone		µg/L	<0.1	0.1		
Aldicarb sulfoxio	de	µg/L	<0.1	0.1		
Bendiocarb		µg/L	<0.1	0.1		
BPMC		µg/L	<0.1	0.1		
Carbaryl		µg/L	<0.1	0.1	90	Below MAC
Carbofuran		µg/L	<0.1	0.1	90	Below MAC
Imidacloprid		µg/L	<0.1	0.1		
Methiocarb		µg/L	<0.1	0.1		
Methomyl		μg/L	<0.1	0.1		
Oxamyl		µg/L	<0.1	0.1		
Promecarb		µg/L	<0.1	0.1		
Propoxur		µg/L	<0.1	0.1		
	Water - Surrogate Recovery					
BDMC	Surrogate	%	92.9	50-140		
	sticides - Water - Surrogate Re		25	50 4 45		
TPP	Surrogate	%	80	50-140		



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 7 of 44

W: www.element.com

Bill To:	<b>port</b> City of Delta	Project ID:			1 10 10	227600
	4500 Clarence Taylor Crescen	-	Well Water			637698
	Delta, BC, Canada	Project Location:			I Number:	40.0000
	V4K 3E2	LSD:				ar 10, 2023
	Accounts Payable	P.O.:	23251597			ar 20, 2023
	Scott B	Proj. Acct. code:		Керог	t Number: 28	51652
	City of Delta					
1.1.1		Reference Number	1637698-2			
	·	Sample Date	March 10, 2023	5		
		Sample Time	08:00			
		Sample Location				
	Sa	ample Description	308 / Burns Dr.	/ 3.6 °C		
		Sample Matrix	Water			
				Nominal Detection	Guideline	
Analyte		Units	Result	Limit	Limit	Comments
-	etallic Parameters					
Sulfide	Total	mg/L	<0.002	0.002	0.05	Below AO
Hydrogen Sulfide		mg/L	<0.002			
Metals Extractab			• • · ·			
Aluminum	Extractable	mg/L	0.021	0.001	0.1 OG; 2.9 M	
Antimony	Extractable	mg/L	0.00006	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0011	0.0001	0.010	Below MAC
Barium Boron	Extractable Extractable	mg/L	0.0048 0.003	0.0001 0.002	2.0 5	Below MAC Below MAC
Cadmium	Extractable	mg/L	<0.0003	0.002	5 0.007	Below MAC
Chromium	Extractable	mg/L mg/L	<0.00001	0.00001	0.007	Below MAC
Cobalt	Extractable	mg/L	<0.00001	0.00002	0.05	Below MAC
Copper	Extractable	mg/L	0.0063	0.0005	1 AO; 2 MA	C Below AO
Lead	Extractable	mg/L	0.00016	0.00001	0.005	Below MAC
Nickel	Extractable	mg/L	< 0.0002	0.0002	0.000	
Selenium	Extractable	mg/L	< 0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.040	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.00096	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0017	0.00005		
Zinc	Extractable	mg/L	0.0021	0.0005	5.0	Below AO
Metals Total						
Mercury	Total	µg/L	<0.01	0.01	1	Below MAC
Microbiological	Analysis					
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 m	
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 m	L Below MAC
Heterotrophic Cc Aerobic Physical and Ag	ount - SimPlate gregate Properties	MPN/mL	<2.0	2		
Colour	True	Colour units	<5	5		
Turbidity	1140	NTU	<0.10	0.1	0.1/0.3/1.0 O	G
Routine Water						-
pH - Holding Tim	e		Exceeded			
pH	at 25 °C		7.54	0.01	7.0-10.5	Within Rang
Electrical Conduc		µS/cm at 25 °C	123	1		
Calcium	Extractable	mg/L	14	0.01		
Iron	Extractable	mg/L	<0.004	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	3.4	0.02		
Manganese	Extractable	mg/L	0.002	0.001	0.02 AO; 0.1	2 Below AO

Terms and Conditions: https://www.element.com/terms/terms-and-conditions



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 8 of 44

W: www.element.com

Analytical Re	-					
Bill To:	City of Delta	Project ID:			Lot ID: 16376	98
	4500 Clarence Taylor Crescer		Well Water	Contro	ol Number:	
	Delta, BC, Canada	Project Location:		Date	Received: Mar 10, 2	2023
	V4K 3E2	LSD:		Date	Reported: Mar 20, 2	2023
Attn:	Accounts Payable	P.O.:	23251597		rt Number: 2851652	
Sampled By:	Scott B	Proj. Acct. code:				
Company:	City of Delta					
		Reference Number	1637698-2			
		Sample Date	March 10, 2023	3		
		Sample Time	08:00			
		Sample Location				
	s	ample Description	308 / Burns Dr.	/ 3.6 °C		
		Sample Matrix	Water			
		•		Nominal Detection	Guideline	Guideline
Analyte		Units	Result	Limit	Limit	Comments
Routine Water -	Continued					
Potassium	Extractable	mg/L	0.75	0.04		
Sodium	Extractable	mg/L	3.6	0.1	200	Below AO
Bicarbonate		mg/L	55	5		
Carbonate		mg/L	<6	6		
Hydroxide		mg/L	<5	5		
P-Alkalinity	as CaCO3	mg/L	<5	5		
T-Alkalinity	as CaCO3	mg/L	45	5		
Bromide	Dissolved	mg/L	<0.02	0.02		
Chloride	Dissolved	mg/L	5.25	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.02	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	0.40	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO4)	Dissolved	mg/L	4.6	0.1	500	Below AO
Hardness	as CaCO3 (extractable)	mg/L	50	1		
Total Dissolved	Solids Extractable	mg/L	61	1	500	Below AO
VOC Screen - W	later					
Benzene		μg/L	<0.5	0.5	5	Below MAC
Ethylbenzene		µg/L	<0.5	0.5	1.6 AO; 140 MAC	Below AO
Methyl t-Butyl Et	ther	µg/L	<0.5	0.5	15	Below AO
Styrene		µg/L	<0.5	0.5		
Toluene		µg/L	<0.5	0.5	24 AO; 60 MAC	Below AO
Total Xylenes (m	n,p,o)	μg/L	<0.5	0.5	20 AO; 90 MAC	Below AO
4-Bromofluorobe	enzene Surrogate	%	101	70-130		
Dibromofluorom	ethane Surrogate	%	121	70-130		
Toluene-d8	Surrogate	%	108	70-130		
Mono-Aromatic	Hydrocarbons - Water					
Benzene		μg/L	<0.5	0.5	5	Below MAC
Ethylbenzene		μg/L	<0.5	0.5	1.6 AO; 140 MAC	Below AO
Methyl t-Butyl Et	ther	μg/L	<0.5	0.5	15	Below AO
Styrene		μg/L	<0.5	0.5		
Toluene		μg/L	<0.5	0.5	24 AO; 60 MAC	Below AO
Total Xylenes (m	n,p,o)	μg/L	<0.5	0.5	20 AO; 90 MAC	Below AO
4-Bromofluorobe	enzene Surrogate	%	101	70-130		
Dibromofluorom	ethane Surrogate	%	121	70-130		
Toluene-d8	Surrogate	%	108	70-130		
Organochlorine	Pesticides in Water					
Aldrin		μg/L	<0.5	0.5	0.7	Below MAC
BHC (alpha ison	ner)	µg/L	<0.5	0.5		



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 9 of 44

	eport	Project ID:				400700	•
BIII 10:	City of Delta		Well Water			163769	8
	4500 Clarence Taylor Crescer	Project Location:		Control			
	Delta, BC, Canada V4K 3E2	LSD:			eceived:	Mar 10, 202	
Attn:	Accounts Payable	P.O.:	23251597		eported:	Mar 20, 202	23
Sampled By:	-	Proj. Acct. code:		Report	Number:	2851652	
Company:							
	•	Reference Number	1637698-2				
		Sample Date	March 10, 20	123			
		Sample Time	08:00				
		Sample Location					
	S	ample Description	308 / Burns	Dr. / 3.6 °C			
		Sample Matrix	Water				
				Nominal Detection	Guide		Guideline
Analyte		Units	Result	Limit	Limi	it	Comments
Organochlorine	Pesticides in Water - Contin	ued					
BHC (beta isom		μg/L	<0.5	0.5			
BHC (delta ison	ner)	μg/L	<0.5	0.5			
Captan		μg/L	<3.0	3.0			
Chlorbenside		µg/L	<0.5	0.5			
Chlordane-cis		µg/L	<0.5	0.5			
Chlordane-trans	3	µg/L	<0.5	0.5			
Chlorfenson		µg/L	<0.5	0.5			
Chlorothalonil		µg/L	<0.5	0.5			
Chlorthal-dimeth	nyl	µg/L	<0.5	0.5			
DDD-o,p'		µg/L	<0.5	0.5			
DDD-p,p'		µg/L	<0.5	0.5			
DDE-o,p'		μg/L	<0.5 <0.5	0.5			
DDE-p,p'		μg/L		0.5			
DDT-o,p' DDT-p,p'		μg/L	<0.5 <0.5	0.5 0.5			
DD1-p,p Dichlofluanid		μg/L μg/L	<0.5 <0.5	0.5			
Dieldrin		µg/∟ µg/L	<0.5	0.5			
Endosulfan I		μg/L	<0.5	0.5			
Endosulfan II		μg/L	<0.5	0.5			
Endosulfan sulfa	ate	μg/L	<0.5	0.5			
Endrin		μg/L	<0.5	0.5			
Folpet		µg/L	<3.0	3.0			
Heptachlor		μg/L	<0.5	0.5			
Heptachlor Epo	xide	µg/L	<0.5	0.5			
Hexachlorobenz		μg/L	<0.5	0.5			
Lindane		μg/L	<0.5	0.5			
Methoxychlor		μg/L	<0.5	0.5			
Mirex		μg/L	<0.5	0.5			
Permethrin-cis		μg/L	<0.5	0.5			
Permethrin-tran	s	µg/L	<0.5	0.5			
Procymidone		μg/L	<0.5	0.5			
Propachlor		μg/L	<0.5	0.5			
Quintozene		μg/L	<0.5	0.5			
Tecnazene		μg/L	<0.5	0.5			
Tetradifon		μg/L	<0.5	0.5			
Tolyfluanid		μg/L	<0.5	0.5			
Triadimefon		μg/L	<0.5	0.5			
Vinclozolin		μg/L	<0.5	0.5			



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 10 of 44

	-	Project ID:			400-	200
BIII 10:	City of Delta		Well Water		Lot ID: 1637	098
	4500 Clarence Taylor Crescen	Project Name. Project Location:			Number:	
	Delta, BC, Canada	LSD:			eceived: Mar 10	
<b>A</b>	V4K 3E2	P.O.:	23251597		eported: Mar 20	
	Accounts Payable	Proj. Acct. code:	23231397	Report	Number: 285165	2
Sampled By:		FTOJ. ACCI. COUE.				
Company:	City of Delta					
	F	Reference Number	1637698-2			
		Sample Date	March 10, 202	3		
		Sample Time	08:00			
		Sample Location				
	Si	ample Description	308 / Burns Dr	. / 3.6 °C		
		Sample Matrix	Water			
Analyta		110:4-	Beault	Nominal Detection Limit	Guideline Limit	Guideline Comments
Analyte	<b></b>	Units	Result	Limit	LIMIT	Comments
-	Pesticides -Water- Surrogate					
TPP	Surrogate	%	80	50-140		
	ate Pesticides in Water			0.7		
Aspon		µg/L	<0.5	0.5		
Azinphos-ethyl		µg/L	<0.5	0.5		<b>D</b> / ····-
Azinphos-methy	/1	μg/L	<0.5	0.5	20	Below MAC
Bromophos	1	μg/L	<0.5	0.5		
Bromophos-ethy		µg/L	<0.5	0.5		
Carbophenothio		µg/L	<0.5	0.5		
Chlorfenvinphos	3	µg/L	<0.5	0.5		
Chlormephos		µg/L	<0.5	0.5		
Chlorpyrifos		µg/L	<0.5	0.5	90	Below MAC
Chlorpyrifos-me	thyl	µg/L	<0.5	0.5		
Chlorthiophos		µg/L	<0.5	0.5		
Cyanophos		µg/L	<0.5	0.5		
Demeton		µg/L	<0.5	0.5		5
Diazinon		µg/L	<0.10	0.10	20	Below MAC
Dichlofenthion		µg/L	<0.5	0.5		
Dimethoate		µg/L	<0.5	0.5	20	Below MAC
Disulfoton		µg/L	<0.5	0.5		
Ethion		μg/L	<0.5	0.5		
Fenchlorphos		μg/L	<0.5	0.5		
Fenitrothion		μg/L	<0.5	0.5		
Fenthion Fonofos		µg/L	<0.5	0.5		
		µg/L	<0.5	0.5		
Isofenphos Malaoxon		µg/L	<0.5 <0.5	0.5 0.5		
Malaoxon		µg/L	<0.5 <0.1	0.5	190	Below MAC
Methyl Parathion	n	μg/L μg/L	<0.1 <0.5	0.1	190	Delow IVIAC
Mevinphos		μg/L	<0.5 <0.5	0.5		
Parathion		μg/L	<0.5	0.5		
Phorate		μg/L	<0.5	0.5	2	Below MAC
Phosalone		μg/L	<0.5	0.5	۷.	DEIGW WIAC
Phosmet		μg/L	<0.5	0.5		
Phosphamidon		μg/L	<0.5	0.5		
Pirimiphos-ethyl	l	μg/L	<0.5	0.5		
Pirimiphos-euty		μg/L	<0.5	0.5		
Pinimphos-meur Pyrazophos	iyi	μg/L	<0.5 <0.5	0.5		
Quinalophos		μg/L	<0.5 <0.5	0.5		
Gainaiophios		µg/∟	<0.5	0.0		



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 11 of 44

Bill To	City of Delta	Project ID:			Lot ID: 1637	608
Biii 10.	4500 Clarence Taylor Crescer		Well Water	Quality		090
	Delta, BC, Canada	Project Location:			Number:	2022
	V4K 3E2	LSD:			Received: Mar 10	
Attn	Accounts Payable	P.O.:	23251597		Reported: Mar 20	
Sampled By:	-	Proj. Acct. code:		Repor	t Number: 285165	02
Company:						
Company.		Reference Number	1637698-2			
		Sample Date	March 10, 2023			
		Sample Date	08:00			
		Sample Location	08.00			
	c	ample Description	308 / Burns Dr.	136°C		
	J	Sample Matrix	Water	/ 5.0 0		
		oumpic matrix		Nominal Detection	Guideline	Guideline
Analyte		Units	Result	Limit	Limit	Comments
-	ate Pesticides in Water - Cont	inued				
Terbufos		µg/L	<0.5	0.5	1	Below MAC
Tetrachlorvinph	OS	μg/L	<0.5	0.5		
Organophosph	ate Pesticides -Water- Surrog					
TPP	Surrogate	%	80	50-140		
Neutral Herbici	des in Water					
Alachlor		μg/L	<0.5	0.5		
Benfluralin		µg/L	<0.5	0.5		
Butylate		µg/L	<0.5	0.5		
Chlorpropham		µg/L	<0.5	0.5		
Diallate		µg/L	<0.5	0.5		
Dichlobenil		μg/L	<0.5	0.5		
Diclofop-methyl		µg/L	<0.1	0.1	9	Below MAC
Diphenylamine		μg/L	<0.5	0.5		
Eptam (EPTC)		μg/L	<0.5	0.5		
Ethalfluralin		μg/L	<0.5	0.5		
Fenoxaprop-eth	nyl	μg/L	<0.5	0.5		
Fluazifop-p-buty	yl	μg/L	<0.5	0.5		
Hexazinone		μg/L	<0.5	0.5		
Metalaxyl		μg/L	<0.5	0.5		
Metolachlor		μg/L	<0.5	0.5	50	Below MAC
Metribuzin		μg/L	<0.5	0.5	80	Below MAC
Pirimicarb		μg/L	<0.5	0.5		
Profluralin		μg/L	<0.5	0.5		
Prometryn		µg/L	<0.5	0.5		
Propazine		µg/L	<0.5	0.5		
Propyzamide		μg/L	<0.5	0.5		
Quizalofop-ethy	/	μg/L	<0.5	0.5		
Simetryn		μg/L	<0.5	0.5		
Terbuthylazine		μg/L	<0.5	0.5		
Terbutryn		µg/L	<0.5	0.5		
Triallate		µg/L	<0.10	0.10		
Trifluralin		µg/L	<0.1	0.1	45	Below MAC
	des - Water - Surrogate Recov	-				
TPP	Surrogate	%	80	50-140		
	esticides in Water			_		
Bifenox		µg/L	<0.5	0.5		
Carboxin		µg/L	<0.5	0.5		
Deltamethrin		μg/L	<0.5	0.5		
Fenamiphos		µg/L	<0.5	0.5		



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 12 of 44

Analytical Re	eport					
Bill To:	City of Delta	Project ID:			Lot ID: 1637	698
	4500 Clarence Taylor Crescent	Project Name:	Well Water	Control	Number:	
	Delta, BC, Canada	Project Location:			eceived: Mar 10,	2023
	V4K 3E2	LSD:			eported: Mar 20,	
Attn:	Accounts Payable	P.O.:	23251597		Number: 285165	
Sampled By:	Scott B	Proj. Acct. code:				
Company:	City of Delta					
	Re	ference Number	1637698-2			
		Sample Date	March 10, 202	3		
		Sample Time	08:00			
	5	Sample Location				
	Sar	nple Description	308 / Burns Dr	. / 3.6 °C		
		Sample Matrix	Water			
				Nominal Detection	Guideline	Guideline
Analyte		Units	Result	Limit	Limit	Comments
Multiresidue Pe	esticides in Water - Continued					
Fenvalerate		µg/L	<0.5	0.5		
Methoprene		µg/L	<0.5	0.5		
Norflurazon		µg/L	<0.5	0.5		
Pebulate		µg/L	<0.5	0.5		
Prometon		µg/L	<0.5	0.5		
Propargite		µg/L	<0.5	0.5		
Propiconazole		µg/L	<0.5	0.5		
Terbacil		µg/L	<0.5	0.5		
Vernolate		µg/L	<0.5	0.5		
Carbamates in		_				
3-Hydroxycarbo	ofuran	µg/L	<0.1	0.1		
Aldicarb		µg/L	<0.1	0.1	9	Below MAC
Aldicarb sulfone		µg/L	<0.1	0.1		
Aldicarb sulfoxio	de	µg/L	<0.1	0.1		
Bendiocarb		µg/L	<0.1	0.1		
BPMC		µg/L	<0.1	0.1		<b>_</b>
Carbaryl		µg/L	<0.1	0.1	90	Below MAC
Carbofuran		µg/L	<0.1	0.1	90	Below MAC
Imidacloprid		µg/L	<0.1	0.1		
Methiocarb		μg/L	<0.1	0.1		
Methomyl		µg/L	<0.1	0.1		
Oxamyl		µg/L	<0.1	0.1		
Promecarb		μg/L	<0.1	0.1		
Propoxur		μg/L	<0.1	0.1		
	Water - Surrogate Recovery	<u> </u>	01.0	50.4.10		
BDMC	Surrogate	%	91.8	50-140		
	esticides - Water - Surrogate Red		00	50.4.40		
TPP	Surrogate	%	80	50-140		



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 13 of 44

Analytical Re	eport					
Bill To:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Project Name: Project Location: LSD:	Well Water	Date	Lot ID: <b>16376</b> I Number: Received: Mar 10, 2	2023
Sampled By:	Accounts Payable Scott B	P.O.: Proj. Acct. code:	23251597		Reported: Mar 20, 2 t Number: 2851652	
Company:	•					
	R	eference Number	1637698-3			
		Sample Date	March 10, 2023	3		
		Sample Time	09:00			
		Sample Location				
	Sa	mple Description	220 / 112th St.	/ 3.6 °C		
		Sample Matrix	Water			
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
norganic Nonm	netallic Parameters					
Sulfide	Total	mg/L	<0.002	0.002	0.05	Below AO
Hydrogen Sulfid	le Calculated	mg/L	<0.002			
Metals Extracta	ble					
Aluminum	Extractable	mg/L	0.017	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00008	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0016	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0061	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.004	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00095	0.00005	0.05	Below MAC
Cobalt	Extractable	mg/L	<0.00002	0.00002		
Copper	Extractable	mg/L	0.0015	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00012	0.00001	0.005	Below MAC
Nickel	Extractable	mg/L	<0.0002	0.0002		
Selenium	Extractable	mg/L	0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.051	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0014	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0026	0.00005		
Zinc	Extractable	mg/L	0.0006	0.0005	5.0	Below AO
Metals Total						
Mercury	Total	µg/L	<0.01	0.01	1	Below MAC
Microbiological	Analysis					
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Co Aerobic Physical and Ac	ount - SimPlate ggregate Properties	MPN/mL	<2.0	2		
Colour	True	Colour units	<5	5		
Turbidity	1140	NTU	<0.10	0.1	0.1/0.3/1.0 OG	
Routine Water			\$0.10	0.1	5, 0.0, 1.0 00	
pH - Holding Tin	ne		Exceeded			
pH	at 25 °C		7.53	0.01	7.0-10.5	Within Range
Electrical Condu		µS/cm at 25 °C	157	1		
Calcium	Extractable	mg/L	17	0.01		
Iron	Extractable	mg/L	<0.004	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	5.0	0.02	0.0	201011 / 10
Manganese	Extractable	mg/L	0.004	0.001	0.02 AO; 0.12 MAC	Below AO



Analyte

Sodium

Bromide

Chloride

Fluoride

Benzene

Styrene

Toluene

Benzene

Styrene

Toluene

Toluene-d8

BHC (alpha isomer)

Aldrin

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 14 of 44

**Analytical Report** Project ID: Bill To: City of Delta Lot ID: 1637698 4500 Clarence Taylor Crescent Project Name: Well Water Control Number: Project Location: Delta, BC, Canada Date Received: Mar 10, 2023 LSD: V4K 3E2 Mar 20, 2023 Date Reported: P.O.: 23251597 Attn: Accounts Payable Report Number: 2851652 Proj. Acct. code: Sampled By: Scott B Company: City of Delta **Reference Number** 1637698-3 Sample Date March 10, 2023 Sample Time 09:00 Sample Location Sample Description 220 / 112th St. / 3.6 °C **Sample Matrix** Water Nominal Detection Guideline Guideline Limit Limit Comments Units Result **Routine Water - Continued** 1.0 0.04 Potassium Extractable mg/L Extractable 4.5 0.1 200 Below AO mg/L Bicarbonate mg/L 71 5 Carbonate <6 6 mg/L Hydroxide mg/L <5 5 P-Alkalinity as CaCO3 <5 5 mg/L T-Alkalinity as CaCO3 5 mg/L 58 0.02 Dissolved < 0.02 mg/L 0.05 250 Below AO Dissolved mg/L 6.70 Dissolved mg/L 0.03 0.01 1.5 Below MAC Nitrate - N Dissolved 0.55 0.01 10 Below MAC mg/L Below MAC Nitrite - N Dissolved mg/L <0.01 0.01 1 Sulfate (SO4) Dissolved 6.3 0.1 500 Below AO mg/L Hardness as CaCO3 mg/L 64 1 (extractable) **Total Dissolved Solids** Extractable 78 500 Below AO mg/L 1 **VOC Screen - Water** 0.5 Below MAC µg/L < 0.5 5 Ethylbenzene µg/L <0.5 0.5 1.6 AO; 140 MAC Below AO Methyl t-Butyl Ether µg/L <0.5 0.5 15 Below AO <0.5 0.5 µg/L 24 AO; 60 MAC Below AO µg/L <0.5 0.5 Total Xylenes (m,p,o) < 0.5 0.5 20 AO; 90 MAC Below AO µg/L 4-Bromofluorobenzene Surrogate % 86.3 70-130 Dibromofluoromethane % 70-130 Surrogate 125 Toluene-d8 Surrogate % 110 70-130 Mono-Aromatic Hydrocarbons - Water <0.5 0.5 Below MAC µg/L 5 1.6 AO; 140 MAC Below AO Ethylbenzene µg/L < 0.5 0.5 Methyl t-Butyl Ether µg/L <0.5 0.5 15 Below AO <0.5 0.5 µg/L µg/L 24 AO; 60 MAC Below AO <0.5 0.5 20 AO; 90 MAC Below AO Total Xylenes (m,p,o) µg/L <0.5 0.5 4-Bromofluorobenzene 86.3 70-130 Surrogate % Dibromofluoromethane Surrogate % 125 70-130

Terms and Conditions: https://www.element.com/terms/terms-and-conditions

**Organochlorine Pesticides in Water** 

Surrogate

%

µg/L

µg/L

110

<0.5

< 0.5

70-130

0.5

0.5

0.7

Below MAC



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 15 of 44

Analytical Re	eport					
Bill To:	City of Delta	Project ID:			Lot ID: 1637	698
	4500 Clarence Taylor Crescen		Well Water	Control I		
	Delta, BC, Canada	Project Location:			eceived: Mar 10,	2023
	V4K 3E2	LSD:			eported: Mar 20,	
Attn:	Accounts Payable	P.O.:	23251597		Number: 285165	2
Sampled By:	Scott B	Proj. Acct. code:				
Company:	City of Delta					
	F	Reference Number	1637698-3			
		Sample Date	March 10, 202	3		
		Sample Time	09:00			
		Sample Location				
	Si	ample Description	220 / 112th St	. / 3.6 °C		
		Sample Matrix	Water			
			<b>-</b> •	Nominal Detection	Guideline	Guideline
Analyte		Units	Result	Limit	Limit	Comments
-	Pesticides in Water - Continu					
BHC (beta isom		µg/L	<0.5	0.5		
BHC (delta ison	ner)	μg/L	<0.5	0.5		
Captan		μg/L	<3.0	3.0		
Chlorbenside		μg/L	<0.5	0.5		
Chlordane-cis		μg/L	<0.5	0.5		
Chlordane-trans	3	μg/L	<0.5	0.5		
Chlorfenson Chlorothalonil		μg/L	<0.5	0.5		
	by d	μg/L	<0.5	0.5		
Chlorthal-dimeth	nyi	μg/L	<0.5 <0.5	0.5 0.5		
DDD-o,p' DDD-p,p'		μg/L μg/L	<0.5 <0.5	0.5		
DDE-o,p'		μg/L	<0.5 <0.5	0.5		
DDE-0,p DDE-p,p'		μg/L	<0.5	0.5		
DDT-o,p'		μg/L	<0.5	0.5		
DDT-p,p'		μg/L	<0.5	0.5		
Dichlofluanid		μg/L	<0.5	0.5		
Dieldrin		μg/L	<0.5	0.5		
Endosulfan I		μg/L	<0.5	0.5		
Endosulfan II		μg/L	<0.5	0.5		
Endosulfan sulfa	ate	μg/L	<0.5	0.5		
Endrin		μg/L	<0.5	0.5		
Folpet		μg/L	<3.0	3.0		
Heptachlor		µg/L	<0.5	0.5		
Heptachlor Epo		µg/L	<0.5	0.5		
Hexachlorobenz	zene	µg/L	<0.5	0.5		
Lindane		µg/L	<0.5	0.5		
Methoxychlor		µg/L	<0.5	0.5		
Mirex		µg/L	<0.5	0.5		
Permethrin-cis		µg/L	<0.5	0.5		
Permethrin-tran	S	µg/L	<0.5	0.5		
Procymidone		μg/L	<0.5	0.5		
Propachlor		μg/L	<0.5	0.5		
Quintozene 		μg/L	<0.5	0.5		
Tecnazene		μg/L	<0.5	0.5		
Tetradifon		μg/L	<0.5	0.5		
Tolyfluanid		μg/L	<0.5	0.5		
Triadimefon		μg/L	<0.5	0.5		
Vinclozolin		µg/L	<0.5	0.5		



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 16 of 44

W: www.element.com

Analytical Re	eport					
Bill To:	City of Delta	Project ID:			Lot ID: 1637	698
	4500 Clarence Taylor Crescen	t Project Name:	Well Water	Control	Number:	
	Delta, BC, Canada	Project Location:			eceived: Mar 10,	2023
	V4K 3E2	LSD:			eported: Mar 20,	
Attn:	Accounts Payable	P.O.:	23251597		Number: 285165	
Sampled By:	Scott B	Proj. Acct. code:		Roport	200100	-
Company:	City of Delta					
	•	Reference Number	1637698-3			
	•	Sample Date	March 10, 202	3		
		Sample Time	09:00	0		
		Sample Location	05.00			
	S	ample Description	220 / 112th St.	/36°C		
		Sample Matrix	Water	/ 0.0 0		
			Water	Nominal Detection	Guideline	Guideline
Analyte		Units	Result	Limit	Limit	Comments
	Pesticides -Water- Surrogate				-	
TPP	Surrogate	%	79	50-140		
	ate Pesticides in Water	70	15	00-140		
Aspon	ato i ootividoo ili matoi	µg/L	<0.5	0.5		
Aspon Azinphos-ethyl		μg/L	<0.5	0.5		
Azinphos-ethy	И	μg/L	<0.5	0.5	20	Below MAC
Bromophos	1	μg/L	<0.5	0.5	20	
Bromophos-ethy	vl	μg/L	<0.5 <0.5	0.5		
Carbophenothio			<0.5	0.5		
Chlorfenvinphos		µg/L	<0.5	0.5		
	>	μg/L				
Chlormephos		μg/L	<0.5	0.5	00	Below MAC
Chlorpyrifos	Alex d	μg/L	<0.5	0.5	90	Delow IVIAC
Chlorpyrifos-me	itnyl	µg/L	<0.5	0.5		
Chlorthiophos		µg/L	<0.5	0.5		
Cyanophos		μg/L	<0.5	0.5		
Demeton		µg/L	<0.5	0.5		
Diazinon		µg/L	<0.10	0.10	20	Below MAC
Dichlofenthion		µg/L	<0.5	0.5		
Dimethoate		µg/L	<0.5	0.5	20	Below MAC
Disulfoton		µg/L	<0.5	0.5		
Ethion		µg/L	<0.5	0.5		
Fenchlorphos		µg/L	<0.5	0.5		
Fenitrothion		µg/L	<0.5	0.5		
Fenthion		µg/L	<0.5	0.5		
Fonofos		µg/L	<0.5	0.5		
Isofenphos		µg/L	<0.5	0.5		
Malaoxon		µg/L	<0.5	0.5		<b>_</b> .
Malathion		µg/L	<0.1	0.1	190	Below MAC
Methyl Parathio	n	µg/L	<0.5	0.5		
Mevinphos		µg/L	<0.5	0.5		
Parathion		µg/L	<0.5	0.5		
Phorate		µg/L	<0.5	0.5	2	Below MAC
Phosalone		µg/L	<0.5	0.5		
Phosmet		µg/L	<0.5	0.5		
Phosphamidon		µg/L	<0.5	0.5		
Pirimiphos-ethyl		µg/L	<0.5	0.5		
Pirimiphos-meth	nyl	µg/L	<0.5	0.5		
Pyrazophos		µg/L	<0.5	0.5		
Quinalophos		µg/L	<0.5	0.5		
Sulfotep		µg/L	<0.5	0.5		



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 17 of 44

W: www.element.com

Analytical Re	eport					
Bill To:	City of Delta	Project ID:			Lot ID:	1637698
	4500 Clarence Taylor Crescent	Project Name:	Well Water	Control	Number:	
	Delta, BC, Canada	Project Location:				Mar 10, 2023
	V4K 3E2	LSD:				Mar 20, 2023
Attn:	Accounts Payable	P.O.:	23251597		Number: 2	
Sampled By:	-	Proj. Acct. code:		Керон		1001002
Company:	City of Delta					
1 7	•	eference Number	1637698-3			
		Sample Date	March 10, 202	3		
		Sample Time	09:00			
		Sample Location	00.00			
		mple Description	220 / 112th St	/36°C		
		Sample Matrix	Water	., 0.0 0		
			Water	Nominal Detection	Guidelin	e Guideline
Analyte		Units	Result	Limit	Limit	Comments
Organophospha	ate Pesticides in Water - Contin	ued				
Terbufos		µg/L	<0.5	0.5	1	Below MAC
Tetrachlorvinpho	os	μg/L	<0.5	0.5		
	ate Pesticides -Water- Surrogat					
TPP	Surrogate	%	79	50-140		
Neutral Herbicic	=					
Alachlor		µg/L	<0.5	0.5		
Benfluralin		µg/L	<0.5	0.5		
Butylate		µg/L	<0.5	0.5		
Chlorpropham		μg/L	<0.5	0.5		
Diallate		μg/L	<0.5	0.5		
Dichlobenil		µg/L	<0.5	0.5		
Diclofop-methyl		µg/L	<0.1	0.1	9	Below MAC
Diphenylamine		μg/L	<0.5	0.5		
Eptam (EPTC)		μg/L	<0.5	0.5		
Ethalfluralin		μg/L	<0.5	0.5		
Fenoxaprop-eth	ıyl	μg/L	<0.5	0.5		
Fluazifop-p-buty		μg/L	<0.5	0.5		
Hexazinone		μg/L	<0.5	0.5		
Metalaxyl		μg/L	<0.5	0.5		
Metolachlor		μg/L	<0.5	0.5	50	Below MAC
Metribuzin		μg/L	<0.5	0.5	80	Below MAC
Pirimicarb		μg/L	<0.5	0.5		
Profluralin		μg/L	<0.5	0.5		
Prometryn		μg/L	<0.5	0.5		
Propazine		μg/L	<0.5	0.5		
Propyzamide		μg/L	<0.5	0.5		
Quizalofop-ethy	1	μg/L	<0.5	0.5		
Simetryn		μg/L	<0.5	0.5		
Terbuthylazine		μg/L	<0.5	0.5		
Terbutryn		µg/L	<0.5	0.5		
Triallate		µg/L	<0.10	0.10		
Trifluralin		µg/L	<0.1	0.1	45	Below MAC
Neutral Herbicic	des - Water - Surrogate Recove	ry				
ТРР	Surrogate	%	79	50-140		
Multiresidue Pe	sticides in Water					
Bifenox		µg/L	<0.5	0.5		
Carboxin		µg/L	<0.5	0.5		
Deltamethrin		μg/L	<0.5	0.5		
		µg/L	<0.5	0.5		



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 18 of 44

Analytical Re	eport					
2	- City of Delta	Project ID:			Lot ID: 1637	7698
	4500 Clarence Taylor Crescent	Project Name:	Well Water	Control	Number:	000
	Delta, BC, Canada	Project Location:			eceived: Mar 10	2023
	V4K 3E2	LSD:			eported: Mar 20	
Attn:	Accounts Payable	P.O.:	23251597		Number: 28516	
Sampled By:	Scott B	Proj. Acct. code:		Коронт		
	City of Delta					
	Re	ference Number	1637698-3			
		Sample Date	March 10, 20	23		
		Sample Time	09:00			
	5	Sample Location				
		nple Description	220 / 112th S	it. / 3.6 °C		
		Sample Matrix	Water			
		-		Nominal Detection	Guideline	Guideline
Analyte		Units	Result	Limit	Limit	Comments
Aultiresidue Pe	sticides in Water - Continued					
Fenvalerate		μg/L	<0.5	0.5		
Methoprene		µg/L	<0.5	0.5		
Norflurazon		µg/L	<0.5	0.5		
Pebulate		µg/L	<0.5	0.5		
Prometon		µg/L	<0.5	0.5		
Propargite		µg/L	<0.5	0.5		
Propiconazole		µg/L	<0.5	0.5		
Terbacil		µg/L	<0.5	0.5		
Vernolate		µg/L	<0.5	0.5		
Carbamates in V	Water					
3-Hydroxycarbo	furan	µg/L	<0.1	0.1		
Aldicarb		µg/L	<0.1	0.1	9	Below MAC
Aldicarb sulfone	2	µg/L	<0.1	0.1		
Aldicarb sulfoxic	de	µg/L	<0.1	0.1		
Bendiocarb		µg/L	<0.1	0.1		
BPMC		µg/L	<0.1	0.1		
Carbaryl		µg/L	<0.1	0.1	90	Below MAC
Carbofuran		µg/L	<0.1	0.1	90	Below MAC
Imidacloprid		µg/L	<0.1	0.1		
Methiocarb		µg/L	<0.1	0.1		
Methomyl		µg/L	<0.1	0.1		
Oxamyl		µg/L	<0.1	0.1		
Promecarb		µg/L	<0.1	0.1		
Propoxur		µg/L	<0.1	0.1		
	Water - Surrogate Recovery					
BDMC	Surrogate	%	87.7	50-140		
<b>Multiresidue Pe</b> TPP	sticides - Water - Surrogate Re					
	Surrogate	%	79	50-140		



4500 Clarence Taylor Crescent

Bill To: City of Delta

**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

Well Water

Project ID:

Project Name:

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Control Number:

Page 19 of 44

W: www.element.com

Lot ID: 1637698

	Delta, BC, Canada V4K 3E2	Project Location: LSD:		Date	Received: Mar 10, Reported: Mar 20,	
Attn:	Accounts Payable	P.O.:	23251597		t Number: 2851652	
Sampled By:	Scott B	Proj. Acct. code:				
Company:	City of Delta					
		Reference Number	1637698-4			
		Sample Date	March 10, 2023			
		Sample Time	09:30			
		Sample Location				
		Sample Description	305 / Well # 1 / 3	3.6 °C		
		Sample Matrix	Water			
				Nominal Detection	Guideline	Guideline
Analyte		Units	Result	Limit	Limit	Comments
norganic Nonm	netallic Parameters					
Sulfide	Total	mg/L	<0.002	0.002	0.05	Below AO
Hydrogen Sulfic	le Calculated	mg/L	<0.002			
letals Extracta	ble					
Aluminum	Extractable	mg/L	0.001	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00016	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0043	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0053	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.006	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.0023	0.00005	0.05	Below MAC
Cobalt	Extractable	mg/L	<0.00002	0.00002		
Copper	Extractable	mg/L	0.0015	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00001	0.00001	0.005	Below MAC
Nickel	Extractable	mg/L	<0.0002	0.0002		
Selenium	Extractable	mg/L	0.0005	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.10	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0032	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0076	0.00005		
Zinc	Extractable	mg/L	<0.0005	0.0005	5.0	Below AO
letals Total						
Mercury	Total	µg/L	<0.01	0.01	1	Below MAC
licrobiological	Analysis					
Total Coliforms	Enzyme Subs Test	trate MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Test		<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic C Aerobic	ount - SimPlate	MPN/mL	<2.0	2		
	ggregate Properties					
Colour	True	Colour units	<5	5		
Turbidity		NTU	<0.10	0.1	0.1/0.3/1.0 OG	
Routine Water		-				
pH - Holding Tir	ne		Exceeded			
pH	at 25 °C		7.71	0.01	7.0-10.5	Within Range
Electrical Condu		µS/cm at 25 °C	270	1		
Calcium	Extractable	mg/L	29	0.01		
Iron	Extractable	mg/L	0.005	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	10	0.02		
Manganese	Extractable	mg/L	0.006	0.001	0.02 AO; 0.12 MAC	Below AO



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 20 of 44

W: www.element.com

Analytical Re	•					
Bill To:	City of Delta 4500 Clarence Taylor Crescen	Project ID: t Project Name: Project Location:	Well Water		Lot ID: <b>16376</b> of Number:	
	Delta, BC, Canada V4K 3E2	LSD:			Received: Mar 10, 2	
Atto-		P.O.:	23251597		Reported: Mar 20, 2	2023
	Accounts Payable Scott B	Proj. Acct. code:	20201001	Repo	rt Number: 2851652	
		1 10j. 7 1001. 00000.				
Company:	-					
	F	Reference Number	1637698-4			
		Sample Date	March 10, 2023	5		
		Sample Time	09:30			
		Sample Location				
	5	ample Description	305 / Well # 1 /	3.6 °C		
		Sample Matrix	Water	Nominal Detection	Guideline	Guideline
Analyte		Units	Result	Limit	Limit	Comments
Routine Water -	Continued					
Potassium	Extractable	mg/L	2.0	0.04		
Sodium	Extractable	mg/L	8.4	0.1	200	Below AO
Bicarbonate		mg/L	122	5		20.00
Carbonate		mg/L	<6	6		
Hydroxide		mg/L	<5	5		
P-Alkalinity	as CaCO3	mg/L	<5	5		
T-Alkalinity	as CaCO3	mg/L	100	5		
Bromide	Dissolved	mg/L	0.12	0.02		
Chloride	Dissolved	mg/L	12.4	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.04	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	1.27	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	10	Below MAC
Sulfate (SO4)	Dissolved	mg/L	11.8	0.01	500	Below MAC
Hardness	as CaCO3 (extractable)	mg/L	114	1	000	
Total Dissolved		mg/L	140	1	500	Below AO
VOC Screen - W	ater					
Benzene		µg/L	<0.5	0.5	5	Below MAC
Ethylbenzene		µg/L	<0.5	0.5	1.6 AO; 140 MAC	Below AO
Methyl t-Butyl Et	ther	µg/L	<0.5	0.5	15	Below AO
Styrene		µg/L	<0.5	0.5		
Toluene		µg/L	<0.5	0.5	24 AO; 60 MAC	Below AO
Total Xylenes (n	n,p,o)	µg/L	<0.5	0.5	20 AO; 90 MAC	Below AO
4-Bromofluorobe	Ũ	%	97.7	70-130		
Dibromofluorom	0	%	123	70-130		
Toluene-d8	Surrogate	%	113	70-130		
	Hydrocarbons - Water			_	_	
Benzene		µg/L	<0.5	0.5	5	Below MAC
Ethylbenzene		µg/L	<0.5	0.5	1.6 AO; 140 MAC	Below AO
Methyl t-Butyl Et	ther	µg/L	<0.5	0.5	15	Below AO
Styrene		μg/L	<0.5	0.5		<b>D</b> / / -
Toluene	``````````````````````````````````````	μg/L	<0.5	0.5	24 AO; 60 MAC	Below AO
Total Xylenes (n		μg/L	<0.5	0.5	20 AO; 90 MAC	Below AO
4-Bromofluorobe	6	%	97.7	70-130		
Dibromofluorom		%	123	70-130		
Toluene-d8	Surrogate	%	113	70-130		
-	Pesticides in Water	<b>n</b>	0 F	<u> </u>	<u> </u>	
Aldrin		µg/L	<0.5	0.5	0.7	Below MAC
BHC (alpha ison	ner)	μg/L	<0.5	0.5		

Terms and Conditions: https://www.element.com/terms/terms-and-conditions



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 21 of 44

Analytical Re	port					
-	- City of Delta	Project ID:			Lot ID: 1637	698
	4500 Clarence Taylor Crescent	Project Name:	Well Water	Control		
	Delta, BC, Canada	Project Location:			eceived: Mar 10,	2023
	V4K 3E2	LSD:				
Attn	Accounts Payable	P.O.:	23251597		eported: Mar 20,	
Sampled By:	-	Proj. Acct. code:		Report	Number: 285165	2
	City of Delta					
company.		eference Number	1637698-4			
	ĸ					
		Sample Date	March 10, 2023 09:30			
		Sample Time	09.30			
		Sample Location	205 / Маш # 4 /	2.6.90		
	58	mple Description	305 / Well # 1 /	3.6 °C		
		Sample Matrix	Water	New in al Defection	Outletter	Qualitation
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Organochlorine	Pesticides in Water - Continue	ed				
BHC (beta isom	er)	µg/L	<0.5	0.5		
BHC (delta isom	ner)	µg/L	<0.5	0.5		
Captan		µg/L	<3.0	3.0		
Chlorbenside		µg/L	<0.5	0.5		
Chlordane-cis		µg/L	<0.5	0.5		
Chlordane-trans	5	µg/L	<0.5	0.5		
Chlorfenson		µg/L	<0.5	0.5		
Chlorothalonil		µg/L	<0.5	0.5		
Chlorthal-dimeth	lyl	μg/L	<0.5	0.5		
DDD-o,p'		μg/L	<0.5	0.5		
DDD-p,p'		μg/L	<0.5	0.5		
DDE-o,p'		μg/L	<0.5	0.5		
DDE-p,p'		μg/L	<0.5	0.5		
DDT-o,p'		μg/L	<0.5	0.5		
DDT-p,p'		μg/L	<0.5	0.5		
Dichlofluanid		μg/L	<0.5	0.5		
Dieldrin		µg/L	<0.5	0.5		
Endosulfan I		µg/L	<0.5	0.5		
Endosulfan II		µg/∟	<0.5	0.5		
Endosulfan sulfa	ate	μg/L	<0.5	0.5		
Endrin		μg/L	<0.5	0.5		
Folpet		μg/L	<3.0	3.0		
Heptachlor		μg/L	<0.5	0.5		
Heptachlor Epo	xide	μg/L	<0.5	0.5		
Hexachlorobenz		μg/L	<0.5	0.5		
Lindane		μg/L	<0.5	0.5		
Methoxychlor		μg/L	<0.5	0.5		
Mirex		μg/L	<0.5	0.5		
Permethrin-cis		μg/L	<0.5	0.5		
Permethrin-trans	e	μg/L	<0.5	0.5		
Procymidone		μg/L	<0.5	0.5		
Propachlor		μg/L	<0.5	0.5		
Quintozene			<0.5 <0.5	0.5		
		μg/L				
Tecnazene		μg/L	<0.5	0.5		
Tetradifon		μg/L	<0.5	0.5		
Tolyfluanid		μg/L	<0.5	0.5		
Triadimefon		µg/L	<0.5 <0.5	0.5 0.5		
Vinclozolin		µg/L	-0 E	0.5		



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 22 of 44

E: info.vancouver@element.com W: www.element.com

Analytical Re	•					
Bill To:	City of Delta	Project ID:			Lot ID: 1637	698
	4500 Clarence Taylor Crescer		Well Water	Control	Number:	
	Delta, BC, Canada	Project Location:		Date R	eceived: Mar 10	, 2023
	V4K 3E2	LSD:		Date R	Reported: Mar 20	, 2023
	Accounts Payable	P.O.:	23251597	Report	Number: 285165	52
Sampled By:		Proj. Acct. code:				
Company:	City of Delta					
	I	Reference Number	1637698-4			
		Sample Date	March 10, 2023			
		Sample Time	09:30			
		Sample Location				
	S	ample Description	305 / Well # 1 /	3.6 °C		
		Sample Matrix	Water			
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
	Pesticides -Water- Surrogate	Rec				
TPP	Surrogate	%	90	50-140		
	ate Pesticides in Water	70		00 1 10		
Aspon		µg/L	<0.5	0.5		
Azinphos-ethyl		μg/L	<0.5	0.5		
Azinphos-methy	/	μg/L	<0.5	0.5	20	Below MAC
Bromophos		μg/L	<0.5	0.5		
Bromophos-ethy	vI	µg/L	<0.5	0.5		
Carbophenothio		µg/L	<0.5	0.5		
Chlorfenvinphos		µg/L	<0.5	0.5		
Chlormephos		µg/L	<0.5	0.5		
Chlorpyrifos		μg/L	<0.5	0.5	90	Below MAC
Chlorpyrifos-me	ethyl	μg/L	<0.5	0.5		
Chlorthiophos	-	μg/L	<0.5	0.5		
Cyanophos		μg/L	<0.5	0.5		
Demeton		μg/L	<0.5	0.5		
Diazinon		μg/L	<0.10	0.10	20	Below MAC
Dichlofenthion		μg/L	<0.5	0.5		
Dimethoate		μg/L	<0.5	0.5	20	Below MAC
Disulfoton		μg/L	<0.5	0.5		
Ethion		μg/L	<0.5	0.5		
Fenchlorphos		µg/L	<0.5	0.5		
Fenitrothion		µg/L	<0.5	0.5		
Fenthion		µg/L	<0.5	0.5		
Fonofos		µg/L	<0.5	0.5		
Isofenphos		μg/L	<0.5	0.5		
Malaoxon		μg/L	<0.5	0.5		
Malathion		μg/L	<0.1	0.1	190	Below MAC
Methyl Parathio	n	μg/L	<0.5	0.5		
Mevinphos		µg/L	<0.5	0.5		
Parathion		µg/L	<0.5	0.5		
Phorate		µg/L	<0.5	0.5	2	Below MAC
Phosalone		µg/L	<0.5	0.5		
Phosmet		µg/L	<0.5	0.5		
Phosphamidon		µg/L	<0.5	0.5		
Pirimiphos-ethyl	1	µg/L	<0.5	0.5		
Pirimiphos-meth	nyl	µg/L	<0.5	0.5		
Pyrazophos		µg/L	<0.5	0.5		
Quinalophos		µg/L	<0.5	0.5		
Sulfotep		µg/L	<0.5	0.5		



**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 23 of 44

W: www.element.com

Project ID: Bill To: City of Delta Lot ID: 1637698 Project Name: 4500 Clarence Taylor Crescent Well Water Control Number: Project Location: Delta, BC, Canada Date Received: Mar 10, 2023 LSD: V4K 3E2 Mar 20, 2023 Date Reported: P.O.: 23251597 Attn: Accounts Payable Report Number: 2851652 Proj. Acct. code: Sampled By: Scott B Company: City of Delta **Reference Number** 1637698-4 Sample Date March 10, 2023 Sample Time 09:30 Sample Location Sample Description 305 / Well # 1 / 3.6 °C Sample Matrix Water Nominal Detection Guideline Guideline Limit Limit Comments Analyte Units Result **Organophosphate Pesticides in Water - Continued** Terbufos µg/L <0.5 0.5 1 Below MAC Tetrachlorvinphos µg/L <0.5 0.5 Organophosphate Pesticides -Water- Surrogate Rec. TPP Surrogate % 90 50-140 **Neutral Herbicides in Water** Alachlor µg/L <0.5 0.5 Benfluralin <0.5 0.5 µg/L **Butylate** 0.5 < 0.5 µg/L Chlorpropham <0.5 0.5 µg/L Diallate µg/L <0.5 0.5 Dichlobenil µg/L <0.5 0.5 Diclofop-methyl 0.1 9 Below MAC µg/L <0.1 Diphenylamine <0.5 0.5 µg/L Eptam (EPTC) µg/L <0.5 0.5 Ethalfluralin µg/L <0.5 0.5 Fenoxaprop-ethyl <0.5 0.5 µg/L 0.5 Fluazifop-p-butyl <0.5 µg/L Hexazinone <0.5 0.5 µg/L 0.5 Metalaxyl µg/L < 0.5 Metolachlor µg/L <0.5 0.5 50 Below MAC Metribuzin <0.5 0.5 80 Below MAC µg/L µg/L Pirimicarb <0.5 0.5 0.5 Profluralin µg/L <0.5 Prometryn <0.5 0.5 µg/L Propazine µg/L <0.5 0.5 Propyzamide <0.5 0.5 µg/L Quizalofop-ethyl <0.5 0.5 µg/L <0.5 0.5 Simetryn µg/L Terbuthylazine <0.5 0.5 µg/L Terbutryn < 0.5 0.5 µg/L Triallate <0.10 0.10 µg/L Trifluralin <0.1 0.1 45 Below MAC µg/L Neutral Herbicides - Water - Surrogate Recovery TPP 90 50-140 Surrogate % **Multiresidue Pesticides in Water** Bifenox µg/L <0.5 0.5 Carboxin µg/L <0.5 0.5 Deltamethrin µg/L <0.5 0.5 <0.5 0.5 Fenamiphos µg/L Terms and Conditions: https://www.element.com/terms/terms-and-conditions



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 24 of 44

Analytical Re	eport					
Bill To:	- City of Delta	Project ID:			Lot ID: 1637	698
	4500 Clarence Taylor Crescent	Project Name:	Well Water	Control	Number:	000
	Delta, BC, Canada	Project Location:			eceived: Mar 10,	2023
	V4K 3E2	LSD:			eported: Mar 20,	
Attn:	Accounts Payable	P.O.:	23251597		Number: 285165	
Sampled By:	Scott B	Proj. Acct. code:		Report	Number: 200100	2
Company:	City of Delta					
	•	eference Number	1637698-4			
		Sample Date	March 10, 202	3		
		Sample Time	09:30	-		
		Sample Location				
		mple Description	305 / Well # 1	/ 3.6 °C		
		Sample Matrix	Water			
		•		Nominal Detection	Guideline	Guideline
Analyte		Units	Result	Limit	Limit	Comments
Aultiresidue Pe	sticides in Water - Continued					
Fenvalerate		µg/L	<0.5	0.5		
Methoprene		µg/L	<0.5	0.5		
Norflurazon		µg/L	<0.5	0.5		
Pebulate		µg/L	<0.5	0.5		
Prometon		µg/L	<0.5	0.5		
Propargite		µg/L	<0.5	0.5		
Propiconazole		µg/L	<0.5	0.5		
Terbacil		µg/L	<0.5	0.5		
Vernolate		µg/L	<0.5	0.5		
Carbamates in N	Water					
3-Hydroxycarbo	furan	µg/L	<0.1	0.1		
Aldicarb		µg/L	<0.1	0.1	9	Below MAC
Aldicarb sulfone		µg/L	<0.1	0.1		
Aldicarb sulfoxic	de	µg/L	<0.1	0.1		
Bendiocarb		µg/L	<0.1	0.1		
BPMC		µg/L	<0.1	0.1		
Carbaryl		µg/L	<0.1	0.1	90	Below MAC
Carbofuran		µg/L	<0.1	0.1	90	Below MAC
Imidacloprid		µg/L	<0.1	0.1		
Methiocarb		µg/L	<0.1	0.1		
Methomyl		µg/L	<0.1	0.1		
Oxamyl		µg/L	<0.1	0.1		
Promecarb		µg/L	<0.1	0.1		
Propoxur		µg/L	<0.1	0.1		
	Water - Surrogate Recovery					
BDMC	Surrogate	%	98.0	50-140		
	sticides - Water - Surrogate Re			50.4.5		
TPP	Surrogate	%	90	50-140		



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 25 of 44

W: www.element.com

Analytical Re	eport					
Bill To:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Project Name: Project Location: LSD:	Well Water	Date	Lot ID: <b>16376</b> rol Number: Received: Mar 10, 2	2023
Attn: Sampled By: Company:		P.O.: Proj. Acct. code:	23251597		e Reported: Mar 20, 2 ort Number: 2851652	
	R	eference Number	1637698-5			
		Sample Date	March 10, 2023			
		Sample Time	10:00			
		Sample Location				
	Sa	mple Description Sample Matrix	306 / Well # 5 / 3. Water			
Analyte		Units	N Result	ominal Detectior Limit	n Guideline Limit	Guideline Comments
norganic Nonm	netallic Parameters					
Sulfide	Total	mg/L	<0.002	0.002	0.05	Below AO
Hydrogen Sulfid Metals Extractal		mg/L	<0.002			
Aluminum	Extractable	mg/L	0.001	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00016	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0036	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.010	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.007	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.0020	0.00005	0.05	Below MAC
Cobalt	Extractable	mg/L	<0.00002	0.00002		
Copper	Extractable	mg/L	0.0064	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00035	0.00001	0.005	Below MAC
Nickel	Extractable	mg/L	0.0004	0.0002		
Selenium	Extractable	mg/L	0.0006	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.11	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0035	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0063	0.00005		
Zinc	Extractable	mg/L	0.0039	0.0005	5.0	Below AO
Metals Total						
Mercury	Total	µg/L	<0.01	0.01	1	Below MAC
Microbiological Total Coliforms	Analysis Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli		MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Co Aerobic		MPN/mL	6.0	2		
Physical and Ag	ggregate Properties					
Colour	True	Colour units	<5	5		
Turbidity		NTU	<0.10	0.1	0.1/0.3/1.0 OG	
Routine Water			_			
pH - Holding Tin			Exceeded		_	
рН	at 25 °C	•	7.71	0.01	7.0-10.5	Within Range
Electrical Condu		µS/cm at 25 °C	295	1		
Calcium	Extractable	mg/L	31	0.01	0.0	
Iron	Extractable	mg/L	<0.004	0.004	0.3	Below AO
Magnesium Manganese	Extractable Extractable	mg/L mg/L	12 0.011	0.02 0.001	0.02 AO; 0.12 MAC	Below AO

Terms and Conditions: https://www.element.com/terms/terms-and-conditions



**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 26 of 44

2	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Project Name: Project Location: LSD:	Well Water	Date	Lot ID: <b>16376</b> of Number: Received: Mar 10, 2	2023
		P.O.:	23251597		Reported: Mar 20, 2	
	Accounts Payable	Proj. Acct. code:	20201001	Repo	rt Number: 2851652	
	Scott B City of Delta	1 103. 7 1001. 00000				
Company.	•	fammer Niemelau	1007000 5			
	R	eference Number	1637698-5			
		Sample Date Sample Time	March 10, 2023 10:00			
		Sample Location	10.00			
		nple Description	306 / Well # 5 / 3	2 6 °C		
	34	Sample Matrix	Water	5.0 C		
				Nominal Detection	Guideline	Guideline
Analyte		Units	Result	Limit	Limit	Comments
Routine Water - C	Continued					
Potassium	Extractable	mg/L	2.2	0.04		
Sodium	Extractable	mg/L	8.5	0.1	200	Below AO
Bicarbonate		mg/L	136	5		
Carbonate		mg/L	<6	6		
Hydroxide		mg/L	<5	5		
P-Alkalinity	as CaCO3	mg/L	<5	5		
T-Alkalinity	as CaCO3	mg/L	112	5		
Bromide	Dissolved	mg/L	0.07	0.02		
Chloride	Dissolved	mg/L	12.9	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.04	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	1.12	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO4)	Dissolved	mg/L	13.6	0.1	500	Below AO
Hardness	as CaCO3 (extractable)	mg/L	126	1		
Total Dissolved S	Solids Extractable	mg/L	152	1	500	Below AO
OC Screen - Wa	ater					
Benzene		µg/L	<0.5	0.5	5	Below MAC
Ethylbenzene		µg/L	<0.5	0.5	1.6 AO; 140 MAC	Below AO
Methyl t-Butyl Eth	ner	µg/L	<0.5	0.5	15	Below AO
Styrene		µg/L	<0.5	0.5		
Toluene		µg/L	<0.5	0.5	24 AO; 60 MAC	Below AO
Total Xylenes (m,		µg/L	<0.5	0.5	20 AO; 90 MAC	Below AO
4-Bromofluorober	•	%	78.4	70-130		
Dibromofluorome	0	%	125	70-130		
Toluene-d8	Surrogate	%	110	70-130		
	Hydrocarbons - Water				_	
Benzene		µg/L	<0.5	0.5	5	Below MAC
Ethylbenzene		µg/L	<0.5	0.5	1.6 AO; 140 MAC	Below AO
Methyl t-Butyl Eth	ner	µg/L	<0.5	0.5	15	Below AO
Styrene		µg/L	<0.5	0.5		
		µg/L	<0.5	0.5	24 AO; 60 MAC	Below AO
Total Xylenes (m,		µg/L	<0.5	0.5	20 AO; 90 MAC	Below AO
4-Bromofluorober	•	%	78.4	70-130		
Dibromofluorome	0	%	125	70-130		
Toluene-d8	Surrogate	%	110	70-130		
-	Pesticides in Water	0	<u> </u>	05	o <b>7</b>	
Aldrin BHC (alpha isome	<b>`</b>	μg/L μg/L	<0.5 <0.5	0.5 0.5	0.7	Below MAC



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 27 of 44

Analytical Re	eport					
Bill To:	City of Delta	Project ID:			Lot ID: 1637	698
	4500 Clarence Taylor Crescent	Project Name:	Well Water	Control		
	Delta, BC, Canada	Project Location:			eceived: Mar 10	2023
	V4K 3E2	LSD:			eported: Mar 20	
Attn:	Accounts Payable	P.O.:	23251597		Number: 285165	
Sampled By:	-	Proj. Acct. code:		Roport		-
	City of Delta					
	R	eference Number	1637698-5			
		Sample Date	March 10, 2023	3		
		Sample Time	10:00			
		Sample Location				
		mple Description	306 / Well # 5 /	3.6 °C		
		Sample Matrix	Water			
		•		Nominal Detection	Guideline	Guideline
nalyte		Units	Result	Limit	Limit	Comments
rganochlorine	Pesticides in Water - Continue	ed				
BHC (beta isom	er)	µg/L	<0.5	0.5		
BHC (delta isom	ner)	µg/L	<0.5	0.5		
Captan		μg/L	<3.0	3.0		
Chlorbenside		μg/L	<0.5	0.5		
Chlordane-cis		μg/L	<0.5	0.5		
Chlordane-trans	5	µg/L	<0.5	0.5		
Chlorfenson		µg/L	<0.5	0.5		
Chlorothalonil		µg/L	<0.5	0.5		
Chlorthal-dimeth	ıyl	µg/L	<0.5	0.5		
DDD-o,p'		µg/L	<0.5	0.5		
DDD-p,p'		µg/L	<0.5	0.5		
DDE-o,p'		µg/L	<0.5	0.5		
DDE-p,p'		µg/L	<0.5	0.5		
DDT-o,p'		µg/L	<0.5	0.5		
DDT-p,p'		µg/L	<0.5	0.5		
Dichlofluanid		µg/L	<0.5	0.5		
Dieldrin		µg/L	<0.5	0.5		
Endosulfan I		µg/L	<0.5	0.5		
Endosulfan II		µg/L	<0.5	0.5		
Endosulfan sulfa	ate	µg/L	<0.5	0.5		
Endrin		µg/L	<0.5	0.5		
Folpet		µg/L	<3.0	3.0		
Heptachlor		µg/L	<0.5	0.5		
Heptachlor Epo	xide	µg/L	<0.5	0.5		
Hexachlorobenz		µg/L	<0.5	0.5		
Lindane		µg/L	<0.5	0.5		
Methoxychlor		µg/L	<0.5	0.5		
Mirex		µg/L	<0.5	0.5		
Permethrin-cis		µg/L	<0.5	0.5		
Permethrin-trans	S	µg/L	<0.5	0.5		
Procymidone		μg/L	<0.5	0.5		
Propachlor		µg/L	<0.5	0.5		
Quintozene		µg/L	<0.5	0.5		
Tecnazene		µg/L	<0.5	0.5		
Tetradifon		µg/L	<0.5	0.5		
Tolyfluanid		µg/L	<0.5	0.5		
Triadimefon		µg/L	<0.5	0.5		
Vinclozolin		μg/L	<0.5	0.5		



Bill To: City of Delta

**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

Project ID:

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 28 of 44

Lot ID: 1637698

	4500 Clarence Taylor Cre	escent Project Name: Project Location:	Well Water		Number:	
	Delta, BC, Canada	LSD:			eceived: Mar 10	
A 11 -	V4K 3E2	P.O.:	23251597		eported: Mar 20	
	Accounts Payable	Proj. Acct. code:	20201097	Report	Number: 285165	52
Sampled By:	Scott B City of Delta	110]. Acci. couc.				
Company.	City of Delta		1007000 5			
		Reference Number	1637698-5			
		Sample Date	March 10, 2023	•		
		Sample Time	10:00			
		Sample Location	2000 / \\\	2.6.80		
		Sample Description	306 / Well # 5 /	3.6 °C		
		Sample Matrix	Water	Nominal Detection	Guideline	Guideline
nalyte		Units	Result	Limit	Limit	Comments
-	Pesticides -Water- Surro					
rpp	Surrogate	%	74	50-140		
	ate Pesticides in Water					
Aspon		µg/L	<0.5	0.5		
Azinphos-ethyl		μg/L	<0.5	0.5		
Azinphos-methy	/	μg/L	<0.5	0.5	20	Below MAC
Bromophos		μg/L	<0.5	0.5		
Bromophos-ethy	yl	μg/L	<0.5	0.5		
Carbophenothio		μg/L	<0.5	0.5		
Chlorfenvinphos		μg/L	<0.5	0.5		
Chlormephos		µg/L	<0.5	0.5		
Chlorpyrifos		µg/L	<0.5	0.5	90	Below MAC
Chlorpyrifos-me	ethyl	µg/L	<0.5	0.5		
Chlorthiophos		μg/L	<0.5	0.5		
Cyanophos		µg/L	<0.5	0.5		
Demeton		µg/L	<0.5	0.5		
Diazinon		µg/L	<0.10	0.10	20	Below MAC
Dichlofenthion		µg/L	<0.5	0.5		
Dimethoate		µg/L	<0.5	0.5	20	Below MAC
Disulfoton		µg/L	<0.5	0.5		
Ethion		µg/L	<0.5	0.5		
Fenchlorphos		µg/L	<0.5	0.5		
Fenitrothion		µg/L	<0.5	0.5		
Fenthion		µg/L	<0.5	0.5		
Fonofos		µg/L	<0.5	0.5		
lsofenphos		µg/L	<0.5	0.5		
Malaoxon		µg/L	<0.5	0.5		
Malathion		µg/L	<0.1	0.1	190	Below MAC
Methyl Parathio	n	µg/L	<0.5	0.5		
Mevinphos		µg/L	<0.5	0.5		
Parathion		µg/L	<0.5	0.5		
Phorate		µg/L	<0.5	0.5	2	Below MAC
Phosalone		µg/L	<0.5	0.5		
Phosmet		µg/L	<0.5	0.5		
Phosphamidon		µg/L	<0.5	0.5		
Pirimiphos-ethyl		µg/L	<0.5	0.5		
Pirimiphos-meth	ıyl	µg/L	<0.5	0.5		
Pyrazophos		µg/L	<0.5	0.5		
Quinalophos		µg/L	<0.5	0.5		
Sulfotep		µg/L	<0.5	0.5		



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 29 of 44

Analytical Re	-	Decis (ID				
Bill To:	City of Delta	Project ID:	147 11 147 -		Lot ID: 1637	<b>'698</b>
	4500 Clarence Taylor Crescent	Project Name:	Well Water	Control	Number:	
	Delta, BC, Canada	Project Location:		Date R	eceived: Mar 10	, 2023
	V4K 3E2	LSD:		Date R	eported: Mar 20	, 2023
Attn:	Accounts Payable	P.O.:	23251597	Report	Number: 285165	52
Sampled By:	Scott B	Proj. Acct. code:				
Company:	City of Delta					
	Re	eference Number	1637698-5			
		Sample Date	March 10, 2023	3		
		Sample Time	10:00			
		Sample Location				
	Sa	mple Description	306 / Well # 5 /	3.6 °C		
		Sample Matrix	Water			
Analysia		Units	Beault	Nominal Detection Limit	Guideline Limit	Guideline Comments
Analyte			Result	Liint	Liint	Comments
	ate Pesticides in Water - Contir		<u> </u>	0.5		
Terbufos		µg/L	<0.5	0.5	1	Below MAC
Tetrachlorvinph		µg/L	<0.5	0.5		
Urganophospha TPP	ate Pesticides -Water- Surrogat		74	50 1 40		
Neutral Herbicio	Surrogate	%	/4	50-140		
Alachlor	UCS III WALCI	110/1	<0.5	0.5		
Benfluralin		μg/L μg/L	<0.5 <0.5	0.5		
Benfluralin Butylate		μg/L	<0.5 <0.5	0.5		
Chlorpropham		μg/L	<0.5 <0.5	0.5		
Diallate		μg/L	<0.5	0.5		
Dichlobenil		μg/L	<0.5	0.5		
Diclofop-methyl		μg/L	<0.1	0.0	9	Below MAC
Diphenylamine		μg/L	<0.5	0.5	5	Delow WIAC
Eptam (EPTC)		μg/L	<0.5	0.5		
Ethalfluralin		μg/L	<0.5	0.5		
Fenoxaprop-eth		μg/L	<0.5	0.5		
Fluazifop-p-buty		μg/L	<0.5	0.5		
Hexazinone		μg/L	<0.5	0.5		
Metalaxyl		µg/L	<0.5	0.5		
Metolachlor		µg/L	<0.5	0.5	50	Below MAC
Metribuzin		µg/∟	<0.5	0.5	80	Below MAC
Pirimicarb		µg/∟	<0.5	0.5		
Profluralin		µg/L	<0.5	0.5		
Prometryn		μg/L	<0.5	0.5		
Propazine		μg/L	<0.5	0.5		
Propyzamide		μg/L	<0.5	0.5		
Quizalofop-ethy	1	μg/L	<0.5	0.5		
Simetryn		μg/L	<0.5	0.5		
Terbuthylazine		µg/L	<0.5	0.5		
Terbutryn		µg/L	<0.5	0.5		
Triallate		µg/L	<0.10	0.10		
Trifluralin		µg/L	<0.1	0.1	45	Below MAC
Neutral Herbicio	des - Water - Surrogate Recove	ry				
TPP	Surrogate	%	74	50-140		
Multiresidue Pe	sticides in Water					
Bifenox		µg/L	<0.5	0.5		
Carboxin		µg/L	<0.5	0.5		
Deltamethrin		µg/L	<0.5	0.5		
Fenamiphos		µg/L	<0.5	0.5		



4500 Clarence Taylor Crescent

Delta, BC, Canada

Bill To: City of Delta

V4K 3E2

**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

Well Water

Project ID:

LSD:

Project Name:

Project Location:

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 30 of 44

W: www.element.com

Lot ID: 1637698 Control Number:

Date Received: Mar 10, 2023 Date Reported: Mar 20, 2023 2851652

P.O.: 23251597 Attn: Accounts Payable Report Number: Proj. Acct. code: Sampled By: Scott B Company: City of Delta 1637698-5 **Reference Number** Sample Date March 10, 2023 Sample Time 10:00 Sample Location 306 / Well # 5 / 3.6 °C Sample Description Sample Matrix Water Nominal Detection Guideline Guideline Limit Limit Comments Analyte Units Result **Multiresidue Pesticides in Water - Continued** Fenvalerate <0.5 0.5 µg/L Methoprene µg/L <0.5 0.5 0.5 Norflurazon µg/L < 0.5 Pebulate µg/L < 0.5 0.5 Prometon µg/L <0.5 0.5 Propargite <0.5 0.5 µg/L Propiconazole <0.5 0.5 µg/L Terbacil <0.5 0.5 µg/L Vernolate <0.5 0.5 µg/L **Carbamates in Water** 3-Hydroxycarbofuran µg/L <0.1 0.1 Aldicarb 0.1 9 Below MAC µg/L <0.1 Aldicarb sulfone µg/L <0.1 0.1 Aldicarb sulfoxide µg/L <0.1 0.1 Bendiocarb µg/L <0.1 0.1 BPMC <0.1 0.1 µg/L 0.1 90 Below MAC Carbaryl <0.1 µg/L Carbofuran <0.1 0.1 90 Below MAC µg/L Imidacloprid 0.1 µg/L <0.1 Methiocarb µg/L <0.1 0.1 Methomyl <0.1 0.1 µg/L 0.1 Oxamyl µg/L <0.1 0.1 Promecarb µg/L <0.1 Propoxur <0.1 0.1 µg/L **Carbamates in Water - Surrogate Recovery** BDMC Surrogate % 100.4 50-140 Multiresidue Pesticides - Water - Surrogate Rec. % TPP 74 50-140 Surrogate



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 31 of 44

W: www.element.com

Analytical Re	port					
Bill To:	City of Delta	Project ID:			Lot ID: 16376	698
	4500 Clarence Taylor Crescer		Well Water	Contro	l Number:	
	Delta, BC, Canada	Project Location:		Date	Received: Mar 10,	2023
	V4K 3E2	LSD:		Date	Reported: Mar 20,	2023
Attn:	Accounts Payable	P.O.:	23251597	Repor	t Number: 2851652	2
	Scott B	Proj. Acct. code:				
Company:	•					
	I	Reference Number	1637698-6			
		Sample Date	March 10, 2023			
		Sample Time	10:30			
		Sample Location				
	S	ample Description	307 / Well # 3 /	3.6 °C		
		Sample Matrix	Water	Nominal Detection	Quidalina	Quidalina
Analyte		Units	Result	Limit	Guideline Limit	Guideline Comments
norganic Nonm	etallic Parameters					
Sulfide	Total	mg/L	<0.002	0.002	0.05	Below AO
Hydrogen Sulfide	e Calculated	mg/L	<0.002			
Metals Extractat		-				
Aluminum	Extractable	mg/L	0.001	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00011	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0028	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.010	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.007	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.0027	0.00005	0.05	Below MAC
Cobalt	Extractable	mg/L	<0.00002	0.00002		
Copper	Extractable	mg/L	0.0020	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00009	0.00001	0.005	Below MAC
Nickel	Extractable	mg/L	<0.0002	0.0002		
Selenium	Extractable	mg/L	0.0005	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.12	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0023	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0057	0.00005		
Zinc	Extractable	mg/L	0.0017	0.0005	5.0	Below AO
Metals Total						
Mercury	Total	µg/L	<0.01	0.01	1	Below MAC
Microbiological						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Co Aerobic		MPN/mL	2.0	2		
	gregate Properties					
Colour	True	Colour units	<5	5		
Turbidity		NTU	<0.10	0.1	0.1/0.3/1.0 OG	
Routine Water			<b>_</b> / · ·			
pH - Holding Tim			Exceeded			
рН	at 25 °C	0/	7.74	0.01	7.0-10.5	Within Range
Electrical Condu		µS/cm at 25 °C	295	1		
Calcium	Extractable	mg/L	32	0.01		<b>D</b> · · · · ·
Iron	Extractable	mg/L	<0.004	0.004	0.3	Below AO
Magnesium Manganese	Extractable Extractable	mg/L mg/L	12 <0.001	0.02 0.001	0.02 AO; 0.12 MAC	Below AO

Terms and Conditions: https://www.element.com/terms/terms-and-conditions



**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 32 of 44

W: www.element.com

4 C	City of Delta 1500 Clarence Taylor Crescent Delta, BC, Canada /4K 3E2	Project ID: Project Name: Project Location: LSD:	Well Water	Date	Lot ID: <b>16376</b> rol Number: e Received: Mar 10, 2 e Reported: Mar 20, 2	023
	Accounts Payable	P.O.:	23251597			.023
	Scott B	Proj. Acct. code:		Керс	ort Number: 2851652	
	City of Delta					
	•	eference Number	1637698-6			
		Sample Date	March 10, 2023			
		Sample Time	10:30			
		Sample Location				
	Sa	mple Description	307 / Well # 3 / 3	9.6 °C		
		Sample Matrix	Water			
Analyte		Units	l Result	Nominal Detection Limit	n Guideline Limit	Guideline Comments
Routine Water - C	ontinued					
Potassium	Extractable	mg/L	2.3	0.04		
Sodium	Extractable	mg/L	8.9	0.1	200	Below AO
Bicarbonate		mg/L	143	5		
Carbonate		mg/L	<6	6		
Hydroxide		mg/L	<5	5		
P-Alkalinity	as CaCO3	mg/L	<5	5		
T-Alkalinity	as CaCO3	mg/L	117	5		
Bromide	Dissolved	mg/L	0.07	0.02		
Chloride	Dissolved	mg/L	9.56	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.04	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	1.31	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO4)	Dissolved	mg/L	13.7	0.1	500	Below AO
Hardness	as CaCO3 (extractable)	mg/L	130	1		
Total Dissolved So		mg/L	155	1	500	Below AO
OC Screen - Wat	ter					
Benzene		µg/L	<0.5	0.5	5	Below MAC
Ethylbenzene		µg/L	<0.5	0.5	1.6 AO; 140 MAC	Below AO
Methyl t-Butyl Ethe	er	µg/L	<0.5	0.5	15	Below AO
Styrene		µg/L	<0.5	0.5		<b>D</b> · · · ·
Toluene	<b>`</b>	µg/L	<0.5	0.5	24 AO; 60 MAC	Below AO
Total Xylenes (m,p		µg/L	<0.5	0.5	20 AO; 90 MAC	Below AO
4-Bromofluoroben	-	%	99.6	70-130		
Dibromofluoromet	0	%	122	70-130		
Toluene-d8	Surrogate	%	110	70-130		
	ydrocarbons - Water		-0 E	0.5	E	Below MAC
Benzene Ethylbenzene		μg/L	<0.5 <0.5	0.5 0.5	5 1.6 AO; 140 MAC	Below MAC
	or	μg/L				
Methyl t-Butyl Ethe		μg/L	<0.5 <0.5	0.5 0.5	15	Below AO
Styrene Toluene		μg/L	<0.5 <0.5	0.5 0.5	24 40.60 MAC	Below AO
		μg/L			24 AO; 60 MAC	
Total Xylenes (m, 4-Bromofluoroben		μg/L %	<0.5 99.6	0.5 70-130	20 AO; 90 MAC	Below AO
Dibromofluoromet	-	%	99.6 122	70-130 70-130		
Toluene-d8	hane Surrogate Surrogate	%	122	70-130		
	Ũ	70	ΠŪ	10-130		
Aldrin	esticides in Water		<0.5	0.5	0.7	Below MAC
AMIII	er)	μg/L μg/L	<0.5 <0.5	0.5	0.7	DEIOW IVIAC



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 33 of 44

D:" T-	eport	Project ID:				400700	0
Bill To:	City of Delta		Well Water		Lot ID:	163769	б
	4500 Clarence Taylor Crescen	Project Name. Project Location:		Control			
	Delta, BC, Canada V4K 3E2	LSD:			eceived:	Mar 10, 202	
<b>Atta</b> :	Accounts Payable	P.O.:	23251597		eported:	Mar 20, 202	23
Sampled By:	-	Proj. Acct. code:	20201007	Report I	Number:	2851652	
Company:							
Company.	-	Reference Number	1637698-6				
	F			5			
		Sample Date Sample Time	March 10, 2023 10:30				
		Sample Location	10.50				
	S	ample Description	307 / Well # 3 /	3.6 °C			
		Sample Matrix	Water				
		•		Nominal Detection	Guide	line	Guideline
Analyte		Units	Result	Limit	Limi	it	Comments
rganochlorine	Pesticides in Water - Continu	ed					
BHC (beta isom		µg/L	<0.5	0.5			
BHC (delta ison	ner)	µg/L	<0.5	0.5			
Captan		µg/L	<3.0	3.0			
Chlorbenside		µg/L	<0.5	0.5			
Chlordane-cis		μg/L	<0.5	0.5			
Chlordane-trans	6	µg/L	<0.5	0.5			
Chlorfenson		µg/L	<0.5	0.5			
Chlorothalonil		µg/L	<0.5	0.5			
Chlorthal-dimet	hyl	µg/L	<0.5	0.5			
DDD-o,p'		μg/L	<0.5	0.5			
DDD-p,p'		μg/L	<0.5	0.5			
DDE-o,p'		μg/L	<0.5	0.5			
DDE-p,p'		μg/L	<0.5	0.5			
DDT-o,p'		μg/L	<0.5	0.5			
DDT-p,p' Dichlofluanid		μg/L μg/L	<0.5 <0.5	0.5 0.5			
Dieldrin		μg/L	<0.5	0.5			
Endosulfan I		μg/L	<0.5	0.5			
Endosulfan II		μg/L	<0.5	0.5			
Endosulfan sulfa	ate	μg/L	<0.5	0.5			
Endrin		μg/L	<0.5	0.5			
Folpet		μg/L	<3.0	3.0			
Heptachlor		μg/L	<0.5	0.5			
Heptachlor Epo	xide	μg/L	<0.5	0.5			
Hexachlorobenz		μg/L	<0.5	0.5			
Lindane		μg/L	<0.5	0.5			
Methoxychlor		µg/L	<0.5	0.5			
Mirex		µg/L	<0.5	0.5			
Permethrin-cis		µg/L	<0.5	0.5			
Permethrin-tran	S	µg/L	<0.5	0.5			
Procymidone		μg/L	<0.5	0.5			
Propachlor		µg/L	<0.5	0.5			
Quintozene		µg/L	<0.5	0.5			
Tecnazene		µg/L	<0.5	0.5			
Tetradifon		μg/L	<0.5	0.5			
Tolyfluanid		μg/L	<0.5	0.5			
Triadimefon		µg/L	<0.5	0.5			
Vinclozolin		μg/L	<0.5	0.5			



**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 34 of 44

Bill To	City of Delta	Project ID:			1697	608
DIII 10.	4500 Clarence Taylor Cresce		Well Water	<b>0</b>	Lot ID: 1637	030
	Delta, BC, Canada	Project Location:			Number:	2002
	V4K 3E2	LSD:			Received: Mar 10,	
Attn	Accounts Payable	P.O.:	23251597		Reported: Mar 20, Number: 285165	
Sampled By:	Scott B	Proj. Acct. code:		Report	Number: 265165	2
	City of Delta					
,,,,,,		Reference Number	1637698-6			
		Sample Date	March 10, 2023			
		Sample Time	10:30			
		Sample Location	10.00			
		Sample Description	307 / Well # 3 / 3	3.6 °C		
		Sample Matrix	Water			
				Nominal Detection	Guideline	Guideline
Analyte		Units	Result	Limit	Limit	Comments
Organochlorine	Pesticides -Water- Surroga	te Rec.				
TPP	Surrogate	%	79	50-140		
Organophospha	ate Pesticides in Water					
Aspon		µg/L	<0.5	0.5		
Azinphos-ethyl		µg/L	<0.5	0.5		
Azinphos-methy	4	µg/L	<0.5	0.5	20	Below MAC
Bromophos		µg/L	<0.5	0.5		
Bromophos-ethy	/l	µg/L	<0.5	0.5		
Carbophenothio		µg/L	<0.5	0.5		
Chlorfenvinphos	3	µg/L	<0.5	0.5		
Chlormephos		µg/L	<0.5	0.5		
Chlorpyrifos		µg/L	<0.5	0.5	90	Below MAC
Chlorpyrifos-me	thyl	µg/L	<0.5	0.5		
Chlorthiophos		µg/L	<0.5	0.5		
Cyanophos		µg/L	<0.5	0.5		
Demeton		µg/L	<0.5	0.5		
Diazinon		µg/L	<0.10	0.10	20	Below MAC
Dichlofenthion		µg/L	<0.5	0.5		
Dimethoate		µg/L	<0.5	0.5	20	Below MAC
Disulfoton		µg/L	<0.5	0.5		
Ethion		µg/L	<0.5	0.5		
Fenchlorphos		µg/L	<0.5	0.5		
Fenitrothion		µg/L	<0.5	0.5		
Fenthion		µg/L	<0.5	0.5		
Fonofos		µg/L	<0.5	0.5		
Isofenphos		µg/L	<0.5	0.5		
Malaoxon		μg/L	<0.5	0.5	400	<b>D</b> 1 11-5
Malathion		μg/L	<0.1	0.1	190	Below MAC
Methyl Parathior	n	μg/L	<0.5	0.5		
Mevinphos		μg/L	<0.5	0.5		
Parathion		μg/L	<0.5	0.5	2	
Phorate Phosalana		μg/L	<0.5	0.5	2	Below MAC
Phosalone Rhosmot		μg/L	<0.5	0.5		
Phosmet Phosphamidan		μg/L	<0.5	0.5		
Phosphamidon		μg/L	<0.5	0.5		
Pirimiphos-ethyl Pirimiphos moth		μg/L	<0.5	0.5		
Pirimiphos-meth	iyi	µg/L	<0.5 <0.5	0.5 0.5		
Pyrazophos Quinalophos		µg/L	<0.5 <0.5	0.5		
Sulfotep		μg/L μg/L	<0.5 <0.5	0.5		



Bill To: City of Delta

**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

Project ID:

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 35 of 44

Lot ID: 1637698

	Delta, BC, Canada V4K 3E2	Project Location: LSD:				: Mar 10, 2023 : Mar 20, 2023	
Attn:	Accounts Payable	P.O.:	23251597		Number: 285		
	Scott B	Proj. Acct. code:					
Company:	City of Delta						
		Reference Number	1637698-6				
		Sample Date	March 10, 2023	6			
		Sample Time	10:30				
		Sample Location					
	:	Sample Description	307 / Well # 3 /	3.6 °C			
		Sample Matrix	Water				
nalyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments	
rganophospha	te Pesticides in Water - Cor	tinued					
Ferbufos		µg/L	<0.5	0.5	1	Below MAC	
Tetrachlorvinpho		µg/L	<0.5	0.5			
	te Pesticides -Water- Surrog	-					
TPP	Surrogate	%	79	50-140			
eutral Herbicid	es in Water						
Alachlor		μg/L	<0.5	0.5			
Benfluralin		μg/L	<0.5	0.5			
Butylate		µg/L	<0.5	0.5			
Chlorpropham		µg/L	<0.5	0.5			
Diallate		µg/L	<0.5	0.5			
Dichlobenil		µg/L	<0.5	0.5			
Diclofop-methyl		µg/L	<0.1	0.1	9	Below MAC	
Diphenylamine		µg/L	<0.5	0.5			
Eptam (EPTC)		µg/L	<0.5	0.5			
Ethalfluralin		µg/L	<0.5	0.5			
enoxaprop-ethy		µg/L	<0.5	0.5			
-luazifop-p-butyl		µg/L	<0.5	0.5			
Hexazinone		µg/L	<0.5	0.5			
Vetalaxyl		µg/L	<0.5	0.5	50		
Netolachlor		µg/L	<0.5	0.5	50	Below MAC	
Metribuzin		µg/L	<0.5	0.5	80	Below MAC	
Pirimicarb		μg/L	<0.5	0.5			
Profluralin		μg/L	<0.5	0.5			
Prometryn		μg/L	<0.5	0.5			
Propazine		μg/L	<0.5	0.5			
Propyzamide		μg/L	<0.5	0.5			
Quizalofop-ethyl		µg/L	<0.5 <0.5	0.5 0.5			
Simetryn Ferbuthylazine		µg/L	<0.5 <0.5	0.5			
Terbutryn		μg/L μg/L	<0.5	0.5			
Triallate		μg/L	<0.5	0.5			
Trifluralin		μg/L	<0.10	0.10	45	Below MAC	
	es - Water - Surrogate Reco		<b>NO.1</b>	0.1	-10	DEIOW WIAC	
PP	Surrogate	%	79	50-140			
lultiresidue Pes	sticides in Water						
Bifenox		µg/L	<0.5	0.5			
Carboxin		µg/L	<0.5	0.5			
Deltamethrin		µg/L	<0.5	0.5			
Fenamiphos		µg/L	<0.5	0.5			



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 36 of 44

Analytical Re	eport					
Bill To:	City of Delta	Project ID:			Lot ID: 1637	698
	4500 Clarence Taylor Crescent	Project Name:	Well Water	Control	Number:	
	Delta, BC, Canada	Project Location:			eceived: Mar 10	2023
	V4K 3E2	LSD:			eported: Mar 20	
Attn:	Accounts Payable	P.O.:	23251597		Number: 285165	
Sampled By:	Scott B	Proj. Acct. code:			200100	-
Company:	City of Delta					
	Re	eference Number	1637698-6			
		Sample Date	March 10, 2023	}		
		Sample Time	10:30			
	:	Sample Location				
	Sar	mple Description	307 / Well # 3 /	3.6 °C		
		Sample Matrix	Water			
				Nominal Detection	Guideline	Guideline
Analyte		Units	Result	Limit	Limit	Comments
Aultiresidue Pe	sticides in Water - Continued					
Fenvalerate		µg/L	<0.5	0.5		
Methoprene		µg/L	<0.5	0.5		
Norflurazon		µg/L	<0.5	0.5		
Pebulate		µg/L	<0.5	0.5		
Prometon		µg/L	<0.5	0.5		
Propargite		µg/L	<0.5	0.5		
Propiconazole		µg/L	<0.5	0.5		
Terbacil		µg/L	<0.5	0.5		
Vernolate		µg/L	<0.5	0.5		
Carbamates in N			<u>.</u>			
3-Hydroxycarbo	ituran	µg/L	<0.1	0.1	0	Dalas MAO
Aldicarb		μg/L	<0.1	0.1	9	Below MAC
Aldicarb sulfone		μg/L	<0.1	0.1		
Aldicarb sulfoxic Bendiocarb	ЭГ	μg/L	<0.1	0.1 0.1		
Bendiocarb BPMC		µg/L	<0.1	0.1		
		μg/L	<0.1 <0.1	0.1	90	Below MAC
Carbaryl Carbofuran		μg/L μg/L	<0.1	0.1	90 90	Below MAC
Imidacloprid		μg/L	<0.1	0.1	90	DEIOW IVIAC
Methiocarb		μg/L	<0.1	0.1		
Methomyl		μg/L	<0.1	0.1		
Oxamyl		μg/L	<0.1	0.1		
Promecarb		μg/L	<0.1	0.1		
Propoxur		μg/L	<0.1	0.1		
	Water - Surrogate Recovery	ry, –	-0.1	0.1		
BDMC	Surrogate	%	96.7	50-140		
	sticides - Water - Surrogate Re					
Multiresidue Pe	Sliciues - Waler - Surrouale ne					



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 37 of 44

Analytical Re	port					
Bill To:	City of Delta	Project ID:	\A/- 11 \A/- +		Lot ID: 16376	<b>698</b>
	4500 Clarence Taylor Crescent		Well Water	Contro	l Number:	
	Delta, BC, Canada	Project Location:		Date	Received: Mar 10,	2023
	V4K 3E2	LSD:		Date	Reported: Mar 20,	2023
	Accounts Payable	P.O.:	23251597	Repor	t Number: 2851652	2
1 ,	Scott B	Proj. Acct. code:				
Company:	City of Delta					
	R	eference Number	1637698-7			
		Sample Date	March 10, 202	23		
		Sample Time	11:00			
		Sample Location				
	Sa	mple Description	329 / Reservo	ir / 3.6 °C		
		Sample Matrix	Water		<u> </u>	
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
-	etallic Parameters					
Sulfide	Total	mg/L	<0.002	0.002	0.05	Below AO
Hydrogen Sulfide		mg/L	<0.002	-		-
Metals Extractat		5				
Aluminum	Extractable	mg/L	0.018	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00008	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0016	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0057	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.003	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00090	0.00005	0.05	Below MAC
Cobalt	Extractable	mg/L	<0.00002	0.00002		
Copper	Extractable	mg/L	0.0021	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00003	0.00001	0.005	Below MAC
Nickel	Extractable	mg/L	<0.0002	0.0002		
Selenium	Extractable	mg/L	0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.053	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0015	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0027	0.00005		
Zinc	Extractable	mg/L	<0.0005	0.0005	5.0	Below AO
Metals Total						
Mercury	Total	μg/L	<0.01	0.01	1	Below MAC
Microbiological	Analysis					
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Co Aerobic	ount - SimPlate	MPN/mL	<2.0	2		
	gregate Properties					
Colour	True	Colour units	<5	5		
Turbidity		NTU	0.10	0.1	0.1/0.3/1.0 OG	
Routine Water			_			
pH - Holding Tim			Exceeded			
рН	at 25 °C	_	7.62	0.01	7.0-10.5	Within Range
Electrical Condu		µS/cm at 25 °C	157	1		
Calcium	Extractable	mg/L	17	0.01		
Iron	Extractable	mg/L	0.005	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	5.0	0.02		
Manganese	Extractable	mg/L	0.005	0.001	0.02 AO; 0.12	Below AO



**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 38 of 44

W: www.element.com

Project ID: Bill To: City of Delta Lot ID: 1637698 4500 Clarence Taylor Crescent Project Name: Well Water Control Number: Project Location: Delta, BC, Canada Date Received: Mar 10, 2023 LSD: V4K 3E2 Mar 20, 2023 Date Reported: P.O.: 23251597 Attn: Accounts Payable Report Number: 2851652 Proj. Acct. code: Sampled By: Scott B Company: City of Delta **Reference Number** 1637698-7 Sample Date March 10, 2023 Sample Time 11:00 Sample Location Sample Description 329 / Reservoir / 3.6 °C **Sample Matrix** Water Nominal Detection Guideline Guideline Limit Limit Comments Analyte Units Result **Routine Water - Continued** 0.04 Potassium Extractable mg/L 1.1 Sodium Extractable 4.5 0.1 200 Below AO mg/L Bicarbonate mg/L 71 5 Carbonate <6 6 mg/L Hydroxide mg/L <5 5 P-Alkalinity as CaCO3 <5 5 mg/L T-Alkalinity as CaCO3 5 mg/L 58 0.02 Bromide Dissolved < 0.02 mg/L Chloride 0.05 250 Below AO Dissolved mg/L 6.69 Fluoride Dissolved mg/L 0.03 0.01 1.5 Below MAC Nitrate - N Dissolved 0.56 0.01 10 Below MAC mg/L Below MAC Nitrite - N Dissolved mg/L <0.01 0.01 1 Sulfate (SO4) Dissolved 6.3 0.1 500 Below AO mg/L Hardness as CaCO3 mg/L 64 1 (extractable) **Total Dissolved Solids** Extractable 78 500 Below AO mg/L 1 **VOC Screen - Water** 0.5 Below MAC Benzene µg/L < 0.5 5 Ethylbenzene µg/L <0.5 0.5 1.6 AO; 140 MAC Below AO Methyl t-Butyl Ether µg/L <0.5 0.5 15 Below AO Styrene <0.5 0.5 µg/L 24 AO; 60 MAC Below AO Toluene µg/L <0.5 0.5 Total Xylenes (m,p,o) < 0.5 0.5 20 AO; 90 MAC Below AO µg/L 4-Bromofluorobenzene Surrogate % 96.1 70-130 Dibromofluoromethane 70-130 Surrogate % 123 Toluene-d8 Surrogate % 108 70-130 Mono-Aromatic Hydrocarbons - Water Benzene <0.5 0.5 Below MAC µg/L 5 1.6 AO; 140 MAC Below AO Ethylbenzene µg/L < 0.5 0.5 Methyl t-Butyl Ether µg/L <0.5 0.5 15 Below AO 0.5 Styrene µg/L <0.5 µg/L 24 AO; 60 MAC Toluene <0.5 0.5 Below AO 20 AO; 90 MAC Below AO Total Xylenes (m,p,o) µg/L <0.5 0.5 4-Bromofluorobenzene 96.1 70-130 Surrogate % Dibromofluoromethane Surrogate % 123 70-130 Toluene-d8 Surrogate % 108 70-130 **Organochlorine Pesticides in Water** Aldrin <0.5 0.5 0.7 Below MAC µg/L BHC (alpha isomer) µg/L < 0.5 0.5 Terms and Conditions: https://www.element.com/terms/terms-and-conditions



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 39 of 44

Analytical Re	eport						
Bill To:	City of Delta	Project ID:			Lot ID:	163769	8
	4500 Clarence Taylor Crescent	Project Name:	Well Water	Control		100100	
	Delta, BC, Canada	Project Location:				Mar 10, 202	22
	V4K 3E2	LSD:					
Atto:	Accounts Payable	P.O.:	23251597			Mar 20, 202	.3
Sampled By:	-	Proj. Acct. code:		Report	Number:	2851652	
Company:	City of Delta						
	R	eference Number	1637698-7				
		Sample Date	March 10, 2023	5			
		Sample Time	11:00				
		Sample Location					
	Sa	mple Description	329 / Reservoir	/ 3.6 °C			
		Sample Matrix	Water				
				Nominal Detection	Guideli		Guideline
Analyte		Units	Result	Limit	Limit	t	Comments
-	Pesticides in Water - Continu						
BHC (beta isom		μg/L	<0.5	0.5			
BHC (delta ison	ner)	µg/L	<0.5	0.5			
Captan		µg/L	<3.0	3.0			
Chlorbenside		μg/L	<0.5	0.5			
Chlordane-cis		µg/L	<0.5	0.5			
Chlordane-trans	3	µg/L	<0.5	0.5			
Chlorfenson		µg/L	<0.5	0.5			
Chlorothalonil		µg/L	<0.5	0.5			
Chlorthal-dimeth	hyl	µg/L	<0.5	0.5			
DDD-o,p'		µg/L	<0.5	0.5			
DDD-p,p'		μg/L	<0.5	0.5			
DDE-o,p'		µg/L	<0.5	0.5			
DDE-p,p'		μg/L	<0.5	0.5			
DDT-o,p'		μg/L	<0.5	0.5			
DDT-p,p'		μg/L	<0.5	0.5			
Dichlofluanid		μg/L	<0.5	0.5			
Dieldrin		μg/L	<0.5	0.5			
Endosulfan I		μg/L	<0.5	0.5			
Endosulfan II		μg/L	<0.5	0.5			
Endosulfan sulfa	ate	μg/L	<0.5	0.5			
Endrin		μg/L	<0.5	0.5			
Folpet		μg/L	<3.0	3.0			
Heptachlor		μg/L	<0.5	0.5			
Heptachlor Epo:	xide	μg/L	<0.5	0.5			
Hexachlorobenz		µg/∟	<0.5	0.5			
Lindane		µg/∟	<0.5	0.5			
Methoxychlor		μg/∟	<0.5	0.5			
Mirex		μg/∟	<0.5	0.5			
Permethrin-cis		µg/∟ µg/L	<0.5	0.5			
Permethrin-tran	e	µg/∟ µg/L	<0.5 <0.5	0.5			
	J		<0.5 <0.5	0.5			
Procymidone Propachlor		µg/L	<0.5 <0.5	0.5			
		µg/L					
Quintozene		µg/L	<0.5	0.5			
Tecnazene		μg/L	<0.5	0.5			
Tetradifon		µg/L	<0.5	0.5			
Tolyfluanid		µg/L	<0.5	0.5			
Triadimefon		µg/L	<0.5	0.5			
Vinclozolin		µg/L	<0.5	0.5			



**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 40 of 44

W: www.element.com

Project ID: Bill To: City of Delta Lot ID: 1637698 Project Name: 4500 Clarence Taylor Crescent Well Water Control Number: Project Location: Delta, BC, Canada Date Received: Mar 10, 2023 LSD: V4K 3E2 Mar 20, 2023 Date Reported: P.O.: 23251597 Attn: Accounts Payable Report Number: 2851652 Proj. Acct. code: Sampled By: Scott B Company: City of Delta **Reference Number** 1637698-7 Sample Date March 10, 2023 Sample Time 11:00 Sample Location Sample Description 329 / Reservoir / 3.6 °C **Sample Matrix** Water Nominal Detection Guideline Guideline Limit Limit Comments Analyte Units Result Organochlorine Pesticides -Water- Surrogate Rec. TPP % 76 50-140 Surrogate **Organophosphate Pesticides in Water** Aspon µg/L <0.5 0.5 Azinphos-ethyl µg/L <0.5 0.5 Azinphos-methyl µg/L <0.5 0.5 20 Below MAC Bromophos <0.5 0.5 µg/L Bromophos-ethyl <0.5 0.5 µg/L 0.5 Carbophenothion < 0.5 µg/L Chlorfenvinphos <0.5 0.5 µg/L Chlormephos µg/L <0.5 0.5 Chlorpyrifos µg/L <0.5 0.5 90 Below MAC Chlorpyrifos-methyl 0.5 µg/L <0.5 Chlorthiophos <0.5 0.5 µg/L Cyanophos µg/L <0.5 0.5 Demeton µg/L <0.5 0.5 Diazinon <0.10 0.10 20 Below MAC µg/L Dichlofenthion <0.5 0.5 µg/L Dimethoate <0.5 0.5 20 Below MAC µg/L Disulfoton 0.5 µg/L < 0.5 Ethion µg/L <0.5 0.5 Fenchlorphos <0.5 0.5 µg/L Fenitrothion µg/L <0.5 0.5 0.5 Fenthion µg/L <0.5 Fonofos <0.5 0.5 µg/L Isofenphos µg/L <0.5 0.5 Malaoxon µg/L <0.5 0.5 Malathion <0.1 0.1 190 Below MAC µg/L <0.5 0.5 Methyl Parathion µg/L Mevinphos <0.5 0.5 µg/L Parathion < 0.5 0.5 µg/L Phorate <0.5 0.5 2 Below MAC µg/L Phosalone <0.5 0.5 µg/L Phosmet µg/L <0.5 0.5 0.5 Phosphamidon µg/L <0.5 Pirimiphos-ethyl µg/L <0.5 0.5 Pirimiphos-methyl µg/L <0.5 0.5 Pyrazophos µg/L <0.5 0.5 Quinalophos µg/L <0.5 0.5 <0.5 0.5 Sulfotep µg/L Terms and Conditions: https://www.element.com/terms/terms-and-conditions



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 41 of 44

-	eport	Project ID:			4007	~~~
Bill To:	City of Delta	Project ID. Project Name:	Well Water		Lot ID: 1637	098
	4500 Clarence Taylor Crescent	Project Location:		Control	Number:	
	Delta, BC, Canada	LSD:			eceived: Mar 10	
<b>A</b> 11 -	V4K 3E2	P.O.:	23251597		eported: Mar 20	
	Accounts Payable	Proj. Acct. code:	23231337	Report	Number: 285165	2
Sampled By:		1 10j. Acci. code.				
Company:	City of Delta					
	Re	ference Number	1637698-7			
		Sample Date	March 10, 202	3		
		Sample Time	11:00			
		Sample Location	000 / D			
	Sar	nple Description	329 / Reservoi	r / 3.6 °C		
		Sample Matrix	Water	Nominal Detection	Guideline	Guideline
Analyte		Units	Result	Limit	Limit	Comments
-	ate Pesticides in Water - Contin					
Terbufos		μg/L	<0.5	0.5	1	Below MAC
Tetrachlorvinph	os	μg/L	<0.5	0.5		20.011 11/10
•	ate Pesticides -Water- Surrogat			0.0		
TPP	Surrogate	%	76	50-140		
Neutral Herbicio	•					
Alachlor		µg/L	<0.5	0.5		
Benfluralin		µg/L	<0.5	0.5		
Butylate		µg/L	<0.5	0.5		
Chlorpropham		μg/L	<0.5	0.5		
Diallate		μg/L	<0.5	0.5		
Dichlobenil		µg/L	<0.5	0.5		
Diclofop-methyl		µg/L	<0.1	0.1	9	Below MAC
Diphenylamine		µg/L	<0.5	0.5	-	
Eptam (EPTC)		µg/L	<0.5	0.5		
Ethalfluralin		µg/L	<0.5	0.5		
Fenoxaprop-eth	yl	µg/L	<0.5	0.5		
Fluazifop-p-buty		µg/L	<0.5	0.5		
Hexazinone		µg/L	<0.5	0.5		
Metalaxyl		μg/L	<0.5	0.5		
Metolachlor		μg/L	<0.5	0.5	50	Below MAC
Metribuzin		μg/L	<0.5	0.5	80	Below MAC
Pirimicarb		μg/L	<0.5	0.5		-
Profluralin		μg/L	<0.5	0.5		
Prometryn		μg/L	<0.5	0.5		
Propazine		μg/L	<0.5	0.5		
Propyzamide		μg/L	<0.5	0.5		
Quizalofop-ethy	1	µg/L	<0.5	0.5		
Simetryn		µg/L	<0.5	0.5		
Terbuthylazine		µg/L	<0.5	0.5		
Terbutryn		µg/L	<0.5	0.5		
Triallate		µg/L	<0.10	0.10		
Trifluralin		µg/L	<0.1	0.1	45	Below MAC
Neutral Herbicio	des - Water - Surrogate Recove	ry				
TPP	Surrogate	%	76	50-140		
Multiresidue Pe	sticides in Water					
Bifenox		µg/L	<0.5	0.5		
Carboxin		µg/L	<0.5	0.5		
Deltamethrin		µg/L	<0.5	0.5		
Fenamiphos		µg/L	<0.5	0.5		



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 42 of 44

W: www.element.com

Analytical Re	eport					
Bill To:	City of Delta	Project ID:			Lot ID: 1637	698
	4500 Clarence Taylor Crescent	Project Name:	Well Water	Control	Number:	
	Delta, BC, Canada	Project Location:			eceived: Mar 10,	2023
	V4K 3E2	LSD:			eported: Mar 20,	
Attn:	Accounts Payable	P.O.:	23251597		Number: 285165	
Sampled By:	-	Proj. Acct. code:		Roport	200100	
Company:						
	Re	ference Number	1637698-7			
		Sample Date	March 10, 20	23		
		Sample Time	11:00			
	5	Sample Location				
	Sar	nple Description	329 / Reserv	oir / 3.6 °C		
		Sample Matrix	Water			
				Nominal Detection	Guideline	Guideline
Analyte		Units	Result	Limit	Limit	Comments
Iultiresidue Pe	esticides in Water - Continued					
Fenvalerate		µg/L	<0.5	0.5		
Methoprene		µg/L	<0.5	0.5		
Norflurazon		µg/L	<0.5	0.5		
Pebulate		µg/L	<0.5	0.5		
Prometon		µg/L	<0.5	0.5		
Propargite		µg/L	<0.5	0.5		
Propiconazole		µg/L	<0.5	0.5		
Terbacil		µg/L	<0.5	0.5		
Vernolate		µg/L	<0.5	0.5		
Carbamates in	Water					
3-Hydroxycarbo	ofuran	µg/L	<0.1	0.1		
Aldicarb		µg/L	<0.1	0.1	9	Below MAC
Aldicarb sulfone		µg/L	<0.1	0.1		
Aldicarb sulfoxio	de	µg/L	<0.1	0.1		
Bendiocarb		µg/L	<0.1	0.1		
BPMC		µg/L	<0.1	0.1		
Carbaryl		µg/L	<0.1	0.1	90	Below MAC
Carbofuran		µg/L	<0.1	0.1	90	Below MAC
Imidacloprid		µg/L	<0.1	0.1		
Methiocarb		μg/L	<0.1	0.1		
Methomyl		µg/L	<0.1	0.1		
Oxamyl		µg/L	<0.1	0.1		
Promecarb		µg/L	<0.1	0.1		
Propoxur		µg/L	<0.1	0.1		
	Water - Surrogate Recovery					
BDMC	Surrogate	%	95.3	50-140		
	sticides - Water - Surrogate Re			50 / /0		
TPP	Surrogate	%	76	50-140		

RhSeunem

Randy Neumann, BSc

Approved by:

Director

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS). Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.



**Methodology and Notes** 

**Method of Analysis** 

Bill To:	City of Delta	Pro
	4500 Clarence Taylor Crescent	Pro
	Delta, BC, Canada	Pro
	V4K 3E2	LS
Attn:	Accounts Payable	Ρ.0
Sampled By:	Scott B	Pro
Company:	City of Delta	

#### oject ID: oject Name: Well Water oject Location: SD: O.: 23251597 oj. Acct. code:

#104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

Element

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 43 of 44

Lot ID: 1637698

Control Number:	
Date Received:	Mar 10, 2023
Date Reported:	Mar 20, 2023
Report Number:	2851652

····· <b>,</b> ····				
Method Name	Reference	Method	Date Analysis Started	Location
Alk, pH, EC, Turb in water (BC)	APHA	* Alkalinity - Titration Method, 2320 B	Mar 13, 2023	Element Vancouver
Alk, pH, EC, Turb in water (BC)	APHA	* Conductivity, 2510 B	Mar 13, 2023	Element Vancouver
Alk, pH, EC, Turb in water (BC)	APHA	* pH - Electrometric Method, 4500-H+ B	Mar 13, 2023	Element Vancouver
Anions by IEC in water (VAN)	APHA	<ul> <li>Ion Chromatography with Chemical Suppression of Eluent Cond., 4110 B</li> </ul>	Mar 10, 2023	Element Vancouver
Anions by IEC in water (VAN)	APHA	* Single-Column Ion Chromatography with Electronic Suppression, 4110 C	Mar 10, 2023	Element Vancouver
BTEX-VPH - Water (MS) (VAN)	BCELM	<ul> <li>Volatile Hydrocarbons in Water by GC/FID, VH Water</li> </ul>	Mar 13, 2023	Element Vancouver
BTEX-VPH - Water (MS) (VAN)	BCELM	<ul> <li>Volatile Hydrocarbons in Water by GC/FID, VH Water</li> </ul>	Mar 14, 2023	Element Vancouver
Carbamates - Water	US EPA	<ul> <li>N-methylcarbamates by High Performance Liquid Chromatography (HPLC), 8318</li> </ul>	Mar 13, 2023	Element Calgary
FV2 Pesticides - Water	JAOAC	* Multi-Res Determination of Pesticides in FV by GC-MSD & LC, vol78	Mar 19, 2023	Element Calgary
FV2 Pesticides - Water	US EPA	* OC Pesticides by Gas Chromatography, 8081B	Mar 19, 2023	Element Calgary
Heterotrophic (Standard) Plate Count (Aerobic SP) - VAN	APHA	Enzyme Substrate Method, 9215 E	Mar 10, 2023	Element Vancouver
Mercury Low Level (Total) in water (VAN)	EPA	* Mercury in Water by Cold Vapor Atomic Fluorescence Spectrometry, 245.7	Mar 14, 2023	Element Vancouver
Metals SemiTrace (Extractable) in water (VAN)	US EPA	* Metals & Trace Elements by ICP-AES, 6010C	Mar 15, 2023	Element Vancouver
Neutral Herbicides - Water	US EPA	* OC Pesticides by Gas Chromatography, 8081B	Mar 19, 2023	Element Calgary
Organochlorine Pesticides - Water	US EPA	* OC Pesticides by Gas Chromatography, 8081B	Mar 13, 2023	Element Calgary
Organophosphate Pesticides - Water	US EPA	* OP Compounds by GC: Capillary Column Technique, 8141B	Mar 19, 2023	Element Calgary
Sulfide in water	APHA	* Gas Dialysis, Automated Methylene Blue Method, 4500-S2- E	Mar 16, 2023	Element Edmonton - Roper Road
Total and E-Coli - Colilert - DW (VAN)	APHA	Enzyme Substrate Test, APHA 9223 B	Mar 10, 2023	Element Vancouver
Total and E-Coli - Colilert - DW (VAN)	APHA	Enzyme Substrate Test, APHA 9223 B	Mar 10, 2023	Element Vancouver
Trace Metals (extractable) in Water (VAN)	US EPA	<ul> <li>Determination of Trace Elements in Waters and Wastes by ICP-MS, 200.8</li> </ul>	Mar 14, 2023	Element Vancouver
True Color in water (VAN)	APHA	* Spectrophotometric - Single Wavelength Method, 2120 C	Mar 13, 2023	Element Vancouver
Turbidity - Water (VAN)	APHA	* Turbidity - Nephelometric Method, 2130 E	Mar 13, 2023	Element Vancouver
		* Reference Method Modified		

## References

APHA	Standard Methods for the Examination of Water and Wastewater
BCELM	B.C. Environmental Laboratory Manual
EPA	Environmental Protection Agency Test Methods - US



Well Water

23251597

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 44 of 44

Lot ID: 1637698

Control Number: Date Received: Mar 10, 2023 Date Reported: Mar 20, 2023 Report Number: 2851652

## Company: City of Delta

Sampled By: Scott B

**Methodology and Notes** 

Bill To: City of Delta

V4K 3E2

Attn: Accounts Payable

JAOAC J. Assoc. Off. Anal. Chem.

Delta, BC, Canada

US EPA US Environmental Protection Agency Test Methods

4500 Clarence Taylor Crescent

#### Guidelines

Guideline Description	Health Canada GCDWQ
Guideline Source	Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020
Guideline Comments	MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells). Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

Project ID:

LSD:

P.O.:

Project Name:

Project Location:

Proj. Acct. code:

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group. Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

# **Second Quarter Reporting**

June 29, 2023



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Report Trans	mission Cover Page						
Bill To: Attn: Sampled By:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Well Water Test	Date Re Date Re	eceived: eported:		
Company:	City of Delta						
Contact	Company		Address				
Accounts Payab	le City of Delta		4500 Clar	ence Taylor Crescent			
			Delta, BC	V4K 3E2			
			Phone: (	604) 946-4141	Fax:	(604) 946-3962	
			Email: a	accountspayable@delta.ca			
Delivery	<u>Format</u>		Deliverables				
Email	PDF			Invoice			
Scott Bradshaw	City of Delta		5404 - 64	Street			
			Delta, BC	V4K 3M6			
			Phone: (	604) 952-3406	Fax:	(604) 946-4855	
			Email: s	sbradshaw@delta.ca			
Delivery	Format			Deliverables			
Email	PDF			COA			
Email	PDF		COR				
Email	PDF		Invoice				
Email - Merge	PDF		COC / Test Report				

Notes To Clients:

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.



Analyte

Arsenic

Barium

Copper

Uranium

Mercury

Aerobic

Colour

pН

Iron

Turbidity

Calcium

Potassium

Silicon

Sodium

Zinc

Lead

Boron

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 1 of 15

MAC

200

Below AO

0.04

0.005

0.1

**Analytical Report** Project ID: Bill To: City of Delta 1660917 Lot ID: 4500 Clarence Taylor Crescent Project Name: Well Water Test Control Number: Project Location: Delta, BC, Canada Date Received: Jun 26, 2023 LSD: V4K 3E2 Date Reported: Jun 29, 2023 P.O.: Attn: Accounts Payable Report Number: 2887468 Proj. Acct. code: Scott Bradshaw Sampled By: City of Delta Company: **Reference Number** 1660917-1 Sample Date June 26, 2023 Sample Time 11:11 Sample Location Sample Description 305 Well / Heavy Metals and Arsenic / 9.4 °C Sample Matrix **Drinking Water** Nominal Detection Guideline Guideline Limit Limit Comments Units Result **Metals Extractable** Aluminum Extractable mg/L < 0.001 0.001 0.1 OG: 2.9 MAC Below OG 0.00014 0.006 Below MAC Antimony Extractable mg/L 0.00002 Extractable 0.0043 0.0001 0.010 Below MAC mg/L Below MAC Extractable mg/L 0.0049 0.0001 2.0 Extractable mg/L 0.008 0.002 5 Below MAC Cadmium Extractable <0.00001 0.00001 0.007 Below MAC mg/L Below MAC Chromium Extractable 0.0021 0.00005 0.05 mg/L Extractable 0.0005 1 AO; 2 MAC Below AO mg/L 0.0015 0.005 Below MAC Extractable mg/L < 0.00001 0.00001 Selenium Extractable mg/L 0.0005 0.0002 0.05 Below MAC Strontium 7.0 Below MAC Extractable mg/L 0.096 0.0001 Extractable mg/L 0.0032 0.00001 0.02 Below MAC Vanadium Extractable mg/L 0.0073 0.00005 Extractable < 0.0005 0.0005 5.0 Below AO mg/L Metals Total Field Pres, digest Digestion Preparation as total Hg Total <0.00001 0.00001 0.001 Below MAC mg/L **Microbiological Analysis Total Coliforms** Enzyme Substrate MPN/100 mL <1.0 1.0 0 per 100 mL Below MAC Test 0 per 100 mL Below MAC Escherichia coli Enzyme Substrate MPN/100 mL <1.0 1.0 Test Heterotrophic Count -SimPlate MPN/mL 2.0 2 Physical and Aggregate Properties True Colour units <5 5 NTU 0.15 0.1 0.1/0.3/1.0 OG **Routine Water** pH - Holding Time Exceeded at 25 °C 7.68 0.01 7.0-10.5 Within Range µS/cm at 25 °C 259 **Electrical Conductivity** 1 Extractable mg/L 0.01 29 < 0.004 Extractable mg/L 0.004 0.3 Below AO Magnesium Extractable mg/L 10 0.02 0.02 AO; 0.12 Manganese Extractable mg/L 0.007 0.001 Below AO

2.0

8.3

11

Terms and Conditions: https://www.element.com/terms/terms-and-conditions

Extractable

Extractable

Extractable

mg/L

mg/L

mg/L



Dissolved

Dissolved

Dissolved

as CaCO3

(extractable)

Extractable

mg/L

mg/L

mg/L

mg/L

mg/L

Nitrate - N

Nitrite - N

Hardness

Sulfate (SO4)

**Total Dissolved Solids** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 2 of 15

Analytical R	eport						
Bill To:	City of Delta	Project ID:			Lot ID:	1660917	,
	4500 Clarence Taylor Crescent	Project Name:	Well Water Test	Control	Number:		
	Delta, BC, Canada	Project Location:			eceived:	Jun 26. 2023	5
	V4K 3E2	LSD:			eported:	Jun 29, 2023	
Attn:	Accounts Payable	P.O.:			Number:	2887468	
Sampled By:	Scott Bradshaw	Proj. Acct. code:					
Company:	City of Delta						
	Re	eference Number	1660917-1				
		Sample Date	June 26, 2023	5			
		Sample Time	11:11				
	:	Sample Location					
	Sai	mple Description	305 Well / Hea	avy Metals and Arsenic	/ 9.4 °C		
		Sample Matrix	Drinking Wate	r			
Analyte		Units	Result	Nominal Detection Limit	Guidel Limi		Guideline Comments
Routine Water	- Continued						
T-Alkalinity	as CaCO3	mg/L	100	5			
Chloride	Dissolved	mg/L	12.3	0.05	250	)	Below AO
Fluoride	Dissolved	mg/L	0.04	0.01	1.5		Below MAC

1.22

< 0.01

11.2

115

168

0.01

0.01

0.1

1

1

10

1

500

500

Below MAC

Below MAC

Below AO

Below AO



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 3 of 15

-	eport	Project ID:			40000	47
BIII 10:	City of Delta	Project Name:	Well Water Test	_	Lot ID: 16609	017
	4500 Clarence Taylor Crescent	Project Location:			l Number:	
	Delta, BC, Canada	LSD:			Received: Jun 26, 2	
<b>Atta</b>	V4K 3E2	P.O.:			Reported: Jun 29, 2	
	Accounts Payable	Proj. Acct. code:		Repor	t Number: 2887468	
Sampled By:	Scott Bradshaw	110]. Acci. code.				
Company:	City of Delta					
	R	eference Number	1660917-2			
		Sample Date	June 26, 2023			
		Sample Time	11:35			
		Sample Location				
	Sa	mple Description		eavy Metals and Arse	ni / 9.4 °C	
		Sample Matrix	Drinking Water			
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
letals Extracta	ble					
Aluminum	Extractable	mg/L	<0.001	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00014	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0037	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.010	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.006	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.0019	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0073	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00043	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	0.0006	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.11	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0039	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0061	0.00005		
Zinc	Extractable	mg/L	0.0078	0.0005	5.0	Below AO
Metals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Microbiological	Analysis					
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Co Aerobic		MPN/mL	2.0	2		
Colour	ggregate Properties True	Colour units	<5	5		
Turbidity	The	NTU	<5 <0.10	5 0.1	0.1/0.3/1.0 OG	
Routine Water		NIU	SU. TU	0.1	0.1/0.3/1.0 00	
pH - Holding Tin	no		Exceeded			
рн - ношпу пп рН	at 25 °C		7.71	0.01	7.0-10.5	Within Range
Electrical Condu		µS/cm at 25 °C	314	1	1.0-10.0	within italiye
Calcium	Extractable	mg/L	314	0.01		
Iron	Extractable	mg/L	0.005	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	12	0.004	0.5	DEIOW AU
Magnesium Manganese	Extractable	mg/L	0.012	0.02	0.02 AO; 0.12	Below AO
-		-			MAC	2000 110
Potassium	Extractable	mg/L	2.3	0.04		
Silicon	Extractable	mg/L	11	0.005		
Sodium	Extractable	mg/L	8.6	0.1	200	Below AO

Terms and Conditions: https://www.element.com/terms/terms-and-conditions



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 4 of 15

Analytical Rep	ort					
4	City of Delta 1500 Clarence Taylor Crescent	Project ID: Project Name:	Well Water Test	Control I	Lot ID: <b>1(</b> Number:	660917
	Delta, BC, Canada	Project Location: LSD:		Date R	eceived: Ju	n 26, 2023
-	/4K 3E2	LSD. P.O.:			•	n 29, 2023
	Accounts Payable	Proj. Acct. code:		Report I	Number: 28	87468
1 2	Scott Bradshaw	1 10j. Acci. code.				
Company: C	City of Delta	fanan a Namahan	1000017.0			
	Re	eference Number	1660917-2			
		Sample Date	June 26, 2023			
		Sample Time Sample Location	11:35			
		nple Description		eavy Metals and Arseni	10100	
	Sa	Sample Matrix	Drinking Water		/ 9.4 C	
		Sample Matrix	Diliking water	Nominal Detection	Guideline	Guideline
Analyte		Units	Result	Limit	Limit	Comments
Routine Water - C	ontinued					
T-Alkalinity	as CaCO3	mg/L	113	5		
Chloride	Dissolved	mg/L	13.2	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.04	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	1.09	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO4)	Dissolved	mg/L	13.0	0.1	500	Below AO
Hardness	as CaCO3 (extractable)	mg/L	129	1		
Total Dissolved So	olids Extractable	mg/L	184	1	500	Below AO



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 5 of 15

W: www.element.com

Bill To: C	ort	Project ID:			16600	17
		-	Well Water Test	_	Lot ID: <b>16609</b>	917
	500 Clarence Taylor Crescen	Project Location:			ol Number:	
	elta, BC, Canada /4K 3E2	LSD:			e Received: Jun 26, 2	
		P.O.:			e Reported: Jun 29, 2	
	ccounts Payable	Proj. Acct. code:		Repo	ort Number: 2887468	
	cott Bradshaw	1 10j. Acci. code.				
Company: C	•					
	F	eference Number	1660917-3			
		Sample Date	June 26, 2023			
		Sample Time	11:53			
		Sample Location				
	Sa	ample Description		vy Metals and Arse	eni / 9.4 °C	
		Sample Matrix	Drinking Water			
Analyte		Units	Result	Nominal Detectior Limit	n Guideline Limit	Guideline Comments
Metals Extractable	9					
Aluminum	Extractable	mg/L	<0.001	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00009	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0028	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0098	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.008	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.0026	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0019	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00006	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	0.0006	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.11	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0024	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0055	0.00005		
Zinc	Extractable	mg/L	<0.0005	0.0005	5.0	Below AO
Metals Total		0				
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	< 0.00001	0.00001	0.001	Below MAC
Microbiological A	nalysis	-				
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Cou Aerobic		MPN/mL	<2.0	2		
Physical and Agg						
Colour	True	Colour units	<5	5		
Turbidity		NTU	<0.10	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH - Holding Time			Exceeded			
рН	at 25 °C		7.75	0.01	7.0-10.5	Within Range
Electrical Conducti	ivity	µS/cm at 25 °C	290	1		
Calcium	Extractable	mg/L	31	0.01		
Iron	Extractable	mg/L	<0.004	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	12	0.02		
Manganese	Extractable	mg/L	<0.001	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	2.1	0.04		
Silicon	Extractable	mg/L	11	0.005		
Sodium	Extractable	mg/L	8.6	0.1	200	Below AO



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 6 of 15

W: www.element.com

Analytical Rep	ort					
	City of Delta 1500 Clarence Taylor Crescent	Project ID: Project Name:	Well Water Test	Control		60917
C	Delta, BC, Canada	Project Location:		Date R	eceived: Jun 2	26, 2023
V	/4K 3E2	LSD:		Date R	eported: Jun 2	29, 2023
Attn: A	Accounts Payable	P.O.:		Report I	Number: 2887	468
Sampled By: S	Scott Bradshaw	Proj. Acct. code:				
Company: C	City of Delta					
	Re	eference Number	1660917-3			
		Sample Date	June 26, 2023			
		Sample Time	11:53			
		Sample Location				
	Sa	mple Description	307 Well 5 / He	eavy Metals and Arseni	/ 9.4 °C	
		Sample Matrix	Drinking Water			
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - C	ontinued					
T-Alkalinity	as CaCO3	mg/L	119	5		
Chloride	Dissolved	mg/L	9.30	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.04	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	1.29	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO4)	Dissolved	mg/L	13.1	0.1	500	Below AO
Hardness	as CaCO3 (extractable)	mg/L	128	1		
Total Dissolved So	olids Extractable	mg/L	185	1	500	Below AO



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 7 of 15

W: www.element.com

Bill To:	City of Delta	Project ID:			Lot ID: 16609	17
Diii 10.	4500 Clarence Taylor Crescer	-	Well Water Test	Quality		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Delta, BC, Canada	Project Location:			l Number:	0000
	V4K 3E2	LSD:			Received: Jun 26, 2	
Attn:	Accounts Payable	P.O.:			Reported: Jun 29, 2 t Number: 2887468	
Sampled By:	Scott Bradshaw	Proj. Acct. code:		Керог	( Nullibel: 2007400	
Company:	City of Delta					
1 2		Reference Number	1660917-4			
		Sample Date	June 26, 2023			
		Sample Time	12:15			
		Sample Location				
	S	ample Description	Resrvoir 329 /	Heavy Metals and Ars	seni / 9.4 °C	
		Sample Matrix	Drinking Water			
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractal	ble					
Aluminum	Extractable	mg/L	0.033	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00007	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0013	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0047	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.004	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00076	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0024	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00002	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.042	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0013	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0023	0.00005		
Zinc	Extractable	mg/L	<0.0005	0.0005	5.0	Below AO
Metals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Microbiological	•					
Total Coliforms	Enzyme Substrate Test		<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Test		<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Co Aerobic		MPN/mL	<2.0	2		
Colour	ggregate Properties True	Colour units	<5	5		
Turbidity	IIUE	NTU	<5 0.15	5 0.1	0.1/0.3/1.0 OG	
Routine Water		NIU	0.10	0.1	J. 1/J. J/ 1.0 UG	
pH - Holding Tin	ne		Exceeded			
pH - Holding Hill pH	at 25 °C		7.63	0.01	7.0-10.5	Within Range
Electrical Condu		µS/cm at 25 °C	144	1		
Calcium	Extractable	mg/L	14	0.01		
Iron	Extractable	mg/L	0.019	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	4.5	0.02		
Manganese	Extractable	mg/L	0.005	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	0.88	0.04		
Silicon	Extractable	mg/L	4.7	0.005		
Sodium	Extractable	mg/L	7.0	0.1	200	Below AO



**Total Dissolved Solids** 

Extractable

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 8 of 15

Analytical Rep	oort					
4	City of Delta 1500 Clarence Taylor Crescent	Project ID: Project Name: Project Location:	Well Water Test	Control N		60917
	Delta, BC, Canada	LSD:				26, 2023
	/4K 3E2	P.O.:			•	29, 2023
	Accounts Payable Scott Bradshaw	Proj. Acct. code:		Report N	Number: 2887	468
	City of Delta	1 10j. 7 1001. 0000.				
<b>/</b> ··· <b>/</b> ···· <b>/</b> ···· <b>/</b> ···· <b>/</b> ···· <b>/</b> ···· <b>/</b> ····· <b>/</b> ······ <b>/</b> ····· <b>/</b> ······ <b>/</b> ······ <b>/</b> ······ <b>/</b> ········	•	eference Number	1660917-4			
		Sample Date	June 26, 2023			
		Sample Time	12:15			
	:	Sample Location				
	Sai	mple Description	Resrvoir 329 /	Heavy Metals and Arse	ni / 9.4 °C	
		Sample Matrix	Drinking Water			
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - C	Continued					
T-Alkalinity	as CaCO3	mg/L	54	5		
Chloride	Dissolved	mg/L	6.04	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.02	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	0.44	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO4)	Dissolved	mg/L	5.0	0.1	500	Below AO
Hardness	as CaCO3 (extractable)	mg/L	54	1		
			~ -			<b>D</b> 1 <b>D</b>

85

mg/L

1

500

Below AO



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 9 of 15

W: www.element.com

Bill To-	City of Delta	Project ID:			16600	147
Biii 10.	4500 Clarence Taylor Crescen	-	Well Water Test		Lot ID: 16609	917
	Delta, BC, Canada	Project Location:			I Number:	
	V4K 3E2	LSD:			Received: Jun 26,	
Attn:	Accounts Payable	P.O.:			Reported: Jun 29,	
Sampled By:	Scott Bradshaw	Proj. Acct. code:		Repor	t Number: 2887468	5
Company:	City of Delta	·, ····				
Company.	•	eference Number	1660917-5			
	Г	Sample Date	June 26, 2023			
		Sample Time	09:50			
		Sample Location	00.00			
	Si	ample Description	225 (88th) / He	avy Metals and Arser	ni / 9.4 °C	
		Sample Matrix	Drinking Water	•		
Analyta		Units		Nominal Detection Limit	Guideline Limit	Guideline Comments
Analyte	1.1.	Units	Result	Liiiit	Linint	Comments
Metals Extractal		~~//	0.044	0.004		Polow OC
Aluminum	Extractable Extractable	mg/L	0.044 0.00002	0.001 0.00002	0.1 OG; 2.9 MAC 0.006	Below OG Below MAC
Antimony Arsenic	Extractable	mg/L mg/L	0.0002	0.00002	0.006	Below MAC
Barium	Extractable	mg/L	0.0002	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	<0.0019	0.0001	2.0 5	Below MAC
Cadmium	Extractable	mg/L	<0.002	0.0002	0.007	Below MAC
Chromium	Extractable	mg/L	<0.00005	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0014	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	<0.0001	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	<0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.012	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.00013	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.00035	0.00005		
Zinc	Extractable	mg/L	<0.0005	0.0005	5.0	Below AO
Metals Total		0				
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Vicrobiological	Analysis					
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic C Aerobic	ount - SimPlate	MPN/mL	<2.0	2		
Physical and Ag	ggregate Properties					
Colour	True	Colour units	<5	5		
Turbidity		NTU	0.48	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH - Holding Tin			Exceeded			
pН	at 25 °C		7.38	0.01	7.0-10.5	Within Rang
Electrical Condu		µS/cm at 25 °C	50	1		
Calcium	Extractable	mg/L	7.8	0.01		- ·
Iron	Extractable	mg/L	<0.004	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	0.22	0.02		<b>_</b> · · · -
Manganese	Extractable	mg/L	0.002	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	0.11	0.04	-	
Silicon	Extractable	mg/L	1.2	0.005		
Sodium	Extractable	mg/L	1.7	0.1	200	Below AO



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 10 of 15

Analytical R	eport					
Bill To: Attn: Sampled By: Company:	City of Delta 4500 Clarence Taylor Crescen Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw City of Delta	Project ID: t Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Well Water Test	Date R	Number: eceived: Ju eported: Ju	<b>660917</b> in 26, 2023 in 29, 2023 887468
. ,	, F	Reference Number	1660917-5			
		Sample Date	June 26, 2023	3		
		Sample Time	09:50			
		Sample Location				
	Sa	ample Description	225 (88th) / H	eavy Metals and Arseni	/ 9.4 °C	
		Sample Matrix	Drinking Wate	er		
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water -	- Continued					
T-Alkalinity	as CaCO3	mg/L	18	5		
Chloride	Dissolved	mg/L	2.33	0.05	250	Below AO
Fluoride	Dissolved	mg/L	<0.01	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	0.04	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO4)	Dissolved	mg/L	0.7	0.1	500	Below AO
Hardness	as CaCO3	mg/L	20	1		

27

mg/L

1

500

Below AO

(extractable)

Extractable

**Total Dissolved Solids** 



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 11 of 15

Analytical Re	-					
	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable	Project ID: Project Name: Project Location: LSD: P.O.:	Well Water Test	Date Date	Lot ID: <b>16609</b> I Number: Received: Jun 26, 2 Reported: Jun 29, 2 t Number: 2887468	023
Sampled By: Company:	Scott Bradshaw City of Delta	Proj. Acct. code:				
	R	eference Number	1660917-6			
		Sample Date	June 26, 2023			
		Sample Time	10:17			
		Sample Location				
	Sa	mple Description Sample Matrix	308 (D. Hosp) / Drinking Water			
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractal						
Aluminum	Extractable	mg/L	0.037	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00005	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0010	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0041	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.002	0.002	5	Below MAC
Cadmium	Extractable	mg/L	< 0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00052	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0073	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00023	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	< 0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.033	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.00098	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0016	0.00005	<b>F</b> 0	Dalaw AO
Zinc <b>Vetals Total</b>	Extractable	mg/L	0.0028	0.0005	5.0	Below AO
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Vicrobiological						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli		MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Co Aerobic		MPN/mL	<2.0	2		
	ggregate Properties					
Colour	True	Colour units	<5	5		
Turbidity Routine Water		NTU	0.20	0.1	0.1/0.3/1.0 OG	
pH - Holding Tin	ne		Exceeded			
pH PH PHOLOGING TH	at 25 °C		7.54	0.01	7.0-10.5	Within Range
Electrical Condu		µS/cm at 25 °C	114	1	1.0 10.0	
Calcium	Extractable	mg/L	11	0.01		
Iron	Extractable	mg/L	0.006	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	3.1	0.02	0.0	
Manganese	Extractable	mg/L	0.001	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	0.68	0.04		
Silicon	Extractable	mg/L	3.5	0.005		
Sodium	Extractable	mg/L	6.7	0.1	200	Below AO



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

**Analytical Report** Project ID: Bill To: City of Delta Lot ID: 1660917 Project Name: Well Water Test 4500 Clarence Taylor Crescent Control Number: Project Location: Delta, BC, Canada Date Received: Jun 26, 2023 LSD: V4K 3E2 Date Reported: Jun 29, 2023 P.O.: Attn: Accounts Payable 2887468 Report Number: Proj. Acct. code: Sampled By: Scott Bradshaw Company: City of Delta **Reference Number** 1660917-6 Sample Date June 26, 2023 Sample Time 10:17 Sample Location Sample Description 308 (D. Hosp) / Heavy Metals and Arseni / 9.4 °C Sample Matrix **Drinking Water Nominal Detection** Guideline Guideline Limit Units Limit Comments Analyte Result Pouting Water - Continued

Routine Water - Continue	ed						
T-Alkalinity	as CaCO3	mg/L	45	5			
Chloride	Dissolved	mg/L	5.08	0.05	250	Below AO	
Fluoride	Dissolved	mg/L	0.02	0.01	1.5	Below MAC	
Nitrate - N	Dissolved	mg/L	0.34	0.01	10	Below MAC	
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC	
Sulfate (SO4)	Dissolved	mg/L	3.8	0.1	500	Below AO	
Hardness	as CaCO3 (extractable)	mg/L	41	1			
Total Dissolved Solids	Extractable	mg/L	68	1	500	Below AO	



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 13 of 15

\_\_\_\_\_

Analytical Re	port					
	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable	Project ID: Project Name: Project Location: LSD: P.O.:	Well Water Test	Date Date	Lot ID: <b>16609</b> I Number: Received: Jun 26, 2 Reported: Jun 29, 2 t Number: 2887468	2023 2023
Sampled By: Company:	Scott Bradshaw City of Delta	Proj. Acct. code:		Керог	2007400	
	Re	eference Number	1660917-7			
		Sample Date	June 26, 2023			
		Sample Time	10:40			
	:	Sample Location				
	Sar	nple Description Sample Matrix	220 (112) / Hea Drinking Water	avy Metals and Arsen	i / 9.4 °C	
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractat						
Aluminum	Extractable	mg/L	0.036	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00006	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0013	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0049	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.004	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00071	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0020	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00006	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.044	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0014	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0023	0.00005	0.02	201011 11#10
Zinc	Extractable	mg/L	<0.0005	0.0005	5.0	Below AO
Metals Total	Extraotable	ing/E	<0.0000	0.0000	0.0	Delew / lo
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Aicrobiological		0.				
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Co Aerobic		MPN/mL	<2.0	2		
	Igregate Properties	<b>.</b>		_		
Colour	True	Colour units	<5	5		
Turbidity Routine Water		NTU	0.38	0.1	0.1/0.3/1.0 OG	
pH - Holding Tim	ne		Exceeded			
pH Photoming Phil	at 25 °C		7.59	0.01	7.0-10.5	Within Range
Electrical Condu		µS/cm at 25 °C	139	1	1.0 10.0	in italiye
Calcium	Extractable	mg/L	14	0.01		
	Extractable	mg/L	0.022	0.004	0.3	Below AO
Iron		mg/∟ mg/L	0.022 4.4	0.004	0.3	Delow AO
Magnesium Manganese	Extractable Extractable	mg/L mg/L	4.4 0.006	0.02	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	0.89	0.04		
		-				
Silicon	Extractable	mg/L	4.7	0.005		



**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

V3S 8P8, Canada W: www.element.com

Attn: Sampled By:	City of Delta 4500 Clarence Taylor Cresce Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw City of Delta	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Well Water Test	Date R	Lot ID: Number: eceived: eported: Number:	<b>1660917</b> Jun 26, 2023 Jun 29, 2023 2887468
		Reference Number	1660917-7			
		Sample Date	June 26, 2023	•		
		Sample Time	10:40			
		Sample Location				
	:	Sample Description	220 (112) / He	avy Metals and Arseni /	9.4 °C	
		Sample Matrix	Drinking Wate	r		
Analyte		Units	Result	Nominal Detection Limit	Guidel Limi	
Routine Water -	Continued					
T-Alkalinity	as CaCO3	mg/L	53	5		
Chloride	Dissolved	mg/L	6.08	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.02	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	0.44	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO4)	Dissolved	mg/L	5.0	0.1	500	Below AO
Sulfate (SO4) Hardness	Dissolved as CaCO3 (extractable)	mg/L mg/L	5.0 53	0.1 1	500	Below AO

Mox Heit Approved by:

Max Hewitt Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS). Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 15 of 15

Lot ID: 1660917

Control Number:	
Date Received:	Jun 26, 2023
Date Reported:	Jun 29, 2023
Report Number:	2887468

# Well Water Test

Project ID:

LSD:

P.O.:

Project Name:

Project Location:

Proj. Acct. code:

Methodology and Notes Bill To: City of Delta

BIII 10:	City of Delta
	4500 Clarence Taylor Crescent
	Delta, BC, Canada
	V4K 3E2
Attn:	Accounts Payable
Sampled By:	Scott Bradshaw
Company:	City of Delta

# **Method of Analysis**

Method Name	Reference	Method	Date Analysis Started	Location
Alk, pH, EC, Turb in water (BC)	APHA	* Alkalinity - Titration Method, 2320 B	Jun 27, 2023	Element Vancouver
Alk, pH, EC, Turb in water (BC)	APHA	* Conductivity, 2510 B	Jun 27, 2023	Element Vancouver
Alk, pH, EC, Turb in water (BC)	APHA	* pH - Electrometric Method, 4500-H+ B	Jun 27, 2023	Element Vancouver
Anions by IEC in water (VAN)	APHA	<ul> <li>Ion Chromatography with Chemical Suppression of Eluent Cond., 4110 B</li> </ul>	Jun 26, 2023	Element Vancouver
Heterotrophic (Standard) Plate Count (Aerobic SP) - VAN	APHA	Enzyme Substrate Method, 9215 E	Jun 26, 2023	Element Vancouver
Mercury Low Level (Total) in water (VAN)	EPA	* Mercury in Water by Cold Vapor Atomic Fluorescence Spectrometry, 245.7	Jun 27, 2023	Element Vancouver
Metals SemiTrace (Extractable) in water (VAN)	US EPA	* Metals & Trace Elements by ICP-AES, 6010C	Jun 27, 2023	Element Vancouver
Total and E-Coli - Colilert - DW (VAN)	APHA	Enzyme Substrate Test, APHA 9223 B	Jun 26, 2023	Element Vancouver
Trace Metals (extractable) in Water (VAN)	US EPA	<ul> <li>Determination of Trace Elements in Waters and Wastes by ICP-MS, 200.8</li> </ul>	Jun 27, 2023	Element Vancouver
True Color in water (VAN)	APHA	<ul> <li>* Spectrophotometric - Single Wavelength Method, 2120 C</li> </ul>	Jun 27, 2023	Element Vancouver
Turbidity - Water (VAN)	APHA	* Turbidity - Nephelometric Method, 2130 B	Jun 28, 2023	Element Vancouver

\* Reference Method Modified

# References

APHA	Standard Methods for the Examination of Water and Wastewater
EPA	Environmental Protection Agency Test Methods - US
US EPA	US Environmental Protection Agency Test Methods

## Guidelines

20

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group. Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

**Third Quarter Reporting** 

September 14, 2023



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Report Trans	mission Cover Page		
Attn: Sampled By:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw City of Delta	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Lot ID:1677476Well Water TestControl Number:Date Received:Sep 8, 2023Date Reported:Sep 14, 2023Report Number:2911558
Contact	Company		Address
Accounts Payab	le City of Delta		4500 Clarence Taylor Crescent
			Delta, BC V4K 3E2
			Phone: (604) 946-4141 Fax: (604) 946-3962
			Email: accountspayable@delta.ca
Delivery	Format		Deliverables
Email	PDF		Invoice
Scott Bradshaw	City of Delta		5404 - 64 Street
			Delta, BC V4K 3M6
			Phone: (604) 952-3406 Fax: (604) 946-4855
			Email: sbradshaw@delta.ca
Delivery	Format		Deliverables
Email	PDF		COA
Email	PDF		COR
Email	PDF		Invoice
Email - Merge	PDF		COC / Test Report

Notes To Clients:

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.



Page 1 of 19 T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

W: www.element.com

2	eport	Project ID:			4077470	
Bill To:	City of Delta	,	Vell Water Test		ot ID: 1677476	
	4500 Clarence Taylor Crescent	Project Name.		Control Nur	nber:	
	Delta, BC, Canada	,		Date Rece	eived: Sep 8, 2023	
	V4K 3E2	LSD:		Date Repo	orted: Sep 14, 2023	
	Accounts Payable	P.O.:		Report Nur	mber: 2911558	
Sampled By:	Scott Bradshaw	Proj. Acct. code:				
Company:	City of Delta					
		Reference Number	1677476-2	1677476-3	1677476-4	
		Sample Date	Sep 08, 2023	Sep 08, 2023	Sep 08, 2023	
		Sample Time	08:35	09:05	09:30	
		Sample Location	00.00	00.00	00.00	
		•	Burns Dr. (308) / 8.4	112th St. (270) / 8.4	Well #1 (305) / 8.4	
		Sample Description	°C	°C	°C	
		Matrix	Drinking Water	Drinking Water	Drinking Water	
Analyte		Units	Results	Results	Results	Nominal Detectio
Metals Extractal	ble					Limit
Aluminum	Extractable	mg/L	0.026	0.021	<0.001	0.001
Antimony	Extractable	mg/L	0.00007	0.00008	0.00017	0.00002
Arsenic	Extractable	mg/L	0.0011	0.0016	0.0043	0.0001
Barium	Extractable	mg/L	0.0039	0.0041	0.0037	0.0001
Boron	Extractable	mg/L	0.003	0.003	0.006	0.002
Cadmium	Extractable	mg/L	<0.0001	<0.0001	<0.00001	0.00001
Chromium	Extractable	mg/L	0.00062	0.00088	0.0026	0.00005
Copper	Extractable	mg/L	0.0040	<0.0005	0.0020	0.0005
Lead	Extractable		0.0040	0.00003	<0.0009	0.00001
		mg/L				
Selenium	Extractable	mg/L	0.0002	0.0002	0.0006	0.0002
Strontium	Extractable	mg/L	0.031	0.038	0.074	0.0001
Uranium	Extractable	mg/L	0.00089	0.0012	0.0023	0.00001
Vanadium	Extractable	mg/L	0.0016	0.0022	0.0064	0.00005
Zinc	Extractable	mg/L	0.0021	0.0013	<0.0005	0.0005
Metals Total						
Digestion	Preparation		Field Pres, digest as total Hg	Field Pres, digest as total Hg	Field Pres, digest as total Hg	
Mercury	Total	mg/L	<0.00001	<0.00001	<0.00001	0.00001
Microbiological		···g/ =				
Total Coliforms	Enzyme Substrate T	est MPN/100 mL	<1.0	<1.0	<1.0	1.0
Escherichia coli			<1.0	<1.0	<1.0	1.0
Heterotrophic Co	,	MPN/mL	<2.0	<2.0	62.0	2
Aerobic			12.0	~2.0	02.0	-
Physical and Ag	gregate Properties					
Colour	True	Colour units	<5	<5	<5	5
Turbidity		NTU	0.13	0.21	0.10	0.1
Routine Water						
pH - Holding Tin	ne		Exceeded	Exceeded	Exceeded	
pН	at 25 °C		7.47	7.59	7.77	0.01
Electrical Condu	uctivity	μS/cm at 25	131	159	274	1
Calcium	Extractable	°C mg/L	12	14	29	0.01
Iron	Extractable	mg/L	0.015	0.020	0.005	0.004
Magnesium	Extractable	mg/L	3.7	4.9	10	0.004
•	Extractable	-	0.002	4.9 0.004	0.006	0.02
Manganese		mg/L				
Potassium	Extractable	mg/L	0.77	0.98	1.9	0.04
Silicon	Extractable	mg/L	4.1	4.9	11	0.005
Sodium	Extractable	mg/L	8.0	8.0	8.2	0.1
T-Alkalinity	as CaCO3	mg/L	51	61	105	5



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 2 of 19

W: www.element.com

	<b>port</b> City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada		Vell Water Test		ot ID: 1677476	
	4500 Clarence Taylor Crescent	Project Name: V	Vell Water Test		ot ID: 1677476	
	Delta, BC, Canada			Control Nun	nber:	
		Project Location: LSD:		Date Rece	ived: Sep 8, 2023	
	V4K 3E2			Date Repo	orted: Sep 14, 2023	
	Accounts Payable	P.O.:		Report Nun	nber: 2911558	
Sampled By:	Scott Bradshaw	Proj. Acct. code:				
Company:	City of Delta					
		Reference Number	1677476-2	1677476-3	1677476-4	
		Sample Date	Sep 08, 2023	Sep 08, 2023	Sep 08, 2023	
		Sample Time	08:35	09:05	09:30	
		Sample Location				
		Sample Description	Burns Dr. (308) / 8.4 °C	112th St. (270) / 8.4 °C	Well #1 (305) / 8.4 °C	
		Matrix	Drinking Water	Drinking Water	Drinking Water	
Analyte		Units	Results	Results	Results	Nominal Detectio Limit
Routine Water - 0	Continued					
Chloride	Dissolved	mg/L	5.84	7.05	12.8	0.05
Fluoride	Dissolved	mg/L	<0.01	0.01	0.03	0.01
Nitrate - N	Dissolved	mg/L	0.38	0.50	1.22	0.01
Nitrite - N	Dissolved	mg/L	<0.01	<0.01	<0.01	0.01
O(1)	Dissolved	mg/L	4.3	5.6	11.4	0.1
Sulfate (SO4)	Diocontoa					
Sulfate (SO4) Hardness	as CaCO3 (extracta	0	45	56	115	1



4500 Clarence Taylor Delta, BC, Canada

Bill To: City of Delta

Sampled By: Scott Bradshaw Company: City of Delta

V4K 3E2 Attn: Accounts Payable

**Analytical Report** 

Analyte

Antimony

Arsenic

Barium

Boron

Cadmium

Chromium

Copper

Selenium Strontium

Uranium

Zinc

Vanadium

**Metals Total** 

Lead

Metals Extractable Aluminum

Element 

Page 3 of 19 T: +1 (604) 514-3322

nent			#104, 19575-55 A Ave.F: +1 (604) 514-3323Surrey, British ColumbiaE: info.vancouver@element.comV3S 8P8, CanadaW: www.element.com			
ta ence Taylor Crescent	Project ID: Project Name: W	Vell Water Test	L Control Nu	ot ID: <b>1677476</b>		
Canada	Project Location:		Date Rece			
	LSD:		Date Repo			
Payable shaw ta	P.O.: Proj. Acct. code:		•	Report Number: 2911558		
	Reference Number	1677476-5	1677476-6	1677476-7		
	Sample Date	Sep 08, 2023	Sep 08, 2023	Sep 08, 2023		
	Sample Time	09:51	10:12	10:40		
	Sample Location					
	Sample Description	Well #5 (306) / 8.4 ℃	Well #3 (307) / 8.4 ℃	Reservoir (329) / 8.4 °C		
	Matrix	Drinking Water	Drinking Water	Drinking Water		
	Units	Results	Results	Results	Nominal Detection Limit	
Extractable	mg/L	<0.001	<0.001	0.020	0.001	
Extractable	mg/L	0.00015	0.00010	0.00007	0.00002	
Extractable	mg/L	0.0035	0.0029	0.0016	0.0001	
Extractable	mg/L	0.0097	0.0083	0.0037	0.0001	
Extractable	mg/L	0.007	0.006	0.004	0.002	
Extractable	mg/L	<0.00001	<0.00001	<0.00001	0.00001	
Extractable	mg/L	0.0020	0.0030	0.00092	0.00005	
Extractable	mg/L	0.0041	0.0017	0.0005	0.0005	
Extractable	mg/L	0.00020	0.00006	0.00002	0.00001	
Extractable	mg/L	0.0007	0.0006	0.0003	0.0002	
Extractable	mg/L	0.11	0.098	0.036	0.0001	
Extractable	mg/L	0.0034	0.0019	0.0011	0.00001	
Extractable	mg/L	0.0059	0.0051	0.0022	0.00005	
Extractable	mg/L	0.0052	0.0014	<0.0005	0.0005	
Preparation		Field Pres, digest as total Hg	Field Pres, digest as total Hg	Field Pres, digest as total Hg		
Total	ma/L	< 0.00001	< 0.00001	< 0.00001	0.00001	

Digestion	Preparation		Field Pres, digest as total Hg	Field Pres, digest as total Hg	Field Pres, digest as total Hg	
Mercury	Total	mg/L	<0.00001	<0.00001	<0.00001	0.00001
Microbiological Analysis						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	<1.0	<1.0	1.0
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	<1.0	<1.0	1.0
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	6.0	<2.0	2
Physical and Aggregate F	Properties					
Colour	True	Colour units	<5	<5	<5	5
Turbidity		NTU	<0.10	0.12	0.15	0.1
Routine Water						
pH - Holding Time			Exceeded	Exceeded	Exceeded	
рН	at 25 °C		7.73	7.96	7.64	0.01
Electrical Conductivity		µS/cm at 25 ℃	309	304	160	1
Calcium	Extractable	mg/L	31	31	14	0.01
Iron	Extractable	mg/L	<0.004	< 0.004	0.020	0.004
Magnesium	Extractable	mg/L	12	12	4.9	0.02
Manganese	Extractable	mg/L	0.012	<0.001	0.005	0.001
Potassium	Extractable	mg/L	2.2	2.1	0.93	0.04
Silicon	Extractable	mg/L	11	12	5.1	0.005
Sodium	Extractable	mg/L	8.4	8.5	8.1	0.1
T-Alkalinity	as CaCO3	mg/L	116	124	62	5



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

Page 4 of 19

W: www.element.com

Analytical Rep	ort					
	City of Delta 1500 Clarence Taylor Crescent		/ell Water Test	L Control Nu	Lot ID: <b>1677476</b> mber:	
Delta, BC, Canada V4K 3E2		Project Location:		Date Rec	eived: Sep 8, 2023	
		LSD:		Date Rep	orted: Sep 14, 2023	
	Accounts Payable	P.O.:		Report Nu	mber: 2911558	
Sampled By: S	Scott Bradshaw	Proj. Acct. code:				
Company: C	City of Delta					
		Reference Number	1677476-5	1677476-6	1677476-7	
		Sample Date	Sep 08, 2023	Sep 08, 2023	Sep 08, 2023	
		Sample Time	09:51	10:12	10:40	
		Sample Location				
		Sample Description	Well #5 (306) / 8.4	Well #3 (307) / 8.4	Reservoir (329) / 8.4	
			°C	°C	C°	
		Matrix	Drinking Water	Drinking Water	Drinking Water	
Analyte		Units	Results	Results	Results	Nominal Detectio Limit
Routine Water - C	continued					
Chloride	Dissolved	mg/L	14.6	9.56	7.07	0.05
Fluoride	Dissolved	mg/L	0.03	0.02	0.01	0.01
Nitrate - N	Dissolved	mg/L	1.12	1.33	0.50	0.01
Nitrite - N	Dissolved	mg/L	<0.01	<0.01	<0.01	0.01
Sulfate (SO4)	Dissolved	mg/L	13.3	13.4	5.7	0.1
Hardness	as CaCO3 (extracta	ible) mg/L	129	129	56	1
Total Dissolved So	olids Extractable	mg/L	187	189	94	1

Mox Heet

Max Hewitt **Operations Manager** 

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS). Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Approved by:



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 5 of 19

Analytical Re	eport					
	City of Delta 4500 Clarence Taylor Crescer Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw City of Delta	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Well Water Test	Date Date	Lot ID: <b>16774</b> I Number: Received: Sep 8, 2 Reported: Sep 14, t Number: 2911558	023 2023
		Reference Number	1677476-1			
		Sample Date	September 08,	2023		
		Sample Time	08:00			
		Sample Location				
	S	ample Description	88th St. (225) /	′ 8.4 °C		
		Sample Matrix	Drinking Water			
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extracta						
Aluminum	Extractable	mg/L	0.027	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00007	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0010	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0043	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.003	0.002	5	Below MAC
Cadmium	Extractable	mg/L	< 0.00001	0.00001	0.007	Below MAC
Chromium	Extractable Extractable	mg/L	0.00056	0.00005	0.05	Below MAC Below AO
Copper Lead	Extractable	mg/L	0.0006 0.00003	0.0005 0.00001	1 AO; 2 MAC 0.005	Below AO
Selenium	Extractable	mg/L mg/L	< 0.0002	0.00001	0.05	Below MAC
Strontium	Extractable	mg/L	0.033	0.0002	7.0	Below MAC
Uranium	Extractable	mg/L	0.00084	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0014	0.00005	0.02	Delow W/ (O
Zinc	Extractable	mg/L	0.0006	0.0005	5.0	Below AO
Metals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
licrobiological	Analysis					
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic C Aerobic Physical and A	ount - SimPlate	MPN/mL	<2.0	2		
Colour	True	Colour units	<5	5		
Turbidity	1140	NTU	0.22	0.1	0.1/0.3/1.0 OG	
Routine Water			0. <b>_</b> _			
pH - Holding Tir	ne		Exceeded			
рН	at 25 °C		7.45	0.01	7.0-10.5	Within Range
Electrical Condι		µS/cm at 25 °C	126	1		0
Calcium	Extractable	mg/L	11	0.01		
Iron	Extractable	mg/L	0.015	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	3.5	0.02		
Manganese	Extractable	mg/L	0.003	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	0.67	0.04		
Silicon	Extractable	mg/L	3.8	0.005		
Sodium	Extractable	mg/L	8.1	0.1	200	Below AO

Terms and Conditions: https://www.element.com/terms/terms-and-conditions



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 6 of 19

Analytical Rep	ort					
4 ۲ ۸ Attn: ۸ Sampled By: ۵	City of Delta 1500 Clarence Taylor Crescent Delta, BC, Canada /4K 3E2 Accounts Payable Scott Bradshaw City of Delta	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Well Water Test	Date R Date R	Lot ID: <b>1677</b> Number: eceived: Sep 8, eported: Sep 14 Number: 29115	2023 4, 2023
company. c	,	eference Number	1677476-1			
		Sample Date	September 08,	2023		
		Sample Time	08:00			
		Sample Location				
	Sa	mple Description	88th St. (225) /	8.4 °C		
		Sample Matrix	Drinking Water			
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - C	ontinued					
T-Alkalinity	as CaCO3	mg/L	49	5		
Chloride	Dissolved	mg/L	5.61	0.05	250	Below AO
Fluoride	Dissolved	mg/L	<0.01	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	0.36	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO4)	Dissolved	mg/L	4.1	0.1	500	Below AO
Hardness	as CaCO3 (extractable)	mg/L	42	1	500	
Total Dissolved So	olids Extractable	mg/L	74	1	500	Below AO



4500 Clarence Taylor Crescent

Delta, BC, Canada

Bill To: City of Delta

Sampled By: Scott Bradshaw Company: City of Delta

V4K 3E2

Attn: Accounts Payable

**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

Project ID:

LSD:

P.O.:

Project Name:

Project Location:

Proj. Acct. code:

Sample Date

Sample Time

**Reference Number** 

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 7 of 19

Lot ID: 1677476 Well Water Test Control Number: Date Received: Sep 8, 2023 Date Reported: Sep 14, 2023 Report Number: 2911558 1677476-2 September 08, 2023 08:35

		Sample Time	00.00			
		Sample Location				
	Sa	ample Description	Burns Dr. (308			
		Sample Matrix	Drinking Wate			
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractable						
Aluminum	Extractable	mg/L	0.026	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00007	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0011	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0039	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.003	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00062	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0040	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00015	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.031	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.00089	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0016	0.00005		
Zinc	Extractable	mg/L	0.0021	0.0005	5.0	Below AO
Metals Total		Ū				
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Aicrobiological Analysis	s					
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Count - Aerobic	SimPlate	MPN/mL	<2.0	2		
Physical and Aggregate	Properties					
Colour	True	Colour units	<5	5		
Turbidity		NTU	0.13	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH - Holding Time			Exceeded			
pН	at 25 °C		7.47	0.01	7.0-10.5	Within Range
Electrical Conductivity		µS/cm at 25 °C	131	1		
Calcium	Extractable	mg/L	12	0.01		
Iron	Extractable	mg/L	0.015	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	3.7	0.02		
Manganese	Extractable	mg/L	0.002	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	0.77	0.04		
Silicon	Extractable	mg/L	4.1	0.005		
Sodium	Extractable	mg/L	8.0	0.1	200	Below AO



**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 8 of 19

4 D V Attn: A Sampled By: S	City of Delta 500 Clarence Taylor Crescen Delta, BC, Canada (4K 3E2 Accounts Payable Accott Bradshaw City of Delta	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Well Water Test	Date R	Number: eceived: Se	677476 ep 8, 2023 ep 14, 2023 i11558
	, F	Reference Number	1677476-2			
		Sample Date	September 08	, 2023		
		Sample Time	08:35			
		Sample Location				
	Sa	ample Description	Burns Dr. (308	s) / 8.4 °C		
		Sample Matrix	Drinking Wate	r		
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - C	ontinued					
T-Alkalinity	as CaCO3	mg/L	51	5		
Chloride	Dissolved	mg/L	5.84	0.05	250	Below AO
Fluoride	Dissolved	mg/L	<0.01	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	0.38	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO4)	Dissolved	mg/L	4.3	0.1	500	Below AO
Hardness	as CaCO3 (extractable)	mg/L	45	1		
Total Dissolved So	olids Extractable	mg/L	78	1	500	Below AO



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 9 of 19

element.com

Analytical Re	eport					
	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Project Name: Project Location: LSD:	Well Water Test	Date	Lot ID: <b>16774</b> bl Number: Received: Sep 8, 20 Reported: Sep 14, 2	)23
Attn: Sampled By: Company:	Accounts Payable Scott Bradshaw City of Delta	P.O.: Proj. Acct. code:		Repo	rt Number: 2911558	
company.	•	ference Number	1677476-3			
		Sample Date	September 08, 202	23		
		Sample Time	09:05			
	5	Sample Location				
		nple Description	112th St. (270) / 8.	4 °C		
		Sample Matrix	Drinking Water			
Analyte		Units	No Result	minal Detection Limit	Guideline Limit	Guideline Comments
Metals Extracta	ble					
Aluminum	Extractable	mg/L	0.021	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00008	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0016	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0041	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.003	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00088	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	<0.0005	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00003	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.038	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0012	0.00001	0.02	Below MAC
Vanadium 	Extractable	mg/L	0.0022	0.00005		
Zinc	Extractable	mg/L	0.0013	0.0005	5.0	Below AO
Metals Total Digestion	Preparation		Field Pres, digest			
Mercury	Total	mg/L	as total Hg <0.00001	0.00001	0.001	Below MAC
Microbiological		ing/E	0.00001	0.00001	0.001	Delow Mixe
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli		MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Co Aerobic	ount - SimPlate	MPN/mL	<2.0	2		
	ggregate Properties	_				
Colour	True	Colour units	<5	5		
Turbidity		NTU	0.21	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH - Holding Tin			Exceeded		70.005	
рН	at 25 °C	<b>0</b> / · · · · · · ·	7.59	0.01	7.0-10.5	Within Range
Electrical Condu	•	µS/cm at 25 °C	159	1		
Calcium	Extractable	mg/L	14	0.01		
Iron	Extractable	mg/L	0.020	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	4.9	0.02		
Manganese	Extractable	mg/L	0.004	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	0.98	0.04		
Silicon	Extractable	mg/L	4.9	0.005		
Sodium	Extractable	mg/L	8.0	0.1	200	Below AO



**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 10 of 19

, mary noar reop						
4 D V Attn: A	City of Delta 500 Clarence Taylor Crescent Delta, BC, Canada /4K 3E2 Accounts Payable Scott Bradshaw	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Well Water Test	Date F	Number: Received:	<b>1677476</b> Sep 8, 2023 Sep 14, 2023 2911558
Company: C	City of Delta					
	R	eference Number	1677476-3			
		Sample Date	September 0	8, 2023		
		Sample Time	09:05			
		Sample Location				
	Sa	mple Description	112th St. (27	0) / 8.4 °C		
		Sample Matrix	Drinking Wat	er		
Analyte		Units	Result	Nominal Detection Limit	Guidelin Limit	ne Guideline Comments
Routine Water - C	ontinued					
T-Alkalinity	as CaCO3	mg/L	61	5		
Chloride	Dissolved	mg/L	7.05	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.01	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	0.50	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO4)	Dissolved	mg/L	5.6	0.1	500	Below AO
Hardness	as CaCO3 (extractable)	mg/L	56	1		
Total Dissolved So	olids Extractable	mg/L	93	1	500	Below AO



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 11 of 19

Analytical Re	eport					
Attn: Sampled By:	Scott Bradshaw	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Well Water Test	Date Date	Lot ID: <b>1677</b> Number: Received: Sep 8, 2 Reported: Sep 14, t Number: 2911558	2023 2023
Company:	City of Delta	fanan an Numban	4077470 4			
		eference Number Sample Date Sample Time Sample Location	1677476-4 September 08, 09:30	2023		
		mple Description Sample Matrix	Well #1 (305) / Drinking Water			
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractal						
Aluminum	Extractable	mg/L	<0.001	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00017	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0043	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0037	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.006	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.0026	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0009	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	<0.00001	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	0.0006	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.074	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0023	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0064	0.00005		
Zinc	Extractable	mg/L	<0.0005	0.0005	5.0	Below AO
Metals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Aicrobiological	Analysis					
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Co Aerobic		MPN/mL	62.0	2		
-	ggregate Properties	Calaurusita	<i>r</i>	-		
Colour	True	Colour units	<5	5	0 4/0 0/4 0 00	
Turbidity		NTU	0.10	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH - Holding Tin			Exceeded	0.04	70405	
pH Flastriant Count	at 25 °C		7.77	0.01	7.0-10.5	Within Range
Electrical Condu		µS/cm at 25 °C	274	1		
Calcium	Extractable	mg/L	29	0.01	0.0	<b>D</b> · · · -
Iron	Extractable	mg/L	0.005	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	10	0.02		<b>_</b>
Manganese	Extractable	mg/L	0.006	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	1.9	0.04		
Silicon	Extractable	mg/L	11	0.005		
Sodium	Extractable	mg/L	8.2	0.1	200	Below AO



4500 Clarence Taylor Crescent

Delta, BC, Canada

Bill To: City of Delta

Sampled By: Scott Bradshaw

V4K 3E2

Attn: Accounts Payable

**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 12 of 19

Well Water Test	Control Number: Date Received: Date Reported:	Sep 14, 2023
	Report Number:	2911558
1677476-4		

Company: City of	Delta					
		Reference Number	1677476-4			
		Sample Date	September (	08, 2023		
		Sample Time	09:30			
		Sample Location				
		Sample Description	Well #1 (305	5) / 8.4 °C		
		Sample Matrix	Drinking Wa	ter		
nalyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
outine Water - Contin	ued					
T-Alkalinity	as CaCO3	mg/L	105	5		
Chloride	Dissolved	mg/L	12.8	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.03	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	1.22	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO4)	Dissolved	mg/L	11.4	0.1	500	Below AO
lardness	as CaCO3 (extractable)	mg/L	115	1		
Total Dissolved Solids	Extractable	mg/L	172	1	500	Below AO

Project ID:

LSD:

P.O.:

Project Name:

Project Location:

Proj. Acct. code:



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 13 of 19

Analytical Re	port					
	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw City of Delta	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Well Water Test	Date Date	Lot ID: <b>16774</b> DI Number: Received: Sep 8, 20 Reported: Sep 14, 2 tt Number: 2911558	)23
		eference Number	1677476-5			
		Sample Date Sample Time	September 08, 09:51	2023		
		Sample Location nple Description Sample Matrix	Well #5 (306) / Drinking Water			
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractal						
Aluminum	Extractable	mg/L	< 0.001	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00015	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0035	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0097	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.007	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.0020	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0041	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00020	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	0.0007	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.11	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0034	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0059	0.00005		
Zinc	Extractable	mg/L	0.0052	0.0005	5.0	Below AO
Metals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Microbiological	Analysis	-				
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli		MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Co Aerobic		MPN/mL	<2.0	2		
	gregate Properties	<b>_</b> .				
Colour	True	Colour units	<5	5		
Turbidity		NTU	<0.10	0.1	0.1/0.3/1.0 OG	
Routine Water						
pH - Holding Tim			Exceeded			
рН	at 25 °C		7.73	0.01	7.0-10.5	Within Range
Electrical Condu	ıctivity	µS/cm at 25 °C	309	1		
Calcium	Extractable	mg/L	31	0.01		
Iron	Extractable	mg/L	<0.004	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	12	0.02		
Manganese	Extractable	mg/L	0.012	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	2.2	0.04		
Silicon	Extractable	mg/L	11	0.005		
Sodium	Extractable	mg/L	8.4	0.1	200	Below AO



4500 Clarence Taylor Crescent

Delta, BC, Canada

Bill To: City of Delta

**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 14 of 19

Lot ID: 1677476

Control Number:	
Date Received:	Sep 8, 2023
Date Reported:	Sep 14, 2023
Report Number:	2911558

۷ Attn: A Sampled By: S	4K 3E2 Accounts Payable Scott Bradshaw	LSD: P.O.: Proj. Acct. code:		Date R	eceived: Sep 8, 2 eported: Sep 14, Number: 291155	, 2023
		Reference Number	1677476-5			
		Sample Date	September (	08, 2023		
		Sample Time	09:51			
		Sample Location				
		Sample Description	Well #5 (306	i) / 8.4 °C		
		Sample Matrix	Drinking Wa	ter		
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - C	ontinued					
T-Alkalinity	as CaCO3	mg/L	116	5		
Chloride	Dissolved	mg/L	14.6	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.03	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	1.12	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO4)	Dissolved	mg/L	13.3	0.1	500	Below AO
Hardness	as CaCO3 (extractable)	mg/L	129	1		
Total Dissolved So	olids Extractable	mg/L	187	1	500	Below AO

Well Water Test

Project ID:

Project Name:

Project Location:



Bill To: City of Delta

**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

Project ID:

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 15 of 19

Lot ID:	1677476

4500 Clarence Taylor Crescent Project Name: Well Water Test Control Number: Project Location: Delta, BC, Canada Date Received: Sep 8, 2023 LSD: V4K 3E2 Date Reported: Sep 14, 2023 P.O.: Attn: Accounts Payable Report Number: 2911558 Proj. Acct. code: Sampled By: Scott Bradshaw City of Delta Company: **Reference Number** 1677476-6 September 08, 2023 Sample Date Sample Time 10:12 Sample Location Sample Description Well #3 (307) / 8.4 °C **Sample Matrix Drinking Water** Nominal Detection Guideline Guideline Limit Limit Comments Analyte Units Result Metals Extractable < 0.001 0.001 0.1 OG; 2.9 MAC Below OG Aluminum Extractable mg/L Antimony Extractable 0.00010 0.00002 0.006 Below MAC mg/L Arsenic Extractable mg/L 0.0029 0.0001 0.010 Below MAC Barium Extractable mg/L 0.0083 0.0001 2.0 Below MAC Boron Extractable mg/L 0.006 0.002 5 Below MAC Cadmium <0.00001 0.00001 0.007 Below MAC Extractable mg/L Chromium 0.0030 0.00005 0.05 Below MAC Extractable mg/L Below AO Copper Extractable 0.0017 0.0005 1 AO; 2 MAC mg/L 0.005 Below MAC Lead Extractable mg/L 0.00006 0.00001 Selenium Extractable mg/L 0.0006 0.0002 0.05 Below MAC Strontium Extractable mg/L 0.098 0.0001 7.0 Below MAC Below MAC Uranium Extractable mg/L 0.0019 0.00001 0.02 Vanadium Extractable 0.0051 0.00005 mg/L Zinc Extractable mg/L 0.0014 0.0005 5.0 Below AO Metals Total Digestion Preparation Field Pres, digest as total Hg < 0.00001 0.00001 0.001 Below MAC Mercury Total mg/L **Microbiological Analysis Total Coliforms** Enzyme Substrate MPN/100 mL <1.0 1.0 0 per 100 mL Below MAC Test Escherichia coli MPN/100 mL 0 per 100 mL Below MAC Enzyme Substrate <1.0 1.0 Test Heterotrophic Count -MPN/mL 2 SimPlate 6.0 Aerobic **Physical and Aggregate Properties** Colour True Colour units <5 5 NTU 0.1 Turbidity 0.12 0.1/0.3/1.0 OG **Routine Water** pH - Holding Time Exceeded pН at 25 °C 7.96 0.01 7.0-10.5 Within Range **Electrical Conductivity** µS/cm at 25 °C 304 1 Calcium Extractable mg/L 31 0.01 0.004 Iron Extractable mg/L < 0.004 0.3 Below AO Extractable 12 0.02 Magnesium mg/L Manganese Extractable mg/L < 0.001 0.001 0.02 AO; 0.12 Below AO MAC Potassium Extractable 2.1 0.04 mg/L Silicon Extractable mg/L 12 0.005 Sodium 200 Extractable mg/L 8.5 0.1 Below AO



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 16 of 19

Analytical Rep	ort					
4 E V Attn: A	City of Delta 1500 Clarence Taylor Crescent Delta, BC, Canada /4K 3E2 Accounts Payable Scott Bradshaw	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Well Water Test	Date R Date R	Lot ID: <b>1677</b> Number: eceived: Sep 8, eported: Sep 14 Number: 29115	2023 4, 2023
Company: C	City of Delta					
	Re	eference Number	1677476-6			
		Sample Date	September 08	, 2023		
		Sample Time	10:12			
		Sample Location				
	Sa	mple Description	Well #3 (307)			
		Sample Matrix	Drinking Wate			
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Routine Water - C	ontinued					
T-Alkalinity	as CaCO3	mg/L	124	5		
Chloride	Dissolved	mg/L	9.56	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.02	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	1.33	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO4)	Dissolved	mg/L	13.4	0.1	500	Below AO
Hardness	as CaCO3 (extractable)	mg/L	129	1		
Total Dissolved So	olids Extractable	mg/L	189	1	500	Below AO



4500 Clarence Taylor Crescent

Delta, BC, Canada

Bill To: City of Delta

V4K 3E2

**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

Well Water Test

Project ID:

LSD:

Project Name:

Project Location:

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 17 of 19

Lot ID: 1677476

Control Number: Date Received: Sep 8, 2023 Date Reported: Sep 14, 2023 Report Number: 2911558

P.O.: Attn: Accounts Payable Report Number: Proj. Acct. code: Sampled By: Scott Bradshaw City of Delta Company: **Reference Number** 1677476-7 Sample Date September 08, 2023 Sample Time 10:40 Sample Location Sample Description Reservoir (329) / 8.4 °C Sample Matrix **Drinking Water** Nominal Detection Guideline Guideline Limit Limit Comments Analyte Units Result Metals Extractable 0.020 0.001 0.1 OG; 2.9 MAC Below OG Aluminum Extractable mg/L Antimony Extractable 0.00007 0.00002 0.006 Below MAC mg/L Below MAC Arsenic Extractable mg/L 0.0016 0.0001 0.010 Barium Extractable mg/L 0.0037 0.0001 2.0 Below MAC Boron Extractable mg/L 0.004 0.002 5 Below MAC Cadmium Extractable < 0.00001 0.00001 0.007 Below MAC mg/L Chromium Extractable 0.00092 0.00005 0.05 Below MAC mg/L Below AO Copper Extractable 0.0005 0.0005 1 AO; 2 MAC mg/L 0.005 Below MAC Lead Extractable mg/L 0.00002 0.00001 Selenium Extractable mg/L 0.0003 0.0002 0.05 Below MAC Strontium Extractable mg/L 0.036 0.0001 7.0 Below MAC Below MAC Uranium Extractable mg/L 0.0011 0.00001 0.02 Vanadium Extractable mg/L 0.0022 0.00005 Zinc Extractable mg/L < 0.0005 0.0005 5.0 Below AO **Metals Total** Digestion Preparation Field Pres, digest as total Hg < 0.00001 0.00001 0.001 Below MAC Mercury Total mg/L **Microbiological Analysis Total Coliforms** Enzyme Substrate MPN/100 mL <1.0 1.0 0 per 100 mL Below MAC Test Escherichia coli MPN/100 mL 0 per 100 mL Below MAC Enzyme Substrate <1.0 1.0 Test Heterotrophic Count -MPN/mL 2 SimPlate <2.0 Aerobic **Physical and Aggregate Properties** Colour True Colour units <5 5 NTU 0.15 0.1 0.1/0.3/1.0 OG Turbidity **Routine Water** 

noutino mator						
pH - Holding Time			Exceeded			
рН	at 25 °C		7.64	0.01	7.0-10.5	Within Range
Electrical Conductivity		µS/cm at 25 °C	160	1		
Calcium	Extractable	mg/L	14	0.01		
Iron	Extractable	mg/L	0.020	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	4.9	0.02		
Manganese	Extractable	mg/L	0.005	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	0.93	0.04		
Silicon	Extractable	mg/L	5.1	0.005		
Sodium	Extractable	mg/L	8.1	0.1	200	Below AO



4500 Clarence Taylor Crescent

Delta, BC, Canada

Bill To: City of Delta

V4K 3E2

Attn: Accounts Payable

**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 18 of 19

Lot ID: 1677476

Control Number: Date Received: Sep 8, 2023 Date Reported: Sep 14, 2023 Report Number: 2911558

Sampled By: Scott Bradshaw Company: City of Delta		Proj. Acct. code:		кероп	Number: 2911558		
		Reference Number	1677476-7				
		Sample Date	September 08,	2023			
		Sample Time	10:40				
		Sample Location					
		Sample Description	Reservoir (329	) / 8.4 °C			
		Sample Matrix	Drinking Water				
				Nominal Detection	Guideline	Guideline	
Analyte		Units	Result	Limit	Limit	Comments	
Routine Water -	Continued						
T-Alkalinity	as CaCO3	mg/L	62	5			
Chloride	Dissolved	mg/L	7.07	0.05	250	Below AO	
Fluoride	Dissolved	mg/L	0.01	0.01	1.5	Below MAC	
Nitrate - N	Dissolved	mg/L	0.50	0.01	10	Below MAC	
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC	
Sulfate (SO4)	Dissolved	mg/L	5.7	0.1	500	Below AO	
Hardness	as CaCO3 (extractable)	mg/L	56	1			
Total Dissolved	Solids Extractable	mg/L	94	1	500	Below AO	

Well Water Test

Project ID:

LSD:

P.O.:

Project Name:

Project Location:

Max Approved by:

Max Hewitt Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS). Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.



Well Water Test

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 19 of 19

# **Methodology and Notes**

Bill To:	City of Delta	Project ID:
	4500 Clarence Taylor Crescent	Project Name:
	Delta, BC, Canada	Project Location:
	V4K 3E2	LSD:
Attn:	Accounts Payable	P.O.:
Sampled By:	Scott Bradshaw	Proj. Acct. code:
Company:	City of Delta	

# **Method of Analysis**

Lot ID: 1677476 Con Da Da 23

Control Number:	
Date Received:	Sep 8, 2023
Date Reported:	Sep 14, 202
Report Number:	2911558

Method Name	Reference	Method	Date Analysis Started	Location
Alk, pH, EC, Turb in water (BC)	APHA	* Alkalinity - Titration Method, 2320 B	Sep 8, 2023	Element Vancouver
Alk, pH, EC, Turb in water (BC)	APHA	* Conductivity, 2510 B	Sep 8, 2023	Element Vancouver
Alk, pH, EC, Turb in water (BC)	APHA	* pH - Electrometric Method, 4500-H+ B	Sep 8, 2023	Element Vancouver
Anions by IEC in water (VAN)	APHA	<ul> <li>* Ion Chromatography with Chemical Suppression of Eluent Cond., 4110 B</li> </ul>	Sep 8, 2023	Element Vancouver
Heterotrophic (Standard) Plate Count (Aerobic SP) - VAN	APHA	Enzyme Substrate Method, 9215 E	Sep 8, 2023	Element Vancouver
Mercury Low Level (Total) in water (VAN)	EPA	* Mercury in Water by Cold Vapor Atomic Fluorescence Spectrometry, 245.7	Sep 13, 2023	Element Vancouver
Metals SemiTrace (Extractable) in water (VAN)	US EPA	<ul> <li>Metals &amp; Trace Elements by ICP-AES, 6010C</li> </ul>	Sep 12, 2023	Element Vancouver
Total and E-Coli - Colilert - DW (VAN)	APHA	Enzyme Substrate Test, APHA 9223 B	Sep 8, 2023	Element Vancouver
Total and E-Coli - Colilert - DW (VAN)	APHA	Enzyme Substrate Test, APHA 9223 B	Sep 8, 2023	Element Vancouver
Trace Metals (extractable) in Water (VAN)	US EPA	<ul> <li>Determination of Trace Elements in Waters and Wastes by ICP-MS, 200.8</li> </ul>	Sep 12, 2023	Element Vancouver
True Color in water (VAN)	APHA	* Spectrophotometric - Single Wavelength Method, 2120 C	Sep 11, 2023	Element Vancouver
Turbidity - Water (VAN)	APHA	* Turbidity - Nephelometric Method, 2130 B	Sep 8, 2023	Element Vancouver

\* Reference Method Modified

# References

APHA	Standard Methods for the Examination of Water and Wastewater
EPA	Environmental Protection Agency Test Methods - US
US EPA	US Environmental Protection Agency Test Methods

## Guidelines

Guideline Description	Health Canada GCDWQ
Guideline Source	Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020
Guideline Comments	MAC = Maximum Acceptable Concentration
	AO = Aesthetic Objective
	OG = Operational Guideline for Water Treatment Plants
	(does not apply to private groundwater wells).
	Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group. Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

**Fourth Quarter Reporting** 

December 13, 2023



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Report Trans	smission Cover Page					
	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw City of Delta	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Well Water Test 23331618	Lot I Control Numb Date Receive Date Report Report Numb	er: ed: Dec ed: Dec	
Contact	Company		Address			
Accounts Payat	ole City of Delta		4500 Clarence Tay	/lor Crescent		
			Delta, BC V4K 3E2	2		
			Phone: (604) 946	-4141 Fax	c: (60	946-3962
			Email: accountsp	payable@delta.ca		
Delivery	Format		Deliv	verables		]
Email	PDF		Invoi	се		
R. Taylor	City of Delta		Environmental Ser	vices, 4500 Clarence Ta	ylor Cres	scent
			Delta, BC V4K 3E2			
			Phone: (604) 946		k: (60	)4) 946-4693
			Email: rtaylor@d	lelta.ca		_
Delivery Format				verables		
Email - Merge	PDF			: / Test Report		
Scott Bradshaw	City of Delta		5404 - 64 Street			
			Delta, BC V4K 3M			
			Phone: (604) 952		k: (60	946-4855
				w@delta.ca		_
<u>Delivery</u>	<u>Format</u>	at Deliverables				
Email	PDF		COA			
Email	PDF		COR			
Email PDF			Invoi			
Email - Merge	PDF		COC	: / Test Report		

Notes To Clients:

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.



4500 Clarence Taylor Crescent

Bill To: City of Delta

**Analytical Report** 

Analyte

Aluminum

Antimony

Arsenic

Barium

Cadmium

Chromium

Copper

Selenium

Strontium

Uranium

Zinc

Vanadium

Digestion

Mercury

Aerobic

Colour

pН

Turbidity

Calcium

Potassium

Silicon

Iron

Lead

Boron

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

Well Water Test

Project ID:

Project Name:

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Control Number:

Lot ID:

Page 1 of 15

	4700004
Lot ID:	1700264

Project Location: Delta, BC, Canada Date Received: Dec 8, 2023 LSD: V4K 3E2 Date Reported: Dec 13, 2023 P.O.: 23331618 Attn: Accounts Payable Report Number: 2953572 Proj. Acct. code: Sampled By: Scott Bradshaw City of Delta Company: **Reference Number** 1700264-1 Sample Date December 08, 2023 Sample Time 07:50 Sample Location Sample Description 88th St (225) / 4.1 °C Sample Matrix **Drinking Water** Nominal Detection Guideline Guideline Limit Limit Comments Units Result Metals Extractable Extractable mg/L 0.023 0.001 0.1 OG: 2.9 MAC Below OG 0.00008 0.006 Below MAC Extractable mg/L 0.00002 Extractable 0.0012 0.0001 0.010 Below MAC mg/L Below MAC Extractable mg/L 0.0053 0.0001 2.0 Extractable mg/L 0.004 0.002 5 Below MAC Extractable <0.00001 0.00001 0.007 Below MAC mg/L Below MAC Extractable 0.00063 0.00005 0.05 mg/L Extractable 0.0022 0.0005 1 AO; 2 MAC Below AO mg/L 0.005 Below MAC Extractable mg/L 0.00002 0.00001 Extractable mg/L < 0.0002 0.0002 0.05 Below MAC 7.0 Below MAC Extractable mg/L 0.042 0.0001 Extractable mg/L 0.0010 0.00001 0.02 Below MAC Extractable mg/L 0.0016 0.00005 Extractable 0.0007 0.0005 5.0 Below AO mg/L Metals Total Field Pres, digest Preparation as total Hg Total <0.00001 0.00001 0.001 Below MAC mg/L **Microbiological Analysis Total Coliforms** Enzyme Substrate MPN/100 mL <1.0 1.0 0 per 100 mL Below MAC Test 0 per 100 mL Below MAC Escherichia coli Enzyme Substrate MPN/100 mL <1.0 1.0 Test Heterotrophic Count -SimPlate MPN/mL <2.0 2 Physical and Aggregate Properties True Colour units <5 5 NTU <0.10 0.1 0.1/0.3/1.0 OG **Routine Water** 7.39 0.01 7.0-10.5 Within Range pH - Holding Time Exceeded °C Temp. of observed pH 21.0 **Electrical Conductivity** at 25 °C µS/cm 131 1 0.01 Extractable mg/L 16 Extractable mg/L < 0.004 0.004 0.3 Below AO Magnesium Extractable mg/L 3.8 0.02 0.02 AO; 0.12 Manganese Extractable mg/L 0.001 0.001 Below AO MAC Extractable 0.88 0.04 mg/L

4.7

0.005

Terms and Conditions: https://www.element.com/terms/terms-and-conditions

Extractable

mg/L



Hardness

**Total Dissolved Solids** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

**Analytical Report** Project ID: Bill To: City of Delta Lot ID: 1700264 Project Name: 4500 Clarence Taylor Crescent Well Water Test Control Number: Project Location: Delta, BC, Canada Date Received: Dec 8, 2023 LSD: V4K 3E2 Date Reported: Dec 13, 2023 23331618 P.O.: Attn: Accounts Payable Report Number: 2953572 Proj. Acct. code: Sampled By: Scott Bradshaw Company: City of Delta 1700264-1 **Reference Number** Sample Date December 08, 2023 Sample Time 07:50 Sample Location 88th St (225) / 4.1 °C Sample Description Sample Matrix **Drinking Water** Guideline **Nominal Detection** Guideline Limit Limit Comments Analyte Units Result **Routine Water - Continued** Sodium Extractable mg/L 4.1 0.1 200 Below AO T-Alkalinity as CaCO3 48 mg/L 5 0.05 250 Below AO Chloride Dissolved mg/L 6.63 Fluoride Dissolved mg/L 0.01 0.01 1.5 Below MAC Nitrate - N Dissolved mg/L 0.42 0.01 10 Below MAC Nitrite - N Dissolved <0.01 0.01 Below MAC mg/L 1 Sulfate (SO4) Dissolved mg/L 4.9 0.1 500 Below AO

55

80

1

1

500

Below AO

as CaCO3

(extractable)

Extractable

mg/L

mg/L



4500 Clarence Taylor Crescent

Bill To: City of Delta

**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

Well Water Test

Project ID:

Project Name:

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 3 of 15

	Lot ID: Control Number: Date Received: Date Reported: Report Number:	Dec 13, 2023	
2023			

	4500 Clarence Taylor Cres			Contro	l Number:	
	Delta, BC, Canada	Project Location:		Date	Received: Dec	8, 2023
	V4K 3E2	LSD:	00004040	Date	Reported: Dec	13, 2023
	Accounts Payable	P.O.:	23331618	Repor	t Number: 2953	3572
Sampled By:	Scott Bradshaw	Proj. Acct. code:				
Company:	City of Delta					
		Reference Number	1700264-2			
		Sample Date	December 08,	2023		
		Sample Time	08:23			
		Sample Location				
		Sample Description	Burns Dr (308)			
		Sample Matrix	Drinking Water			
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractal	ble					
Aluminum	Extractable	mg/L	0.021	0.001	0.1 OG; 2.9 MA	C Below OG
Antimony	Extractable	mg/L	0.00007	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0011	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0054	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.003	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00064	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0039	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00012	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	<0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.040	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0010	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0014	0.00005		
Zinc	Extractable	mg/L	0.0028	0.0005	5.0	Below AO
Metals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Aicrobiological						
Total Coliforms	Enzyme Substra Test		<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substra Test		<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Co	ount - SimPlate	MPN/mL	<2.0	2		
Aerobic Physical and Ac	gregate Properties					
Colour	True	Colour units	<5	5		
Turbidity		NTU	<0.10	0.1	0.1/0.3/1.0 OG	<b>i</b>
Routine Water						
pH			7.39	0.01	7.0-10.5	Within Range
pH - Holding Tim	ne		Exceeded			
Temp. of observ		°C	21.1			
Electrical Condu		μS/cm	129	1		
Calcium	Extractable	mg/L	16	0.01		
Iron	Extractable	mg/L	<0.004	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	3.8	0.02	5.0	20.0.1.10
Manganese	Extractable	mg/L	0.001	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	0.87	0.04	MAC	
		IIIg/ L	0.07	0.04		

Terms and Conditions: https://www.element.com/terms/terms-and-conditions



Page 4 of 15 F: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Analytical Rep	port					
Attn: Sampled By:	City of Delta 4500 Clarence Taylor Crescen Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw City of Delta	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Well Water Test 23331618	Date R Date R	Number: eceived: eported:	<b>1700264</b> Dec 8, 2023 Dec 13, 2023 2953572
	R	eference Number	1700264-2			
		Sample Date	December 08, 2023	3		
		Sample Time	08:23			
		Sample Location				
	Sa	ample Description	Burns Dr (308) / 4.2	l °C		
		Sample Matrix	Drinking Water			
Analyte		Units	No Result	minal Detection Limit	Guidelin Limit	
Routine Water - 0	Continued					
Sodium	Extractable	mg/L	4.1	0.1	200	Below AO
T-Alkalinity	as CaCO3	mg/L	47	5		
Chloride	Dissolved	mg/L	6.54	0.05	250	Below AO
Fluoride	Dissolved	mg/L	0.01	0.01	1.5	Below MAC
Nitrate - N	Dissolved	mg/L	0.42	0.01	10	Below MAC
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC
Sulfate (SO4)	Dissolved	mg/L	4.8	0.1	500	Below AO
Hardness	as CaCO3 (extractable)	mg/L	55	1		
Total Dissolved S	Solids Extractable	mg/L	79	1	500	Below AO



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 5 of 15

Analytical Re	eport					
Bill To:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Project Name: Project Location: LSD:	Well Water Test	Date	Lot ID: <b>17002</b> ol Number: Received: Dec 8, 20	23
Attn: Sampled By: Company:	Accounts Payable Scott Bradshaw City of Delta	P.O.: Proj. Acct. code:	23331618		Reported: Dec 13, 2 rt Number: 2953572	023
	Re	eference Number	1700264-3			
		Sample Date	December 08, 2023			
		Sample Time	09:01			
	:	Sample Location				
	Sa	mple Description Sample Matrix	112th St (220) / 4.1 ° Drinking Water			
Analyte		Units	Nom Result	inal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractal						
Aluminum	Extractable	mg/L	0.018	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00008	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0016	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0058	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.004	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00090	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0009	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00004	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	0.0003	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.052	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0014	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0022	0.00005		
Zinc	Extractable	mg/L	<0.0005	0.0005	5.0	Below AO
Metals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Microbiological						
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli Heterotrophic Co	Test	MPN/100 mL MPN/mL	<1.0 <2.0	1.0 2	0 per 100 mL	Below MAC
Aerobic	ggregate Properties		~2.0	2		
Colour	True	Colour units	<5	5		
Turbidity	1100	NTU	<0.10	0.1	0.1/0.3/1.0 OG	
Routine Water				v. i		
pH			7.45	0.01	7.0-10.5	Within Range
pH - Holding Tin	ne		Exceeded			
Temp. of observ		°C	21.2			
Electrical Condu		μS/cm	163	1		
Calcium	Extractable	mg/L	19	0.01		
Iron	Extractable	mg/L	0.005	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	5.4	0.02		
Manganese	Extractable	mg/L	0.004	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	1.1	0.04		
Silicon	Extractable	mg/L	6.1	0.005		

Terms and Conditions: https://www.element.com/terms/terms-and-conditions



**Total Dissolved Solids** 

Extractable

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

500

1

Below AO

**Analytical Report** Project ID: Bill To: City of Delta Lot ID: 1700264 Project Name: 4500 Clarence Taylor Crescent Well Water Test Control Number: Project Location: Delta, BC, Canada Date Received: Dec 8, 2023 LSD: V4K 3E2 Date Reported: Dec 13, 2023 23331618 P.O.: Attn: Accounts Payable Report Number: 2953572 Proj. Acct. code: Sampled By: Scott Bradshaw Company: City of Delta **Reference Number** 1700264-3 Sample Date December 08, 2023 Sample Time 09:01 Sample Location Sample Description 112th St (220) / 4.1 °C Sample Matrix **Drinking Water** Guideline **Nominal Detection** Guideline Limit Limit Comments Analyte Units Result **Routine Water - Continued** Sodium Extractable mg/L 5.0 0.1 200 Below AO T-Alkalinity as CaCO3 5 mg/L 61 0.05 250 Below AO Chloride Dissolved mg/L 8.23 Fluoride Dissolved mg/L 0.02 0.01 1.5 Below MAC Nitrate - N Dissolved mg/L 0.58 0.01 10 Below MAC Nitrite - N Dissolved <0.01 0.01 Below MAC mg/L 1 Sulfate (SO4) Dissolved mg/L 6.6 0.1 500 Below AO Hardness as CaCO3 mg/L 69 1 (extractable)

101

mg/L



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 7 of 15

Bill To:	City of Delta	Project ID:			Lot ID: 1700	264
	4500 Clarence Taylor Crescent	Project Name:	Well Water Test	Contro	I Number:	204
	Delta, BC, Canada	Project Location:			Received: Dec 8, 2	2023
	V4K 3E2	LSD:			Reported: Dec 13,	
Attn:	Accounts Payable	P.O.:	23331618		rt Number: 2953572	
Sampled By:	Scott Bradshaw	Proj. Acct. code:		•		
Company:	City of Delta					
	R	eference Number	1700264-4			
		Sample Date	December 08, 2	2023		
		Sample Time	09:24			
		Sample Location				
	Sa	mple Description	Well #1 (305) /	4.1 °C		
		Sample Matrix	Drinking Water		<b>0</b>	
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractal						
Aluminum	Extractable	mg/L	0.001	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00015	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0042	0.0001	0.010	Below MAC
Barium	Extractable Extractable	mg/L	0.0051 0.006	0.0001 0.002	2.0 5	Below MAC Below MAC
Boron Cadmium	Extractable	mg/L mg/L	<0.0001	0.002	5 0.007	Below MAC
Chromium	Extractable	mg/L	0.0021	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0021	0.0005	1 AO; 2 MAC	Below MAC
Lead	Extractable	mg/L	<0.0001	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	0.0006	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.096	0.0002	7.0	Below MAC
Uranium	Extractable	mg/L	0.0029	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0068	0.00005	0.02	201011 11#10
Zinc	Extractable	mg/L	0.0011	0.0005	5.0	Below AO
Metals Total		Ū				
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Vicrobiological	-					
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Co Aerobic		MPN/mL	<2.0	2		
Colour	ggregate Properties True	Colour units	<5	5		
Turbidity	nuc	NTU	0.12	0.1	0.1/0.3/1.0 OG	
Routine Water			0.12	0.1		
pH			7.61	0.01	7.0-10.5	Within Range
pH - Holding Tin	ne		Exceeded	-		
Temp. of observ		°C	21.0			
Electrical Condu		µS/cm	265	1		
Calcium	Extractable	mg/L	29	0.01		
Iron	Extractable	mg/L	<0.004	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	10	0.02		
Manganese	Extractable	mg/L	0.008	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	2.1	0.04		
Silicon	Extractable	mg/L	12	0.005		

Terms and Conditions: https://www.element.com/terms/terms-and-conditions



**Total Dissolved Solids** 

Extractable

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

500

1

Below AO

**Analytical Report** Project ID: Bill To: City of Delta Lot ID: 1700264 Project Name: 4500 Clarence Taylor Crescent Well Water Test Control Number: Project Location: Delta, BC, Canada Date Received: Dec 8, 2023 LSD: V4K 3E2 Date Reported: Dec 13, 2023 23331618 P.O.: Attn: Accounts Payable Report Number: 2953572 Proj. Acct. code: Sampled By: Scott Bradshaw Company: City of Delta **Reference Number** 1700264-4 Sample Date December 08, 2023 Sample Time 09:24 Sample Location Well #1 (305) / 4.1 °C Sample Description Sample Matrix **Drinking Water** Guideline **Nominal Detection** Guideline Limit Limit Comments Analyte Units Result **Routine Water - Continued** Sodium Extractable mg/L 8.4 0.1 200 Below AO T-Alkalinity as CaCO3 mg/L 100 5 0.05 250 Below AO Chloride Dissolved mg/L 14.3 Fluoride Dissolved mg/L 0.03 0.01 1.5 Below MAC Nitrate - N Dissolved mg/L 1.21 0.01 10 Below MAC Nitrite - N Dissolved <0.01 0.01 Below MAC mg/L 1 Sulfate (SO4) Dissolved mg/L 11.9 0.1 500 Below AO Hardness as CaCO3 mg/L 115 1 (extractable)

173

mg/L



Bill To: City of Delta

**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

Project ID:

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 9 of 15

Lot ID: 1700264 Control Number:

		Project Name:	Well Water Test		Lot ID: 1/002	204
	4500 Clarence Taylor Crescent		Well Waler Test	Contro	ol Number:	
	Delta, BC, Canada	Project Location:		Date	Received: Dec 8, 20	023
	V4K 3E2	LSD:	00004040	Date	Reported: Dec 13, 2	2023
	Accounts Payable	P.O.:	23331618	Repo	rt Number: 2953572	
	Scott Bradshaw	Proj. Acct. code:				
Company:	City of Delta					
	Re	eference Number	1700264-5			
		Sample Date	December 08, 2023			
		Sample Time	09:50			
	:	Sample Location				
	Sar	nple Description	Well #5 (306) / 4.1 °	С		
		Sample Matrix	Drinking Water			
				ninal Detection		Guideline
Analyte		Units	Result	Limit	Limit	Comments
Aetals Extractab	le					
Aluminum	Extractable	mg/L	<0.001	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00014	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0036	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.010	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.007	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.0019	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0081	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00042	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	0.0006	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.11	0.0001	7.0	Below MAC
Uranium	Extractable	mg/L	0.0036	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0055	0.00005		
Zinc	Extractable	mg/L	0.0067	0.0005	5.0	Below AO
letals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
Aicrobiological A	Analysis					
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Co Aerobic		MPN/mL	2.0	2		
hysical and Age	gregate Properties					
Colour	True	Colour units	<5	5		
Turbidity		NTU	0.12	0.1	0.1/0.3/1.0 OG	
Routine Water						
pН			7.60	0.01	7.0-10.5	Within Range
pH - Holding Tim	e		Exceeded			
Temp. of observe	ed pH	°C	21.1			
Electrical Conduc	ctivity at 25 °C	μS/cm	295	1		
Calcium	Extractable	mg/L	32	0.01		
Iron	Extractable	mg/L	<0.004	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	13	0.02		
Manganese	Extractable	mg/L	0.014	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	2.4	0.04		
			2.1	0.0.		

Terms and Conditions: https://www.element.com/terms/terms-and-conditions



**Total Dissolved Solids** 

Extractable

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

500

1

Below AO

**Analytical Report** Project ID: Bill To: City of Delta Lot ID: 1700264 Project Name: 4500 Clarence Taylor Crescent Well Water Test Control Number: Project Location: Delta, BC, Canada Date Received: Dec 8, 2023 LSD: V4K 3E2 Date Reported: Dec 13, 2023 23331618 P.O.: Attn: Accounts Payable Report Number: 2953572 Proj. Acct. code: Sampled By: Scott Bradshaw Company: City of Delta **Reference Number** 1700264-5 Sample Date December 08, 2023 Sample Time 09:50 Sample Location Well #5 (306) / 4.1 °C Sample Description Sample Matrix **Drinking Water** Guideline **Nominal Detection** Guideline Limit Limit Comments Analyte Units Result **Routine Water - Continued** Sodium Extractable mg/L 8.8 0.1 200 Below AO T-Alkalinity as CaCO3 mg/L 113 5 0.05 250 Below AO Chloride Dissolved mg/L 15.6 Fluoride Dissolved mg/L 0.02 0.01 1.5 Below MAC Nitrate - N Dissolved mg/L 1.16 0.01 10 Below MAC Nitrite - N Dissolved <0.01 0.01 Below MAC mg/L 1 Sulfate (SO4) Dissolved mg/L 13.9 0.1 500 Below AO Hardness as CaCO3 133 mg/L 1 (extractable)

191

mg/L



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 11 of 15

Analytical Re	eport					
Bill To:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada	Project ID: Project Name: Project Location:	Well Water Test		Lot ID: <b>17002</b> I Number: Received: Dec 8, 20	
Attn: Sampled By: Company:	V4K 3E2 Accounts Payable Scott Bradshaw City of Delta	LSD: P.O.: Proj. Acct. code:	23331618		Reported: Dec 13, 2 t Number: 2953572	
	Re	eference Number	1700264-6			
		Sample Date	December 08, 2	2023		
		Sample Time	10:12			
		Sample Location				
		nple Description	Well #3 (307) /	4.1 °C		
	•••	Sample Matrix	Drinking Water			
Analyte		Units	Result	Nominal Detection Limit	Guideline Limit	Guideline Comments
Metals Extractal	ble					
Aluminum	Extractable	mg/L	<0.001	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00011	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0029	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.010	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.008	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.0026	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0017	0.0005	1 AO; 2 MAC	Below AO
Lead	Extractable	mg/L	0.00009	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	0.0005	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.0000	0.0002	7.0	Below MAC
Uranium	Extractable	mg/L	0.0023	0.00001	0.02	Below MAC
Vanadium	Extractable	•	0.0023	0.00001	0.02	Below MAC
		mg/L			F 0	Balaw AO
	Extractable	mg/L	0.0010	0.0005	5.0	Below AO
Metals Total Digestion	Preparation		Field Pres, digest			
Mercury	Total	mg/L	as total Hg <0.00001	0.00001	0.001	Below MAC
Vicrobiological		mg/E	<0.00001	0.00001	0.001	Delow MAO
Total Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli		MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Co Aerobic	ount - SimPlate	MPN/mL	<2.0	2		
hysical and Ag	gregate Properties					
Colour	True	Colour units	<5	5		
Turbidity		NTU	<0.10	0.1	0.1/0.3/1.0 OG	
Routine Water						
рН			7.63	0.01	7.0-10.5	Within Range
pH - Holding Tin	ne		Exceeded			
Temp. of observ	ved pH	°C	21.0			
Electrical Condu	uctivity at 25 °C	μS/cm	288	1		
Calcium	Extractable	mg/L	32	0.01		
Iron	Extractable	mg/L	<0.004	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	12	0.02		
Manganese	Extractable	mg/L	<0.001	0.001	0.02 AO; 0.12 MAC	Below AO
Potassium	Extractable	mg/L	2.3	0.04	-	
Silicon	Extractable	mg/L	12	0.005		

Terms and Conditions: https://www.element.com/terms/terms-and-conditions



Dissolved

Dissolved

Dissolved

Dissolved

Dissolved

as CaCO3

(extractable)

Extractable

mg/L

mg/L

mg/L

mg/L

mg/L

mg/L

mg/L

Chloride

Fluoride

Nitrate - N

Nitrite - N

Hardness

Sulfate (SO4)

**Total Dissolved Solids** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

**Analytical Report** Project ID: Bill To: City of Delta Lot ID: 1700264 Project Name: 4500 Clarence Taylor Crescent Well Water Test Control Number: Project Location: Delta, BC, Canada Date Received: Dec 8, 2023 LSD: V4K 3E2 Date Reported: Dec 13, 2023 23331618 P.O.: Attn: Accounts Payable Report Number: 2953572 Proj. Acct. code: Sampled By: Scott Bradshaw Company: City of Delta **Reference Number** 1700264-6 Sample Date December 08, 2023 Sample Time 10:12 Sample Location Well #3 (307) / 4.1 °C Sample Description Sample Matrix **Drinking Water** Guideline **Nominal Detection** Guideline Limit Limit Comments Analyte Units Result **Routine Water - Continued** Sodium Extractable mg/L 8.8 0.1 200 Below AO T-Alkalinity as CaCO3 mg/L 118 5

10.1

0.02

1.37

<0.01

14.0

129

188

0.05

0.01

0.01

0.01

0.1

1

1

250

1.5

10

1

500

500

Below AO

Below MAC

Below MAC

Below MAC

Below AO

Below AO



**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 13 of 15

Analytical Re	port					
Bill To:	City of Delta	Project ID:			Lot ID: <b>1700</b>	264
	4500 Clarence Taylor Crescen	t Project Name:	Well Water Test	Contro	ol Number:	
	Delta, BC, Canada	Project Location:		Date	Received: Dec 8,	2023
	V4K 3E2	LSD:			Reported: Dec 13	
Attn:	Accounts Payable	P.O.:	23331618		rt Number: 295357	-
Sampled By:	Scott Bradshaw	Proj. Acct. code:		Ropo		-
Company:	City of Delta					
	R	eference Number	1700264-7			
	-	Sample Date	December 08, 20	023		
		Sample Time	10:35			
		Sample Location				
	Sa	ample Description	Reservoir (329)	/ 4.1 °C		
		Sample Matrix	Drinking Water			
		• • •	-	Nominal Detection	Guideline	Guideline
nalyte		Units	Result	Limit	Limit	Comments
letals Extractab						5
Aluminum	Extractable	mg/L	0.018	0.001	0.1 OG; 2.9 MAC	Below OG
Antimony	Extractable	mg/L	0.00007	0.00002	0.006	Below MAC
Arsenic	Extractable	mg/L	0.0017	0.0001	0.010	Below MAC
Barium	Extractable	mg/L	0.0059	0.0001	2.0	Below MAC
Boron	Extractable	mg/L	0.004	0.002	5	Below MAC
Cadmium	Extractable	mg/L	<0.00001	0.00001	0.007	Below MAC
Chromium	Extractable	mg/L	0.00089	0.00005	0.05	Below MAC
Copper	Extractable	mg/L	0.0017	0.0005	1 AO; 2 MAC	Below AO
_ead	Extractable	mg/L	0.00002	0.00001	0.005	Below MAC
Selenium	Extractable	mg/L	0.0002	0.0002	0.05	Below MAC
Strontium	Extractable	mg/L	0.054	0.0001	7.0	Below MAC
Jranium	Extractable	mg/L	0.0015	0.00001	0.02	Below MAC
Vanadium	Extractable	mg/L	0.0022	0.00005		
Zinc	Extractable	mg/L	0.0007	0.0005	5.0	Below AO
letals Total						
Digestion	Preparation		Field Pres, digest as total Hg			
Mercury	Total	mg/L	<0.00001	0.00001	0.001	Below MAC
icrobiological	Analysis					
Fotal Coliforms	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Escherichia coli	Enzyme Substrate Test	MPN/100 mL	<1.0	1.0	0 per 100 mL	Below MAC
Heterotrophic Cc Aerobic		MPN/mL	<2.0	2		
	gregate Properties					
Colour	True	Colour units	<5	5		
Furbidity		NTU	<0.10	0.1	0.1/0.3/1.0 OG	
outine Water						
эΗ			7.50	0.01	7.0-10.5	Within Rang
H - Holding Tim	ne		Exceeded			-
Femp. of observe		°C	21.2			
Electrical Conduc		μS/cm	163	1		
Calcium	Extractable	mg/L	19	0.01		
ron	Extractable	mg/L	<0.004	0.004	0.3	Below AO
Magnesium	Extractable	mg/L	5.4	0.02		
Vanganese	Extractable	mg/L	0.006	0.001	0.02 AO; 0.12	Below AO
Potoooium	Extractable	<u>g</u> , _	1.0	0.04	MAC	

Terms and Conditions: https://www.element.com/terms/terms-and-conditions

Extractable

Extractable

mg/L

mg/L

1.0

6.2

0.04

0.005

Potassium

Silicon



**Analytical Report** 

Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 14 of 15

<i>v</i> 1							
	City of Delta 500 Clarence Taylor Cresce		Well Water Test	Contro	Lot ID: I Number:	1700264	
Delta, BC, Canada V4K 3E2 Attn: Accounts Payable Sampled By: Scott Bradshaw Company: City of Delta		Project Location: LSD: P.O.: Proj. Acct. code:	23331618	Date	Received: Reported: t Number:	Dec 13, 2023	
		Reference Number	1700264-7				
		Sample Date	December 08, 2	023			
		Sample Time	10:35				
		Sample Location					
	5	Sample Description	Reservoir (329)	/ 4.1 °C			
		Sample Matrix	Drinking Water				
Analyte		Units	Result	Nominal Detection Limit	Guideli Limi		
Routine Water - C	ontinued						
Sodium	Extractable	mg/L	5.0	0.1	200	Below AO	
T-Alkalinity	as CaCO3	mg/L	61	5			
Chloride	Dissolved	mg/L	8.19	0.05	250	Below AO	
Fluoride	Dissolved	mg/L	0.02	0.01	1.5	Below MAC	
Nitrate - N	Dissolved	mg/L	0.58	0.01	10	Below MAC	
Nitrite - N	Dissolved	mg/L	<0.01	0.01	1	Below MAC	
Sulfate (SO4)	Dissolved	mg/L	6.6	0.1	500	Below AO	
Hardness	as CaCO3 (extractable)	mg/L	69	1			
Total Dissolved So	olids Extractable	mg/L	101	1	500	Below AO	

Max Heel Approved by:

Max Hewitt Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS). Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Terms and Conditions: https://www.element.com/terms/terms-and-conditions



Meth

Sampled By: Scott Bradshaw Company: City of Delta

nodology	/ and Notes				
Bill To:	City of Delta	Project ID:		Lot ID:	1700264
	4500 Clarence Taylor Crescent	Project Name:	Well Water Test	Control Number:	
	Delta, BC, Canada	Project Location:		Date Received:	Dec 8, 2023
	V4K 3E2	LSD:		Date Reported:	Dec 13, 2023
Attn:	Accounts Payable	P.O.:	23331618	Report Number:	2953572
moled By:	Scott Bradshaw	Proj. Acct. code:		·	

Element

#104, 19575-55 A Ave.

V3S 8P8, Canada

Surrey, British Columbia

### **Method of Analysis**

Method Name	Reference	Method	Date Analysis Started	Location
Alk, pH, EC, Turb in water (BC)	APHA	* Alkalinity - Titration Method, 2320 B	Dec 11, 2023	Element Vancouver
Alk, pH, EC, Turb in water (BC)	APHA	* Conductivity, 2510 B	Dec 11, 2023	Element Vancouver
Alk, pH, EC, Turb in water (BC)	APHA	* pH - Electrometric Method, 4500-H+ B	Dec 11, 2023	Element Vancouver
Anions by IEC in water (VAN)	APHA	<ul> <li>* Ion Chromatography with Chemical Suppression of Eluent Cond., 4110 B</li> </ul>	Dec 8, 2023	Element Vancouver
Heterotrophic (Standard) Plate Count (Aerobic SP) - VAN	APHA	Enzyme Substrate Method, 9215 E	Dec 8, 2023	Element Vancouver
Mercury Low Level (Total) in water (VAN)	EPA	* Mercury in Water by Cold Vapor Atomic Fluorescence Spectrometry, 245.7	Dec 11, 2023	Element Vancouver
Metals SemiTrace (Extractable) in water (VAN)	US EPA	<ul> <li>Metals &amp; Trace Elements by ICP-AES, 6010C</li> </ul>	Dec 11, 2023	Element Vancouver
Total and E-Coli - Colilert - DW (VAN)	APHA	Enzyme Substrate Test, APHA 9223 B	Dec 8, 2023	Element Vancouver
Trace Metals (extractable) in Water (VAN)	US EPA	<ul> <li>Determination of Trace Elements in Waters and Wastes by ICP-MS, 200.8</li> </ul>	Dec 11, 2023	Element Vancouver
True Color in water (VAN)	APHA	<ul> <li>* Spectrophotometric - Single Wavelength Method, 2120 C</li> </ul>	Dec 11, 2023	Element Vancouver
Turbidity - Water (VAN)	APHA	* Turbidity - Nephelometric Method, 2130 B	Dec 11, 2023	Element Vancouver

#### \* Reference Method Modified

### References

APHA	Standard Methods for the Examination of Water and Wastewater
EPA	Environmental Protection Agency Test Methods - US
US EPA	US Environmental Protection Agency Test Methods

### Guidelines

Guideline Description	Health Canada GCDWQ
Guideline Source	Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020
Guideline Comments	MAC = Maximum Acceptable Concentration
	AO = Aesthetic Objective
	OG = Operational Guideline for Water Treatment Plants
	(does not apply to private groundwater wells).
	Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group. Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Number.	
eceived:	Dec 8, 2023
Reported:	Dec 13, 202
Number:	2953572

## **2023 Glyphosate Herbicide Testing**

October 4, 2023



Report Trans	smission Cover Page					
Bill To:	City of Delta	Project ID:			Lot ID:	1682668
	4500 Clarence Taylor Crescent		Glyphosate	Con	trol Number:	
	Delta, BC, Canada	Project Location:		Da	te Received:	Sep 30, 2023
	V4K 3E2	LSD:	0004040	Da	te Reported:	Oct 4, 2023
Attn:	···· · · · · · · · · · · · · · · · · ·	P.O.:	2331946	Rep	oort Number:	2919529
Sampled By:	Scott Bradshaw	Proj. Acct. code:				
Company:	City of Delta					
Contact	Company		Addres	s		
Accounts Payat				larence Taylor Crescent		
, <b>, , , ,</b>				3C V4K 3E2		
			Phone:	(604) 946-4141	Fax:	(604) 946-3962
			Email:	accountspayable@delta	a.ca	
Delivery	Format			<u>Deliverables</u>		
Email	PDF			Invoice		
Scott Bradshaw	City of Delta		5404 -	64 Street		
			Delta, E	3C V4K 3M6		
			Phone:	(604) 952-3406	Fax:	(604) 946-4855
			Email:	sbradshaw@delta.ca		
Delivery	<u>Format</u>			<b>Deliverables</b>		
Email	PDF			COA		
Email	PDF			COR		
Email	PDF			Invoice		
Email - Merge	PDF			COC / Test Report		

Notes To Clients:

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.



Page 1 of 4 T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com

W: www.element.com

Analytical Re Bill To: Attn: Sampled By: Company:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw	Project Location: LSD:	Glyphosate 2331946	Control Nur Date Rece Date Repo	ot ID: <b>1682668</b> mber: sived: Sep 30, 2023 orted: Oct 4, 2023 mber: 2919529
		Reference Number Sample Date Sample Time Sample Location Sample Description	Sep 29, 2023 08:17	1682668-2 Sep 29, 2023 08:38 306 / Well #5 / 9.1°C	1682668-3 Sep 29, 2023 08:54 307 / Well #3 / 9.1°C
		Matrix	Water	Water	Water

	IVIALITA	Water	valei	valer	
Analyte	Units	Results	Results	Results	Nominal Detection Limit
Glyphosate in Water					
Glyphosate	mg/L	<0.01	<0.01	<0.01	0.01



Analytical Re	eport					
Bill To: Attn: Sampled By: Company:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw City of Delta	Project Location: LSD:	Glyphosate 2331946	Lot ID: Control Number: Date Received: Date Reported: Report Number:	Oct 4, 2023	
	-	Reference Number	1682668-4			
		Sample Date	Sep 29, 2023			
		Sample Time	09:13			
		Sample Location				
		Sample Description	329 / Reservoir / 9.1°C			
		Matrix	Water			
Analyte		Units	Results	Results	Results	Nominal Detection Limit
Glyphosate in V	Vater					
Glyphosate		mg/L	<0.01			0.01

Approved by:

Jimmy Tran **Operations Manager** 

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS). Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.



T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Page 3 of 4

\_\_\_\_\_

<b>Quality Con</b>	trol				
Bill To: Attn:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Glyphosate 2331946	Lot ID: Control Number: Date Received: Date Reported: Report Number:	Oct 4, 2023

### **Glyphosate in Water**

Blanks	Units	Measured	Lower Limit	Upper Limit		Passed QC
Glyphosate	ng	0	-15	15		yes
AMPA	ng	0	-15	15		yes
Date Acquired:	October 03, 2023					
Calibration Check	Units	% Recovery	Lower Limit	Upper Limit		Passed QC
Glyphosate	ng	104.50	80	120		yes
AMPA	ng	99.50	80	120		yes
Date Acquired:	October 03, 2023					
Matrix Spike	Units	% Recovery	Lower Limit	Upper Limit		Passed QC
Glyphosate	µg/L	102	70	130		yes
Date Acquired:	October 03, 2023					
Client Sample Rep	licates Units	Replicate 1	Replicate 2	% RSD Criteria	Absolute Criteria	Passed QC
Glyphosate	µg/L	<10	<10	30	20	yes
AMPA	µg/L	<10	<10	30	20	yes
Date Acquired:	October 03, 2023					



Attn: Sampled By:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Glyphosate 2331946	Lot ID: Control Number: Date Received: Date Reported: Report Number:	Oct 4, 2023
Method of An Method Name	nalysis Referenc	e Metl	hod	Date Analysis Started	Location
Glyphosate - Wa	ter US EPA	Com	rent Extractable Nonvolatile npounds by HPLC/TS/MS or UV ection, 8321 B	Oct 3, 2023	Element Calgary

\* Reference Method Modified

### References

US EPA

US Environmental Protection Agency Test Methods

# Watershed Fountain Samples

2023



Report Trans	mission Cover Page					
	City of Delta 4500 Clarence Taylor Crescer Delta, BC, Canada V4K 3E2 Accounts Payable	Project ID: t Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Watershed Fountain 23250938	Control Nu Date Rec Date Rep	umber: ceived: corted:	<b>1625703</b> Jan 13, 2023 Jan 16, 2023 2834456
Company:						
Contact	Company		Address			
			Address 5404 - 64 Street			
			5404 - 64 Street		Fax:	(604) 946-4855
			5404 - 64 Street Delta, BC V4K 3M6	3406	Fax:	(604) 946-4855
Scott Bradshaw		<u>t</u>	5404 - 64 Street Delta, BC V4K 3M6 Phone: (604) 952-3 Email: sbradshaw	3406	Fax:	(604) 946-4855
Scott Bradshaw	City of Delta Forma	<u>t</u>	5404 - 64 Street Delta, BC V4K 3M6 Phone: (604) 952-3 Email: sbradshaw Delive	3406 @delta.ca	Fax:	(604) 946-4855
Contact Scott Bradshaw Delivery Email - Merge De Email - Single De	City of Delta Forma eliverables PDF	<u>t</u>	5404 - 64 Street Delta, BC V4K 3M6 Phone: (604) 952-3 Email: sbradshaw Delive	3406 @delta.ca <u>rables</u>	Fax:	(604) 946-4855

Notes To Clients:

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.



Page 1 of 2 T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Analytical Re	eport						
Bill To: Attn: Sampled By: Company:	4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Watershed Fountain 23250938	Date R Date R	Lot ID: Number: eceived: eported: Number:	<b>1625703</b> Jan 13, 2023 Jan 16, 2023 2834456	
	R	eference Number	1625703-1				
		Sample Date	January 13, 202	23			
		Sample Time	10:00				
		Sample Location					
	Sa	mple Description	230 / Watershe	d Fountain / 5.7°C			
		Sample Matrix	Drinking Water				
Analyte		Units	Result	Nominal Detection Limit	Guidel Limi		Guideline Comments
Microbiological	l Analysis						
Heterotrophic C Aerobic	Count - SimPlate	MPN/mL	26.0	2			

Mox Heit

Approved by: Max Hewitt **Operations Manager** 

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS). Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.



Methodology	and Notes				
Attn:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable	Project Location: LSD: P.O.: 23250	shed Fountain 938	Lot ID: Control Number: Date Received: Date Reported: Report Number:	<b>1625703</b> Jan 13, 2023 Jan 16, 2023 2834456
Sampled By: Company:		Proj. Acct. code:			
Method of A	nalysis				
Method Name	Reference	e Method		Date Analysis Started	Location
Heterotrophic (St (Aerobic SP) - VA	andard) Plate Count APHA	Enzyme Sub	ostrate Method, 9215 E	Jan 13, 2023	Element Vancouver
References APHA	Standard Methods for t	ne Examination of Water an	d Wastewater		
Guidelines					
Guideline Des	scription Health Canada GCDW	Q			

Guideline Description	Health Canada GCDWQ
Guideline Source	Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020
Guideline Comments	MAC = Maximum Acceptable Concentration
	AO = Aesthetic Objective
	OG = Operational Guideline for Water Treatment Plants
	(does not apply to private groundwater wells).
	Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group. Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.



Report Trans	smission Cover F	age							
	City of Delta 4500 Clarence Taylo Delta, BC, Canada V4K 3E2 Accounts Payable	r Crescent	Project ID: Project Name: Project Location: LSD: P.O.:	Watershed 23256906	Four	Dat Dat	Lot ID: rol Number: e Received: e Reported:	Feb Feb	6, 2023
Sampled By: Company:	Scott Bradshaw		Proj. Acct. code:			Кер	ort Number:	2840	1718
Contact	Company			Add	ress				
Accounts Payat	ble City of De	ta				rence Taylor Crescent			
						V4K 3E2			
					``	(604) 946-4141	Fax:	(60	4) 946-3962
				Ema	ıl: a	accountspayable@delta	.ca		
Delivery		Format				<b>Deliverables</b>			
Email - Single D	eliverable	PDF				Invoice			
R. Taylor	City of De	ta				ental Services, 4500 Cla	arence Taylo	r Cres	cent
						V4K 3E2	_	(2.2	
				Phor Ema		(604) 946-3282 rtaylor@delta.ca	Fax:	(60	4) 946-4693
Delivery		Format				Deliverables			
Email - Multiple I	Deliverables By	PDF				COC / Test Report			
Scott Bradshaw	City of De	ta		5404	- 64	Street			<u>.</u>
				Delta	i, BC	V4K 3M6			
				Phor		(604) 952-3406	Fax:	(60-	4) 946-4855
				Ema	il: s	sbradshaw@delta.ca			
Delivery		Format				<b>Deliverables</b>			
Email - Merge D	eliverables	PDF				COC / Test Report			
Email - Single D	eliverable	PDF				COA			
Email - Single D	eliverable	PDF				COR			
Email - Single D	eliverable	PDF				Invoice			

Notes To Clients:

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.



Page 1 of 2 T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Analytical R	eport						
Bill To:	4500 Clarence Taylor Crescent	Project ID: Project Name: Project Location:	Watershed Fountain	Control	Lot ID: Number:	1630255	
	Delta, BC, Canada V4K 3E2	LSD:				Feb 3, 2023	
Attn: Sampled By:	Accounts Payable	P.O.: Proj. Acct. code:	23256906		•	Feb 6, 2023 2840718	
Company:							
	Re	eference Number	1630255-1				
		Sample Date	February 03, 202	3			
		Sample Time	10:51				
	:	Sample Location					
	Sar	mple Description	230 / Watershed	Fountain / 5.8 °C			
		Sample Matrix	Drinking Water				
Analyte		Units	N Result	Iominal Detection Limit	Guidelin Limit		Guideline Comments
Microbiological	l Analysis						
Heterotrophic C Aerobic	Count - SimPlate	MPN/mL	2.0	2			

Mox Heit

Max Hewitt **Operations Manager** 

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS). Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Approved by:

Terms and Conditions: https://www.element.com/terms/terms-and-conditions



Methodology and	d Notes				
Delta V4K Attn: Acco	of Delta O Clarence Taylor Crescent a, BC, Canada 3E2 punts Payable t Bradshaw	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Watershed Fountain 23256906	Lot ID: Control Number: Date Received: Date Reported: Report Number:	
Method of Analys	sis				
Method Name	Reference	e Met	hod	Date Analysis Started	Location
Heterotrophic (Standar (Aerobic SP) - VAN	rd) Plate Count APHA	Enz	yme Substrate Method, 9215 E	Feb 3, 2023	Element Vancouver
References					
APHA	Standard Methods for t	he Examination of V	Nater and Wastewater		
Guidelines					
Guideline Descripti	on Health Canada GCDW	Q			
Guideline Source	Guidelines for Canadia	n Drinking Water Qu	uality, Health Canada, Sept 2020		
Guideline Commen	MAC = Maximum Acce AO = Aesthetic Objectiv		n		

OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells).

Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group. Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.



Report Trans	mission Cover Page					
Bill To:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada	Project ID: Project Name: Project Location:	Watershed Four	Control	Lot ID: Number:	<b>1636066</b> Mar 3, 2023
	V4K 3E2	LSD:			leceived:	Mar 7, 2023
Attn:	Accounts Payable	P.O.:	23265625			2849250
Sampled By:	Scott Bradshaw	Proj. Acct. code:				
Company:	City of Delta					
Contact	Company		Address			
Accounts Payab	le City of Delta		4500 Clar	ence Taylor Crescent		
			Delta, BC	V4K 3E2		
			Phone: (	604) 946-4141	Fax:	(604) 946-3962
			Email: a	accountspayable@delta.ca		
Delivery	<u>Format</u>			<u>Deliverables</u>		
Email	PDF			Invoice		
Scott Bradshaw	City of Delta		5404 - 64	Street		
			Delta, BC	V4K 3M6		
			Phone: (	604) 952-3406	Fax:	(604) 946-4855
			Email: s	sbradshaw@delta.ca		
Delivery	Format			<u>Deliverables</u>		
Email	PDF	COA				
Email	PDF	COR				
Email	PDF	Invoice				
Email - Merge	PDF	COC / Test Report				

Notes To Clients:

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.



Analytical Re	eport						
Bill To: Attn: Sampled By:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Watershed Fountair 23265625	Control N Date Re Date Re	eceived: eported:	<b>1636066</b> Mar 3, 2023 Mar 7, 2023 2849250	;
Company:	City of Delta						
	Re	eference Number	1636066-1				
		Sample Date	March 03, 202	3			
		Sample Time	10:30				
	:	Sample Location					
	Sar	nple Description	230 / Watershe	ed Fountain / 5.8 °C			
		Sample Matrix	Drinking Water				
				Nominal Detection	Guide	ine	Guideline
Analyte		Units	Result	Limit	Limi	t	Comments
Microbiological	Analysis						
Heterotrophic C	count - SimPlate	MPN/mL	4.0	2			

Aerobic

Mox Heit

Approved by: Max Hewitt **Operations Manager** 

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS). Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.



**Methodology and Notes** Project ID: Watershed Fountain Bill To: City of Delta Lot ID: 1636066 Project Name: 4500 Clarence Taylor Crescent Control Number: Project Location: Delta, BC, Canada Date Received: Mar 3, 2023 LSD: V4K 3E2 Date Reported: Mar 7, 2023 P.O.: 23265625 Attn: Accounts Payable Report Number: 2849250 Proj. Acct. code: Sampled By: Scott Bradshaw Company: City of Delta Method of Analysis Method Name Method Reference Date Analysis Location Started Heterotrophic (Standard) Plate Count APHA Enzyme Substrate Method, 9215 E Mar 3, 2023 **Element Vancouver** (Aerobic SP) - VAN References APHA Standard Methods for the Examination of Water and Wastewater Guidelines

Guideline Description	Health Canada GCDWQ
Guideline Source	Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020
Guideline Comments	MAC = Maximum Acceptable Concentration
	AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants
	(does not apply to private groundwater wells).
	Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group. Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.



Report Trans	mission Cover Page				
	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw City of Delta	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	22270200	Lot ID: control Number: Date Received: Date Reported: Report Number:	Apr 10, 2023
Contact	Company		Address		
Accounts Payab	ole City of Delta		4500 Clarence Taylor Crescer	nt	
			Delta, BC V4K 3E2		
			Phone: (604) 946-4141	Fax:	(604) 946-3962
			Email: accountspayable@d	elta.ca	
Delivery	<u>Format</u>		Deliverables		
Email	PDF		Invoice		
Scott Bradshaw	City of Delta		5404 - 64 Street		
			Delta, BC V4K 3M6		
			Phone: (604) 952-3406	Fax:	(604) 946-4855
			Email: sbradshaw@delta.ca	I	
Delivery	<u>Format</u>		Deliverables		
Email	PDF		COA		
Email	PDF		COR		
Email	PDF		Invoice		
Email - Merge	PDF		COC / Test Rep	ort	

Notes To Clients:

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.



Analytical Re	eport						
Bill To:	4500 Clarence Taylor Crescent		Watershed Fountain	Control N		1642774	Ļ
	Delta, BC, Canada V4K 3E2	Project Location: LSD:		Date Re Date Re		Apr 6, 2023 Apr 10, 2023	6
Attn: Sampled By:	Accounts Payable Scott Bradshaw	P.O.: Proj. Acct. code:	23276390		•	2859729	
Company:	City of Delta						
	Re	eference Number	1642774-1				
		Sample Date	April 06, 2023				
		Sample Time	09:30				
	:	Sample Location					
	Sar	mple Description	230 / Watershed	Fountain / 3.3 °C			
		Sample Matrix	Drinking Water				
Analyte		Units	N Result	lominal Detection Limit	Guidel Limi		Guideline Comments
Microbiological	Analysis						
Heterotrophic C Aerobic	ount - SimPlate	MPN/mL	<2.0	2			

Mox Heit

Approved by: Max Hewitt **Operations Manager** 

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS). Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.



Methodology	and Notes				
Bill To: Attn: Sampled By: Company:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw City of Delta	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Watershed Fountain 23276390	Lot ID: Control Number: Date Received: Date Reported: Report Number:	Apr 10, 2023
Method of A	nalysis				
Method Name	Reference	e Met	hod	Date Analysis Started	Location
Heterotrophic (St (Aerobic SP) - VA	andard) Plate Count APHA	Enz	yme Substrate Method, 9215 E	Apr 6, 2023	Element Vancouver
References					
APHA	Standard Methods for	the Examination of V	Vater and Wastewater		
Guidelines					
Guideline Des	scription Health Canada GCDW	/Q			

Guideline Description	Health Canada GCDWQ
Guideline Source	Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020
Guideline Comments	MAC = Maximum Acceptable Concentration
	AO = Aesthetic Objective
	OG = Operational Guideline for Water Treatment Plants
	(does not apply to private groundwater wells).
	Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group. Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.



Report Trans	smission Cover Page				
Attn:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable	Project Location: LSD:	Watershed Fountain 23286480	Lot ID: Control Number: Date Received: Date Reported: Report Number:	<b>1650685</b> May 12, 2023 May 15, 2023 2872855
Sampled By:	Scott Bradshaw	Ploj. Acci. code.			
Company:	City of Delta				
Contact	Company		Address		
Accounts Payal	ole City of Delta		4500 Clarence Taylo	or Crescent	
			Delta, BC V4K 3E2		
			Phone: (604) 946-4	141 Fax:	(604) 946-3962
			Email: accountspag	yable@delta.ca	
Delivery	Format		Deliver	rables	
Email	PDF		Invoice	9	
Scott Bradshaw	City of Delta		5404 - 64 Street		
			Delta, BC V4K 3M6		
			Phone: (604) 952-3	5406 Fax:	(604) 946-4855
			Email: sbradshaw@	@delta.ca	
Delivery	Format		Deliver	rables	
Email	PDF		COA		
Email	PDF		Invoice	9	
Email - Merge	PDF		COC /	Test Report	

Notes To Clients:

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.



Page 1 of 2 T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Analytical Re	eport						
Bill To: Attn: Sampled By: Company:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw City of Delta	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Watershed Fountain 23286480	Date R	Lot ID: Number: eceived: eported: Number:	<b>1650685</b> May 12, 2023 May 15, 2023 2872855	3
	R	eference Number	1650685-1				
		Sample Date	May 12, 2023				
		Sample Time	10:45				
		Sample Location					
	Sa	mple Description	230 / Watershed	Fountain / 11.7 °C			
		Sample Matrix	Drinking Water				
Analyte		Units	l Result	Nominal Detection Limit	Guidel Limi		Guideline Comments
Microbiological	Analysis						
Heterotrophic C Aerobic	count - SimPlate	MPN/mL	2.0	2			

Mox Heit Approved by:

Max Hewitt **Operations Manager** 

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS). Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.



Methodology	/ and Notes					
Bill To: Attn: Sampled By: Company: Method of Ar	4500 Clarence Taylor Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw City of Delta	Crescent	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Watershed Fountain 23286480	Lot ID: Control Number: Date Received: Date Reported: Report Number:	<b>1650685</b> May 12, 2023 May 15, 2023 2872855
Method Name	•	Reference	Met	hod	Date Analysis Started	Location
Heterotrophic (St (Aerobic SP) - VA	, , , , , , , , , , , , , , , , , , , ,	APHA	Enz	zyme Substrate Method, 9215	E May 12, 2023	Element Vancouver
References						
APHA	APHA Standard Methods for the Examination of Water and Wastewater					
Guidelines						
Guideline Des	scription Health Canad	a GCDWC	2			
Guideline Sou	urce Guidelines fo	r Canadian	Drinking Water Q	uality, Health Canada, Sept 20	)20	

 Guideline Source
 Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020

 Guideline Comments
 MAC = Maximum Acceptable Concentration

 AO = Aesthetic Objective
 OG = Operational Guideline for Water Treatment Plants

 (does not apply to private groundwater wells).
 Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group. Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.



Report Trans	mission Cover Page						
Bill To:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Watershed Fountain		Lot ID: Control Number: Date Received:	Jun 2, 2023 Jun 5, 2023	
Attn: Sampled By: Company:	Scott Bradshaw		23297221	Date Reported: Report Number:			
Contact	Company		Address				
Accounts Payab	ole City of Delta	4500 C	4500 Clarence Taylor Crescent				
			Delta, E	SC V4K 3E2			
			Phone:	(604) 946-4141	Fax:	(604) 946-3962	
			Email:	accountspayable@	delta.ca		
Delivery	Format		Deliverables				
Email	Email PDF			Invoice			
Scott Bradshaw	City of Delta		5404 - 6	64 Street			
			Delta, E	SC V4K 3M6			
			Phone:	(604) 952-3406	Fax:	(604) 946-4855	
			Email:	sbradshaw@delta.	са		
Delivery	Format		Deliverables				
Email	PDF		COA				
Email	PDF		COR				
Email	PDF		Invoice				
Email - Merge	PDF		COC / Test Report				

#### Notes To Clients:

• Jun 02, 2023 - Sample was received within one hour of collection. Received temperature is not expected to adversely affect the microbiology results.

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.



Analytical R	eport					
Bill To: Attn: Sampled By: Company:	Scott Bradshaw	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Watershed Fountain 23297221	Date R Date R	Number:	
	Re	eference Number	1655236-1			
		Sample Date Sample Time	June 02, 2023 10:56			
		Sample Location nple Description Sample Matrix	230 / Watershed Drinking Water	l Fountain / 11.6 °C		
Analyte		Units	<u> </u>	Nominal Detection Limit	Guideline Limit	Guideline Comments
Microbiological	l Analysis					
Heterotrophic C	Count - SimPlate	MPN/mL	2.0	2		

Aerobic

Mox Heit

Approved by: Max Hewitt **Operations Manager** 

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS). Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.



**Methodology and Notes** Watershed Fountain Project ID: Bill To: City of Delta Lot ID: 1655236 Project Name: 4500 Clarence Taylor Crescent Control Number: Project Location: Delta, BC, Canada Date Received: Jun 2, 2023 LSD: V4K 3E2 Date Reported: Jun 5, 2023 P.O.: 23297221 Attn: Accounts Payable Report Number: 2879392 Proj. Acct. code: Sampled By: Scott Bradshaw Company: City of Delta Method of Analysis Method Name Reference Method Date Analysis Location Started Heterotrophic (Standard) Plate Count APHA Enzyme Substrate Method, 9215 E Jun 2, 2023 **Element Vancouver** (Aerobic SP) - VAN References APHA Standard Methods for the Examination of Water and Wastewater Guidelines Guideline Description Health Canada GCDWQ **Guideline Source** Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020 **Guideline Comments** MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells).

Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

#### Comments:

• Jun 02, 2023 - Sample was received within one hour of collection. Received temperature is not expected to adversely affect the microbiology results.

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group. Results relate only to samples as submitted.



Report Trans	mission Cover Page					
Attn: Sampled By:	4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Watershed Fountain 23305152	Lot ID: Control Number: Date Received: Date Reported: Report Number:	Jul 14, 2023 Jul 18, 2023	
Contact	Company		Address			
Scott Bradshaw	City of Delta		5404 - 64 Street			
			Delta, BC V4K 3M6			
			Phone: (604) 952-3406	Fax:	(604) 946-4855	
			Email: sbradshaw@del	ta.ca		
Delivery	<u>Format</u>		Deliverables	<u>5</u>		

Delivery	<u>Format</u>	<u>Deliverables</u>	
Email	PDF	COA	
Email	PDF	COR	
Email - Merge	PDF	COC / Test Report	

#### Notes To Clients:

• Jul 14, 2023 - Sample was received within one hour of collection. Received temperature is not expected to adversely affect the microbiology results.

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.



Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Analytical Re	eport						
Bill To:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada	Project Location:	Watershed Fountain	Control N Date Re	Number:	<b>1665372</b> Jul 14, 2023	
Attn: Sampled By: Company:	V4K 3E2 Accounts Payable Scott Bradshaw City of Delta	LSD: P.O.: Proj. Acct. code:	23305152		•	Jul 18, 2023 2894102	
	Re	eference Number	1665372-1				
		Sample Date	July 14, 2023				
		Sample Time	11:05				
		Sample Location					
	Sa	mple Description	230 / Watershed	Fountain / 14.2 °C			
		Sample Matrix	Drinking Water				
Analyte		Units	N Result	Nominal Detection Limit	Guidelir Limit		Guideline Comments
Microbiological	Analysis						
Heterotrophic C Aerobic	ount - SimPlate	MPN/mL	128	2			

Mox Heit

Max Hewitt Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS). Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Approved by:



Methodology	/ and N	otes					
Bill To: Attn: Sampled By: Company:	Delta, B V4K 3E	arence Taylor Cres C, Canada 2 s Payable adshaw	scent P P LS P	roject ID: roject Name: roject Location: SD: .O.: roj. Acct. code:	Watershed Fountain 23305152	Lot ID: Control Number: Date Received: Date Reported: Report Number:	Jul 14, 2023 Jul 18, 2023
Method of Ar	nalysis						
Method Name		Ref	erence	Meth	nod	Date Analysis Started	Location
Heterotrophic (St (Aerobic SP) - VA	,	Plate Count APH	IA	Enzy	vme Substrate Method, 9215	E Jul 14, 2023	Element Vancouver
References							
APHA		Standard Method	s for the I	Examination of W	ater and Wastewater		
Guidelines							
Guideline Des Guideline Sou Guideline Cor	urce	MAC = Maximum AO = Aesthetic O OG = Operationa (does not apply t	nadian D Acceptal bjective Guidelin o private	ole Concentratior e for Water Trea groundwater wel	tment Plants	020	

#### **Comments:**

• Jul 14, 2023 - Sample was received within one hour of collection. Received temperature is not expected to adversely affect the microbiology results.

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group. Results relate only to samples as submitted.



Report Trans	mission Cover Page				
Attn: Sampled By:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw City of Delta	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Watershed Fountain 23312471	Lot ID: Control Number: Date Received: Date Reported: Report Number:	<b>1672810</b> Aug 18, 2023 Aug 21, 2023 2905008
Contact	Company		Address		
Accounts Payab	le City of Delta		4500 Clarence Taylor	Crescent	
			Delta, BC V4K 3E2		
			Phone: (604) 946-41		(604) 946-3962
			Email: accountspay	able@delta.ca	
Delivery	Format		Delivera	bles	
Email	PDF		Invoice		
Scott Bradshaw	City of Delta		5404 - 64 Street		
			Delta, BC V4K 3M6		
			Phone: (604) 952-34	06 Fax:	(604) 946-4855
			Email: sbradshaw@	delta.ca	
Delivery	Format		Delivera	bles	
Email	PDF		COA		
Email	PDF		COR		
Email	PDF		Invoice		
Email - Merge	PDF			est Report	

#### Notes To Clients:

• Aug 18, 2023 - Sample was received within one hour of collection. Received temperature is not expected to adversely affect the microbiology results.

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.



Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

Page 1 of 2 T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Analytical Re	eport						
Bill To:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Project Name: Project Location: LSD:	Watershed Fountain		Number: eceived:	<b>1672810</b> Aug 18, 2023 Aug 21, 2023	
Attn: Sampled By: Company:	Accounts Payable Scott Bradshaw City of Delta	P.O.: Proj. Acct. code:	23312471		•	2905008	
	Re	ference Number	1672810-1				
		Sample Date	August 18, 2023				
		Sample Time	08:00				
	:	Sample Location					
	Sar	nple Description	230 / Watershed	Fountain / 13.1 °C			
		Sample Matrix	Drinking Water				
Analyte		Units	Result	Nominal Detection Limit	Guideli Limi		Guideline Comments
Microbiological	Analysis						
Heterotrophic C Aerobic	count - SimPlate	MPN/mL	8.0	2			

Mox Heit

Approved by: Max Hewitt **Operations Manager** 

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS). Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.



Methodology	/ and N	otes					
Bill To:		arence Taylor C, Canada	Crescent	Project ID: Project Name: Project Locatio LSD:		Lot ID: Control Number: Date Received: Date Reported:	0
Attn: Sampled By: Company:	Scott Br			P.O.: Proj. Acct. cod	23312471 e:	Report Number:	2905008
Method of Ar	nalysis						
Method Name			Reference	N	<i>A</i> ethod	Date Analysis Started	Location
Heterotrophic (St (Aerobic SP) - VA	,	Plate Count	APHA	E	Enzyme Substrate Method, 921	5 E Aug 18, 2023	Element Vancouver
References							
APHA		Standard Me	thods for th	e Examination of	of Water and Wastewater		
Guidelines							
Guideline Des Guideline Sou Guideline Cor	urce	MAC = Maxin AO = Aesthe OG = Operat (does not ap	or Canadiar mum Accer tic Objectiv ional Guide oply to priva	Drinking Water otable Concentra e eline for Water T te groundwater	reatment Plants	2020	

#### **Comments:**

• Aug 18, 2023 - Sample was received within one hour of collection. Received temperature is not expected to adversely affect the microbiology results.

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group. Results relate only to samples as submitted.



Report Trans	mission Cover Page					
Bill To:	City of Delta 4500 Clarence Taylor Crescent	Project ID: Project Name:	Watershed Fountain	n Control Ni		1679173
	Delta, BC, Canada	Project Location:		Date Rec	ceived:	Sep 15, 2023
	V4K 3E2	LSD: P.O.:	00040040	Date Re	ported:	Sep 18, 2023
	·····	P.O.: Proj. Acct. code:	23319640	Report N	umber:	2914145
Sampled By:	Scott Bradshaw	FIUJ. ACCI. COUP.				
Company:	City of Delta					
Contact	Company		Address			
Accounts Payab	le City of Delta		4500 Clarence	e Taylor Crescent		
			Delta, BC V4k	< 3E2		
			Phone: (604)	) 946-4141	Fax:	(604) 946-3962
			Email: acco	untspayable@delta.ca		
Delivery	<u>Format</u>			<u>Deliverables</u>		
Email	PDF			Invoice		
Scott Bradshaw	City of Delta		5404 - 64 Stre	et		
			Delta, BC V4k	< 3M6		
			Phone: (604)	) 952-3406	Fax:	(604) 946-4855
			Email: sbrad	dshaw@delta.ca		
Delivery	Format			Deliverables		
Email	PDF			COA		
Email	PDF			COR		
Email	PDF			Invoice		
Email - Merge	PDF			COC / Test Report		

#### Notes To Clients:

• Sep 15, 2023 - Sample was received within one hour of collection. Received temperature is not expected to adversely affect the microbiology results.

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.



Analytical R	eport					
Bill To:	,	Project ID:	Watershed Fountain		Lot ID: 167	9173
	4500 Clarence Taylor Crescent	Project Name: Project Location:		Control	Number:	
	Delta, BC, Canada	LSD:			•	15, 2023
Attn:	V4K 3E2 Accounts Payable	P.O.:	23319640			18, 2023
Sampled By:	•	Proj. Acct. code:	20010010	Report	Number: 2914	145
Company:		,				
	Re	eference Number	1679173-1			
		Sample Date	September 15, 20	23		
		Sample Time	10:00			
	:	Sample Location				
	Sar	nple Description	Watershed Founta	ain / 12.3 °C		
		Sample Matrix	Drinking Water			
Analyte		Units	Ne Result	ominal Detection Limit	Guideline Limit	Guideline Comments
Microbiological	I Analysis					
Heterotrophic C Aerobic	Count - SimPlate	MPN/mL	2.0	2		

Mox Heit

Approved by: Max Hewitt **Operations Manager** 

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS). Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.



Methodology and Notes       Bill To: City of Delta       Project ID: Vatershed Fountain       Lot ID: Control Number:       1679173         A500 Clarence Taylor Crescent       Project Name:       Delta, BC, Canada       Project Location:       Date Received:       Sep 15, 2023         Attn:       Accounts Payable       P.O.:       23319640       Date Reported:       Sep 18, 2023         Sampled By:       South Bradshaw       Proj. Acct. code:       Date Analysis       Report Number:       2914145         Method of Analysis       Method of Analysis       Method Started       Date Analysis       Location         Method Name       Reference       Method       Date Analysis       Location         References       APHA       Enzyme Substrate Method, 9215 E       Sep 15, 2023       Element Vanc         Guideline Description       Health Canada GCDWQ       Guideline Source       Guideline Source       Guideline for Canadian Drinking Water Quality, Health Canada, Sept 2020       Guideline Comments       MAC = Maximum Acceptable Concentration         AO = Acesthetic Objective       OG = Operational Guideline for Water Treatment Plants       (does not apply to private groundwater wells).       Refer Clease         Refer Clease       MAC = Maximum Acceptable Concentration       AO = Acesthetic Objective       OG = Operational Guideline for Water Treatment Plants       (does								
Lin Ic. Only of Clarence Taylor Crescent       Project Name:       Control Number:         Delta, BC, Canada       Project Location:       Date Received:       Sep 15, 2023         V4K 3E2       LSD:       Date Reported:       Sep 16, 2023         Attn:       Accounts Payable       P.O.:       23319640       Report Number:       2914145         Sampled By:       Scott Bradshaw       Proj. Acct. code:       Company:       City of Delta       2914145         Method of Analysis       Method Name       Reference       Method       Date Analysis       Location         Method Name       Reference       Method       Date Analysis       Location       Started         Heterotrophic (Standard) Plate Count       APHA       Enzyme Substrate Method, 9215 E       Sep 15, 2023       Element Vanc         Guidelines       Guideline Description       Health Canada GCDWQ       Standard Methods for the Examination of Water and Wastewater       Sep 15, 2020       Element Vanc         Guideline Comments       MAC = Maximum Acceptable Concentration       AO = Aesthetic Objective       OG = Operational Guideline for Water Treatment Plants       Gode on apply to private groundwater wells).	Methodology	y and N	otes					
Method Name       Reference       Method       Date Analysis Location Started         Heterotrophic (Standard) Plate Count       APHA       Enzyme Substrate Method, 9215 E       Sep 15, 2023       Element Vance         (Aerobic SP) - VAN       Enzyme Substrate Method, 9215 E       Sep 15, 2023       Element Vance         References       APHA       Standard Methods for the Examination of Water and Wastewater       Standard Methods for the Examination of Water and Wastewater         Guideline Description       Health Canada GCDWQ       Guideline Source       Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020       MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells).       Sep 10, 2023	Attn: Sampled By:	4500 Cli Delta, B V4K 3E Account Scott Br	arence Taylor C, Canada 2 s Payable adshaw	Crescent	Project Name: Project Location: LSD: P.O.:	23319640	Control Number: Date Received: Date Reported:	Sep 15, 2023 Sep 18, 2023
Heterotrophic (Standard) Plate Count       APHA       Enzyme Substrate Method, 9215 E       Sep 15, 2023       Element Vance         (Aerobic SP) - VAN       References       APHA       Standard Methods for the Examination of Water and Wastewater         Guidelines       Guideline Description       Health Canada GCDWQ       Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020         Guideline Comments       MAC = Maximum Acceptable Concentration       AO = Aesthetic Objective       OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells).	Method of A	nalysis						
(Aerobic SP) - VAN         References         APHA       Standard Methods for the Examination of Water and Wastewater         Guidelines         Guideline Description       Health Canada GCDWQ         Guideline Source       Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020         Guideline Comments       MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells).	Method Name			Reference	Me	ethod	,	Location
APHA       Standard Methods for the Examination of Water and Wastewater         Guidelines       Feast Health Canada GCDWQ         Guideline Source       Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020         Guideline Comments       MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells).			Plate Count	APHA	En	zyme Substrate Method, 9215 E	Sep 15, 2023	Element Vancouver
Guidelines         Guideline Description       Health Canada GCDWQ         Guideline Source       Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020         Guideline Comments       MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells).	References							
Guideline Description       Health Canada GCDWQ         Guideline Source       Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020         Guideline Comments       MAC = Maximum Acceptable Concentration         AO = Aesthetic Objective       OG = Operational Guideline for Water Treatment Plants         (does not apply to private groundwater wells).       Concentration	APHA		Standard Me	thods for th	e Examination of	Water and Wastewater		
Guideline Source       Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020         Guideline Comments       MAC = Maximum Acceptable Concentration         AO = Aesthetic Objective       OG = Operational Guideline for Water Treatment Plants         (does not apply to private groundwater wells).	Guidelines							
Guideline Comments MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells).	Guideline Des	scription	Health Cana	da GCDWC	2			
AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells).	Guideline Source Guidelines for Canadian Drinking				Drinking Water C	Quality, Health Canada, Sept 202	0	
Neich to health ballada for complete guidelines at www.ne se.ge.ea	Guideline Cor	mments	AO = Aesthe OG = Operat (does not ap	tic Objectiv ional Guide ply to priva	e Iine for Water Tre te groundwater w	eatment Plants ells).		

#### **Comments:**

• Sep 15, 2023 - Sample was received within one hour of collection. Received temperature is not expected to adversely affect the microbiology results.

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group. Results relate only to samples as submitted.



Report Trans	mission Cover Page						
Bill To:	City of Delta 4500 Clarence Taylor Crescent				Lot ID: ol Number:		
	Delta, BC, Canada	Project Location:		Date	Received:	Oct 13, 2023	
	V4K 3E2	LSD:		Date	e Reported:	Oct 16, 2023	
	Accounts Payable	P.O.:	23328741	Repo	ort Number:	2925248	
Sampled By:	Scott Bradshaw	Proj. Acct. code:					
Company:	City of Delta						
Contact	Company		Address				
Accounts Payab	le City of Delta		4500 Clar	rence Taylor Crescent			
			Delta, BC	V4K 3E2			
			Phone: (	(604) 946-4141	Fax:	(604) 946-3962	
			Email: a	accountspayable@delta.	ca		
Delivery	Format			<b>Deliverables</b>			
Email	PDF			Invoice			
Scott Bradshaw	City of Delta		5404 - 64	Street			
			Delta, BC	CV4K 3M6			
			Phone: (	(604) 952-3406	Fax:	(604) 946-4855	
			Email: s	sbradshaw@delta.ca			
Delivery	Format			<b>Deliverables</b>			
Email	PDF			COA			
Email	PDF			COR			
Email	PDF		Invoice				
Email - Merge	PDF		COC / Test Report				

#### Notes To Clients:

• Oct 13, 2023 - Sample was received within one hour of collection. Received temperature is not expected to adversely affect the microbiology results.

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.



**Analytical Report** Project ID: Watershed Fountain Bill To: City of Delta Lot ID: 1685778 Project Name: 4500 Clarence Taylor Crescent Control Number: Project Location: Delta, BC, Canada Date Received: Oct 13, 2023 LSD: V4K 3E2 Date Reported: Oct 16, 2023 P.O.: 23328741 Attn: Accounts Payable Report Number: 2925248 Proj. Acct. code: Sampled By: Scott Bradshaw Company: City of Delta **Reference Number** 1685778-1 Sample Date October 13, 2023 Sample Time 08:12 Sample Location Sample Description 230 / Watershed Fountain / 12.3 °C Sample Matrix **Drinking Water Nominal Detection** Guideline Guideline Limit Limit Comments Analyte Units Result **Microbiological Analysis** Heterotrophic Count -SimPlate MPN/mL <2.0 2

Aerobic

More

Max Hewitt Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS). Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process

Approved by:

Terms and Conditions: https://www.element.com/terms/terms-and-conditions



**Methodology and Notes** Watershed Fountain Project ID: Bill To: City of Delta Lot ID: 1685778 Project Name: 4500 Clarence Taylor Crescent Control Number: Project Location: Delta, BC, Canada Date Received: Oct 13, 2023 LSD: V4K 3E2 Date Reported: Oct 16, 2023 P.O.: 23328741 Attn: Accounts Payable Report Number: 2925248 Proj. Acct. code: Sampled By: Scott Bradshaw Company: City of Delta Method of Analysis Method Name Reference Method Date Analysis Location Started Heterotrophic (Standard) Plate Count APHA Enzyme Substrate Method, 9215 E Oct 13, 2023 **Element Vancouver** (Aerobic SP) - VAN References APHA Standard Methods for the Examination of Water and Wastewater Guidelines Guideline Description Health Canada GCDWQ **Guideline Source** Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020 **Guideline Comments** MAC = Maximum Acceptable Concentration AO = Aesthetic Objective OG = Operational Guideline for Water Treatment Plants (does not apply to private groundwater wells).

#### Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

#### Comments:

• Oct 13, 2023 - Sample was received within one hour of collection. Received temperature is not expected to adversely affect the microbiology results.

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group. Results relate only to samples as submitted.



Report Trans	mission Cover Page					
	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw City of Delta	Project ID: Project Name: Watersh Project Location: LSD: P.O.: 233353 Proj. Acct. code:	hed Fountain	Lot ID: Control Number: Date Received: Date Reported: Report Number:	Nov 2 Nov 2	7, 2023
Contact	Company	А	Address			
Accounts Payab	le City of Delta	4	500 Clarence Taylor	Crescent		
		D	Delta, BC V4K 3E2			
		P	hone: (604) 946-414	41 Fax:	(604	) 946-3962
		E	Email: accountspaya	able@delta.ca		
Delivery	Format	Deliverables				
Email	PDF		Invoice			
Scott Bradshaw	City of Delta	5	404 - 64 Street			
		D	Delta, BC V4K 3M6			
		P	hone: (604) 952-340	06 Fax:	(604	) 946-4855
		E	mail: sbradshaw@	delta.ca		
Delivery	Format		Deliverables			
Email	PDF		COA			
Email	PDF		COR			
Email	PDF		Invoice			
			COC / Test Report			

Notes To Clients:

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.



Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Analytical R	eport						
Bill To:	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2	Project ID: Project Name: Project Location: LSD:	Watershed Fountain	Date R	Number: eceived:	<b>1696740</b> Nov 24, 2023 Nov 27, 2023	
Attn: Sampled By: Company:	Accounts Payable Scott Bradshaw City of Delta	P.O.: Proj. Acct. code:	23335313		•	2947979	
	Re	ference Number	1696740-1				
		Sample Date	November 24, 20	)23			
		Sample Time	09:45				
	:	Sample Location					
	Sar	nple Description	230 / Watershed	Fountain / 8.1 °C			
		Sample Matrix	Drinking Water				
Analyte		Units	N Result	Nominal Detection Limit	Guideli Limit		Guideline Comments
Microbiological	Analysis						
Heterotrophic C Aerobic	count - SimPlate	MPN/mL	2.0	2			

Mox Heit

Max Hewitt Operations Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS). Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Approved by:



Methodology	and No	otes					
Bill To: City of Delta 4500 Clarence Taylor ( Delta, BC, Canada V4K 3E2 Attn: Accounts Payable Sampled By: Scott Bradshaw Company: City of Delta		Project ID: Crescent Project Name Project Location LSD: P.O.: Proj. Acct. cod		ion: 23335313	Lot ID: Control Number: Date Received: Date Reported: Report Number:	Nov 27, 2023	
Method of Ar	nalysis						
Method Name			Reference	•	Method	Date Analysis Started	Location
Heterotrophic (St (Aerobic SP) - VA	,	late Count	APHA		Enzyme Substrate Method, 9215	5 E Nov 24, 2023	Element Vancouver
References							
APHA		Standard Me	ethods for th	ne Examinatior	of Water and Wastewater		
Guidelines							
Guideline Des Guideline Sou	urce		or Canadiar	-	er Quality, Health Canada, Sept 2	2020	

Guideline Comments MAC = Maximum Acceptable Concentration AO = Aesthetic Objective

OG = Operational Guideline for Water Treatment Plants

(does not apply to private groundwater wells).

Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca

The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.

Please direct any inquiries regarding this report to our Client Services group. Results relate only to samples as submitted.



Report Trans	mission Cover Page						
	City of Delta 4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw City of Delta	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Watershed F 23341652	ountain	Lot ID: Control Number: Date Received: Date Reported: Report Number:	Dec Dec	<b>)2075</b> 15, 2023 19, 2023 377
Contact	Company		Addre	ss			
Accounts Payat				Clarence Taylor Cres	cent		
	•••• ••••			BC V4K 3E2			
			Phone	: (604) 946-4141	Fax:	(60-	4) 946-3962
			Email:	accountspayable	@delta.ca		
Delivery	<u>Format</u>			Deliverables			1
Email	PDF			Invoice			
R. Taylor	City of Delta		Enviro	nmental Services, 4	500 Clarence Taylo	or Cres	cent
				BC V4K 3E2			
				: (604) 946-3282	Fax:	(60-	4) 946-4693
			Email:	,			
<u>Delivery</u>	Format			<b>Deliverables</b>			
Email - Merge	PDF			COC / Test F	Report		
Scott Bradshaw	City of Delta			64 Street			
				BC V4K 3M6	_	(2.2	
				: (604) 952-3406	Fax:	(60-	4) 946-4855
-			Email:		1.ca		1
<u>Delivery</u>	<u>Format</u>			Deliverables			
Email	PDF			COA			
Email	PDF			COR			
Email	PDF				) - m - mt		
Email - Merge	PDF			COC / Test F	keport		

**Notes To Clients:** 

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.



Element #104, 19575-55 A Ave. Surrey, British Columbia V3S 8P8, Canada

Page 1 of 2 T: +1 (604) 514-3322 F: +1 (604) 514-3323 E: info.vancouver@element.com W: www.element.com

Analytical Re	eport						
Bill To: Attn: Sampled By: Company:	4500 Clarence Taylor Crescent Delta, BC, Canada V4K 3E2 Accounts Payable Scott Bradshaw	Project ID: Project Name: Project Location: LSD: P.O.: Proj. Acct. code:	Watershed Fountai	Date Re Date Re	Number: eceived: eported:	<b>1702075</b> Dec 15, 2023 Dec 19, 2023 2956377	
	R	eference Number	1702075-1				
		Sample Date	December 15,	2023			
		Sample Time	09:45				
		Sample Location					
	Sa	mple Description Sample Matrix	230 / Watershed Fountain / 7.9 °C Drinking Water				
Analyte		Units	Result	Nominal Detection Limit	Guideli Limit		Guideline Comments
Microbiological	l Analysis						
Heterotrophic C	Count - SimPlate	MPN/mL	2.0	2			

Aerobic

Mox Heit

Approved by: Max Hewitt **Operations Manager** 

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS). Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.



**Methodology and Notes** Project ID: Bill To: City of Delta Lot ID: 1702075 Project Name: Watershed Fountain 4500 Clarence Taylor Crescent Control Number: Project Location: Delta, BC, Canada Date Received: Dec 15, 2023 LSD: V4K 3E2 Date Reported: Dec 19, 2023 P.O.: 23341652 Attn: Accounts Payable Report Number: 2956377 Proj. Acct. code: Sampled By: Scott Bradshaw Company: City of Delta Method of Analysis Method Name Method Reference Date Analysis Location Started Heterotrophic (Standard) Plate Count APHA Enzyme Substrate Method, 9215 E Dec 15, 2023 **Element Vancouver** (Aerobic SP) - VAN References APHA Standard Methods for the Examination of Water and Wastewater Guidelines

## Guideline Description Health Canada GCDWQ

Guideline Source	Guidelines for Canadian Drinking Water Quality, Health Canada, Sept 2020
Guideline Comments	MAC = Maximum Acceptable Concentration
	AO = Aesthetic Objective
	OG = Operational Guideline for Water Treatment Plants
	(does not apply to private groundwater wells).
	Refer to Health Canada for complete guidelines at www.hc-sc.gc.ca


The comparison of test results to guideline limits is provided for information purposes only. This is not to be taken as a statement of conformance / nonconformance to any guideline, regulation or limit. The data user is responsible for all conclusions drawn with respect to the data and is advised to consult official regulatory references when evaluating compliance.


Please direct any inquiries regarding this report to our Client Services group. Results relate only to samples as submitted.

**Appendix 8** 


# Delta Water Distribution System Microbiological Test Results


## Sample Site DmDel 220 5860 112 Street - Ladner







## Sample Site DmDel 221 4802 42A Avenue - Ladner







## Sample Site DmDel 222 4734 51 Street - Ladner







## Sample Site DmDel 223 #10 Centennial Parkway - Tsawwassen







## Sample Site DmDel 224 5575 9 Avenue - Tsawwassen







## Sample Site DmDel 225 3706 88 Street - Ladner







## Sample Site DmDel 227 6487 Sunshine Drive - North Delta







Sample Site DmDel 228 6603 Cabeldu Crescent - North Delta







## Sample Site DmDel 229 726 Chester Road - Annacis Island







## Sample Site DmDel 301 11043 86 Avenue - North Delta







## Sample Site DmDel 302 610 Derwent Way - Annacis Island







## Sample Site DmDel 303 718 Eaton Way - Annacis Island







## Sample Site DmDel 304 11920 70 Avenue - North Delta







Sample Site DmDel 305 Well #1 Watershed Park 11600 Kittson Parkway - North Delta







Sample Site DmDel 306 Well #5 Watershed Park 11600 Kittson Parkway - North Delta







Sample Site DmDel 307 Well #3 Watershed Park 11600 Kittson Parkway - North Delta







#### Sample Site DmDel 308 9341 Burns Drive - Ladner







Sample Site DmDel 309 7979 Vantage Way - Tilbury Industrial Park







#### Sample Site DmDel 310 4905 Galbraith Street - Ladner







#### Sample Site DmDel 312 5289 Commodore Drive - Ladner







Sample Site DmDel 313 5191 Robertson Road - Westham Island







Sample Site DmDel 314 4455 Clarence Taylor Crescent - Ladner







Sample Site DmDel 316 5408 Candlewyck Wynd - Tsawwassen







#### Sample Site DmDel 317 1720 56 Street - Tsawwassen







#### Sample Site DmDel 318 4933 Cliff Drive - Tsawwassen







#### Sample Site DmDel 319 5169 Kilkenny Drive - Tsawwassen







#### Sample Site DmDel 320 11321 80 Avenue - North Delta







#### Sample Site DmDel 321 9434 117A Street - North Delta







Sample Site DmDel 322 11970 Clark Drive - North Delta







#### Sample Site DmDel 323 7348 Priory Place - North Delta







#### Sample Site DmDel 327 11405 84 Avenue - North Delta







Sample Site DmDel 329 Watershed Park Reservoir 11600 Kittson Parkway - North Delta







Sample Site DmDel 391 Ladner Trunk Road East of 80 Street - Ladner





#### Sample Site DmDel 392 3044 41B Street - Ladner






### Delta Water Distribution System Free Chlorine Residual Test Results and Map

### Delta

#### City of Delta Free Chlorine Residual Sample Results

Sample Site	Civic Address	Location	Min Free Cl <sub>2</sub> (mg/L)	Max Free Cl <sub>2</sub> (mg/L)	Average Free Cl <sub>2</sub> (mg/L)
DmDel 220	5860 112 Street	Ladner	0.12	0.44	0.30
DmDel 221	4802 42A Avenue	Ladner	0.39	0.88	0.67
DmDel 222	4734 51 Street	Ladner	0.54	0.87	0.72
DmDel 223	10 Centennial Parkway	Tsawwassen	0.12	0.84	0.47
DmDel 224	5575 9 Avenue	Tsawwassen	0.43	0.84	0.62
DmDel 225	3706 88 Avenue	Ladner	0.11	0.54	0.33
DmDel 227	6487 Sunshine Drive	North Delta	0.4	0.91	0.64
DmDel 228	6603 Cabeldu Crescent	North Delta	0.38	0.94	0.61
DmDel 229	726 Chester Road	Annacis Island	0.42	1.12	0.72
DmDel 301	11043 86 Avenue	North Delta	0.51	0.9	0.66
DmDel 302	610 Derwent Way	Annacis Island	0.45	1.14	0.71
DmDel 303	718 Eaton Way	Annacis Island	0.4	1.1	0.70
DmDel 304	11920 70 Avenue	North Delta	0.4	0.75	0.62
DmDel 305	Watershed Park WELL HEAD 1	North Delta	0	0	0.00
DmDel 306	Watershed Park WELL HEAD 5	North Delta	0	0	0.00
DmDel 307	Watershed Park WELL HEAD 3	North Delta	0	0	0.00
DmDel 308	9341 Burns Drive	Ladner	0.13	0.44	0.32
DmDel 309	7979 Vantage Way	Tilbury	0.33	0.78	0.56
DmDel 310	4905 Galbraith Street	Ladner	0.42	0.73	0.59
DmDel 312	5289 Commodore Drive	Ladner	0.53	0.79	0.66
DmDel 313	5191 Robertson Road	Westham Island	0.18	0.78	0.45
DmDel 314	4455 Clarence Taylor Crescent	Ladner	0.42	0.87	0.64
DmDel 316	5408 Candlewyck Wynd	Tsawwassen	0.31	0.86	0.65
DmDel 317	1720 56 Street	Tsawwassen	0.46	0.83	0.64
DmDel 318	4933 Cliff Drive	Tsawwassen	0.12	0.85	0.61
DmDel 319	5169 Kilkenny Drive	Tsawwassen	0.12	0.87	0.54
DmDel 320	11321 80 Avenue	North Delta	0.35	0.9	0.59
DmDel 321	9434 117A Street	North Delta	0.38	0.85	0.62
DmDel 322	11970 Clark Drive	North Delta	0.19	0.82	0.52
DmDel 323	7348 Priory Place	North Delta	0.18	0.74	0.53
DmDel 327	11405 84 Avenue	North Delta	0.46	0.92	0.66
DmDel 329	Watershed Reservoir	North Delta	0.16	0.48	0.29
DmDel 391	80 Street and Ladner Trunk	Ladner	0.12	0.78	0.35
DmDel 392	3044 41B Street	Ladner	0.35	0.79	0.59



**Emergency Notification Protocol** 

#### NOTIFICATION REQUIREMENTS

Event	Notifying Agency	Agency Notified	Response Parameter
MV E.coli. Positive sample	MV Laboratory	MV, Delta, MHO	Immediate
Delta E.coli. Positive sample	MV Laboratory	Delta, Environmental Health Officer, MHO	Immediate
MV chemical contamination	MV Laboratory	MV, Delta, MHO	Immediate
MV turbidity > 5 NTU	MV Laboratory	Delta, Environmental Health Officer	Immediate
Delta turbidity > 5 NTU	MV Laboratory	Environmental Health Officer	Immediate
MV source water disinfection failure	MV Laboratory	Delta, MHO, Environmental Health Officer	Immediate
MV rechlorination failure	MV Laboratory	Delta, Environmental Health Officer	Immediate
Delta system pressure loss due to high demand	Delta	MV, Environmental Health Officer	Immediate
MV watermain break with no contamination	MV	Delta	As required
MV watermain break with contamination suspected	MV	Delta, MHO, Environmental Health Officer	Immediate
Delta watermain break with no contamination	Delta	Environmental Health Officer	Immediate
Delta watermain break with contamination suspected	Delta	MHO, Environmental Health Officer, GVRD Laboratory	Immediate



#### ENGINEERING OPERATIONS

#### 5.4.3 DISINFECTION PROCEDURES - WATERMAIN REPAIRS OR TIE-INS

#### INTENT:

Watermains are to be disinfected whenever the system has been exposed to atmosphere. The following procedures are based on AWWA Standards C651-92.

#### 5.4.3.1 REPAIRS OR TIE-INS WITH NO GROUNDWATER ENTRY INTO WATERMAIN:

These typically consist of electrolysis holes, cracked or split watermains which are repaired using robar repair clamps. Assuming that the watermain will have a positive outflow of water until the trench is excavated below the invert of the pipe, we can determine that no contaminant has entered the watermain.

- a) Under these circumstances the only disinfection required is to swab the area to be repaired and the repair clamp with 6% chlorine solution. (household bleach)
- b) No bacterial tests are required.
- c) After repairs have been completed, it is recommended to flush the watermain.
- d) If positive pressure cannot be achieved, more disinfection is required. See 5.4.3.2.

#### 5.4.3.2 **REPAIRS OR TIE-INS WITH GROUNDWATER CONTAMINATION OF THE WATERMAIN:**

These are cases where large blowouts have occurred, or it has been impossible to maintain continual outflow from the watermain, or impossible to pump down below watermain before shutting it off. We would then assume that ground water has entered the watermain. These cases require disinfection and bacterial testing. Results of bacterial test are required before putting watermain back in service.

In these cases, a written notice shall be given to affected residents and bottled water shall be provided.

- a) Valves feeding each side of break should be left cracked open.
- b) Once repairs begin, groundwater must be kept below the main. (Pumps, vactor etc.)
- c) Ground water and debris in main should be flushed out if possible.
- d) All repair pieces must be swabbed with 6% chlorine solution before installation.
- e) Bacterial samples shall be taken from the repaired area as well as one up and one downstream from the isolated break area. In addition, one test shall be taken from a nearby hose bib to compare as the source.
- f) These bacterial samples are to be taken to a certified bacterial lab for total and fecal coliform analysis.
- g) These tests are taken as a precautionary measure. However, if samples come back positive (coliform present) then further disinfection and testing is required. See 5.4.3.3.

#### 5.4.3.3 <u>E.COLI DETECTED</u>:


If E.coli is detected, that section of main must be shutdown until disinfection and proper retesting is completed. Any case where a test comes back positive, the waterworks engineer, a member from Environmental Services and Fraser Health must be notified. Chlorination of the watermain may require complete isolation of the main. Disinfection of the watermain requires a minimum concentration of 200 ppm for a retention time of 2 hours. At the end of this time the chlorine residual must be a minimum of 100 ppm. If this is not met re-chlorination must take place. After chlorination, the watermain must be flushed until chlorine residual is less than 1 ppm. Individual services should also be flushed to remove chlorine that may have entered these connections.

#### 5.4.3.4 WASTEWATER OR OTHER SERIOUS CONTAMINATION:

In any case where a watermain break is accompanied by a broken sanitary sewer, the procedures for 5.4.3.3 should be followed.


The watermain must not be put back into service until 3 consecutive successful samples, 24 hours apart, have been obtained for E.coli.

### Delta Water Quality Organizational Chart




### Disinfection By-Product Results 2017 - 2023


			THM (ppb)									HAA (pr	ob)		
Sample	Date Sampled	Bromodichloro methane	Bromoform	Chlorodibromo methane	Chloroform	Total Trihalomethanes	Total THM Quarterly Average		Dibromoacetic Acid	Dichloroacetic Acid	Monobromoacet ic Acid	Monochloroacet ic Acid	Trichloroacetic Acid	Total Haloacetic Acid	Total HAA Quarterly Average
DEL-222	Mar 02 2017	<1	<1	<1	17	19	24		<0.5	7	<1	<2	9	18	26
DEL-222	May 18 2017	<1	<1	<1	18	18	23		<0.5	15	<1	<2	13	31	27
DEL-222	Aug 22 2017	<1	<1	<1	24	25	23		<0.5	8	<1	<2	6	15	25
DEL-222	Dec 01 2017	<1	<1	<1	27	27	22		<0.5	14	<1	<2	14	31	24
DEL-222	Feb 16 2018	<1	<1	<1	20	22	23		<0.5	11	<1	<2	10	23	25
DEL-222	May 29 2018	<1	<1	<1	21	22	24		<0.5	14	<1	<2	15	31	25
DEL-222	Aug 7 2018	<1	<1	<1	25	26	24		<0.5	14	<1	2	12	29	28
DEL-222	Nov 22 2018	1	<1	<1	27	30	25		<0.5	15	<1	<2	12	30	28
DEL-222	22-Feb-19	<1	<1	<1	18	20	25		<0.5	10	<1	<2	10	21	28
DEL-222	16-May-19	<1	<1	<1	28	28	26		<0.5	12	<1	<2	10	24	26
DEL-222	21-Aug-19	1	<1	<1	27	29	27		<0.5	12	<1	<2	10	24	25
DEL-222	3-Dec-19	<1	<1	<1	26	28	26		<0.5	7	<1	<2	10	19	22
DEL-222	Feb 26 2020	<1	<1	<1	19	21	27		<0.5	8	<1	<2	7	15	20
DEL-222	May 27 2020	<1	<1	<1	27	29	27		<0.5	12	<1	<2	8	20	20
DEL-222	Aug 13 2020	1	<1	<1	29	31	27		<0.5	12	<1	<2	7	20	19
DEL-222	Dec 03 2020	<1	<1	<1	26	27	27		<0.5	13	<1	2	14	30	21
DEL-222	Mar 26 2021	<1	<1	<1	24	25	28		<0.5	8	<1	<2	7	17	22
DEL-222	Jun 03 2021	<1	<1	<1	23	25	27		<0.5	13	<1	<2	9	25	23
DEL-222	Aug 25 2021	1	<1	<1	28	30	27		<0.5	16	<1	<2	10	26	24
DEL-222	Nov 25 2021	<1	<1	<1	30	30	28		<0.5	11	<1	<2	9	20	22
DEL-222	Feb 17 2022	<1	<1	<1	20	20	26		<0.5	11	<5.0	<5.0	8	19	22
DEL-222	May 11 2022	<1	<1	<1	25	28	27		<0.5	12	<0.5	1	8	21	22
DEL-222	Aug 25 2022	<1	<1	<1	26	26	26		<0.5	11	<0.5	0.9	7	19	20
DEL-222	Nov 16 2022	2	<1	<1	28	31	26		<0.5	10	<0.5	<5.0	8	20	20
DEL-222	Jan 30 2023	<1	<1	<1	49	50	34		<0.5	11	<0.5	<0.5	7	18	20
DEL-222	May 31 2023	<1	<1	<1	23	25	33		<0.5	9.8	<0.5	0.8	8	18	19
DEL-222	Aug 28 2023	1	<1	<1	27	29	35		<0.5	12	<0.5	0.6	7	19	19
DEL-222	Nov 30 2023	<1	<1	<1	29	30	38		<0.5	14	<0.5	2	10	26	18









			THM (ppb)										b)	HAA (ppb)							
Sample	Date Sampled	Bromodichlorom ethane	Bromoform	Chlorodibrom o methane	Chloroform	Total Trihalomethanes	Total THM Quarterly Average		Dibromoacetic Acid	Dichloroacetic Acid	Monobromoaceti c Acid	Monochloroaceti c Acid	Trichloroacetic Acid	Total Haloacetic Acid	Total HAA Quarterly Average						
DEL-318	Mar 02 2017	<1	<1	<1	20	22	34		<0.5	9	<1	<2	13	25	37						
DEL-318	May 18 2017	<1	<1	<1	25	25	30		<0.5	20	<1	2	21	44	35						
DEL-318	Aug 22 2017	<1	<1	<1	21	22	26		<0.5	7	<1	<2	6	13	30						
DEL-318	Dec 01 2017	<1	<1	<1	32	32	25		<0.5	16	<1	<2	18	35	29						
DEL-318	Feb 16 2018	<1	<1	<1	22	23	26		<0.5	14	<1	<2	20	36	32						
DEL-318	May 29 2018	<1	<1	<1	19	20	24		<0.5	14	<1	<2	15	31	29						
DEL-318	Aug 7 2018	<1	<1	<1	30	31	27		<0.5	17	<1	<2	18	37	35						
DEL-318	Nov 22 2018	<1	<1	<1	27	29	26		<0.5	12	<1	<2	11	25	32						
DEL-318	22-Feb-19	<1	<1	<1	23	25	26		<0.5	12	<1	<2	14	29	30						
DEL-318	16-May-19	<1	<1	<1	33	33	30		<0.5	18	<1	<2	23	43	34						
DEL-318	21-Aug-19	1	<1	<1	24	26	28		<0.5	8	<1	<2	7	16	28						
DEL-318	3-Dec-19	<1	<1	<1	30	31	29		<0.5	7	<1	<2	10	17	26						
DEL-318	Feb 26 2020	<1	<1	<1	26	27	29		<0.5	11	<1	<2	15	27	26						
DEL-318	May 27 2020	<1	<1	<1	28	30	29		<0.5	10	<1	<2	9	20	20						
DEL-318	Aug 13 2020	1	<1	<1	36	38	32		<0.5	10	<1	<2	11	21	21						
DEL-318	Dec 03 2020	<1	<1	<1	29	30	31		<0.5	14	<1	2	20	37	26						
DEL-318	Mar 26 2021	<1	<1	<1	32	33	33		<0.5	10	<1	3	11	25	26						
DEL-318	Jun 03 2021	<1	<1	<1	20	22	31		<0.5	11	<1	<2	12	25	27						
DEL-318	Aug 25 2021	1	<1	<1	30	33	30		<0.5	12	<1	<2	9	22	27						
DEL-318	Nov 25 2021	<1	<1	<1	33	34	31		<0.5	9	<1	<2	12	22	24						
DEL-318	Feb 17 2022	<1	<1	<1	25	26	29		<0.5	13	<0.5	<5.0	12	26	24						
DEL-318	May 11 2022	<1	<1	<1	30	33	32		<0.5	12	<0.5	0.8	9	22	23						
DEL-318	Aug 25 2022	<1	<1	<1	26	26	31		<0.5	8.6	<0.5	<5.0	6	16	23						
DEL-318	Nov 16 2022	2	<1	<1	30	32	29		<0.5	11	<0.5	0.9	8	20	21						
DEL-318	Jan 30 2023	<1	<1	<1	51	52	36		<0.5	11	<0.5	<0.5	9	20	20						
DEL-318	May 31 2023	<1	<1	<1	24	26	34		<0.5	9.6	<0.5	1.3	6	17	18						
DEL-318	Aug 28 2023	1	<1	<1	32	34	37		<0.5	3.8	<0.5	0.6	10	15	19						
DEL-318	Nov 30 2023	<1	<1	<1	30	32	39		<0.5	15	<0.5	2.7	10	28	19						








			THM (ppb)						HAA (ppb)							
Sample	Date Sampled	Bromodichlorom ethane	Bromoform	Chlorodibromo methane	Chloroform	Total Trihalomethanes	Total THM Quarterly Average		Dibromoacetic Acid	Dichloroacetic Acid	Monobromoaceti c Acid	Monochloroaceti c Acid	Trichloroacetic Acid	Total Haloacetic Acid	Total HAA Quarterly Average	
DEL-323	Mar 02 2017	<1	<1	<1	17	19	34		<0.5	7	<1	<2	8	17	43	
DEL-323	May 18 2017	<1	<1	<1	18	18	29		<0.5	13	<1	<2	11	26	37	
DEL-323	Aug 22 2017	<1	<1	<1	27	27	26		<0.5	10	<1	<2	13	25	30	
DEL-323	Dec 01 2017	<1	<1	<1	34	35	25		<0.5	13	<1	<2	24	39	27	
DEL-323	Feb 16 2018	<1	<1	<1	21	23	26		<0.5	12	<1	<2	13	28	29	
DEL-323	May 29 2018	<1	<1	<1	36	38	31		0.5	24	<1	2	32	58	37	
DEL-323	Aug 7 2018	<1	<1	<1	33	34	33		<0.5	11	<1	<2	11	24	37	
DEL-323	Nov 22 2018	<1	<1	<1	37	40	34		<0.5	8	<1	<2	21	29	35	
DEL-323	22-Feb-19	<1	<1	<1	17	19	33		<0.5	9	<1	<2	7	18	32	
DEL-323	16-May-19	<1	<1	<1	33	33	32		<0.5	18	<1	2	25	46	29	
DEL-323	21-Aug-19	1	<1	<1	28	31	31		<0.5	10	<1	<2	11	21	29	
DEL-323	3-Dec-19	<1	<1	<1	27	28	28		<0.5	5	<1	<2	7	13	24	
DEL-323	Feb 26 2020	<1	<1	<1	20	22	29		<0.5	8	<1	<2	8	16	24	
DEL-323	May 27 2020	<1	<1	<1	29	31	28		<0.5	12	<1	<2	13	25	19	
DEL-323	Aug 13 2020	1	<1	<1	51	53	34		<0.5	20	<1	2	29	51	26	
DEL-323	Dec 03 2020	<1	<1	<1	29	30	34		<0.5	12	<1	2	22	38	32	
DEL-323	Mar 26 2021	<1	<1	<1	24	25	35		<0.5	7	<1	<2	5	14	32	
DEL-323	Jun 03 2021	<1	<1	<1	33	35	36		<0.5	18	<1	2	28	49	38	
DEL-323	Aug 25 2021	1	<1	<1	31	33	31		<0.5	11	<1	<2	22	33	33	
DEL-323	Nov 25 2021	<1	<1	<1	32	34	32		<0.5	4	<1	<2	14	18	29	
DEL-323	Feb 17 2022	<1	<1	<1	24	25	32		<0.5	11	<5.0	<5.0	10	22	31	
DEL-323	May 11 2022	<1	<1	<1	30	32	31		<0.5	10	<0.5	0.9	7	18	23	
DEL-323	Aug 25 2022	1	<1	<1	43	44	30		<0.5	7.7	<0.5	0.6	22	30	19	
DEL-323	Nov 16 2022	2	<1	<1	27	29	33		<0.5	2.7	<0.5	<0.5	7	10	20	
DEL-323	Jan 30 2023	<1	<1	<1	52	52	39		<0.5	9.9	<0.5	<0.5	7	17	19	
DEL-323	May 31 2023	<1	<1	<1	29	31	39		<0.5	14	<0.5	<0.5	18	33	22	
DEL-323	Aug 28 2023	1	<1	<1	29	30	37		<0.5	4.4	<0.5	<0.5	14	18	20	
DEL-323	Nov 30 2023	<1	<1	<1	28	29	42		<0.5	4.3	<0.5	<0.5	8	12	25	







**Metals Test Results** 

	Sample Name	DFL-222 : 4	734 51 Street	DFL-227 : 6487	Sunshine Drive	DFL-313 : 5191	Robertson Road	DFL-319 : 5169	) Kilkenny Drive	Canadian	Reason Guideline
Metals	Sample Date	02-16-2023 7:51 09-14-2023 10:00		02-16-2023 7:20 09-14-2023 7:16		02-16-2023 8:20	09-14-2023 10:45	02-16-2023 8:43	09-14-2023 11:25	Guideline Limit	Established
Aluminum Total	μg/L	41	36	43	61	41	49	45	44	200	Aesthetic
Antimony Total	μg/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	6	Health
Arsenic Total	μg/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	10	Health
Barium Total	μg/L	2.7	2.9	3.1	2.8	2.8	2.6	2.8	2.8	2000	Health
Boron Total	μg/L	<10	<10	<10	<10	<10	<10	<10	<10	5000	Health
Cadmium Total	μg/L	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	7	Health
Calcium Total	μg/L	8880	7380	8510	2440	8580	6700	9360	6190	none	
Chromium Total	μg/L	0.08	<0.05	0.09	<0.05	0.06	<0.05	0.07	<0.05	50	Health
Cobalt Total	μg/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	none	
Copper Total	μg/L	4.6	8.0	0.7	1.2	1.2	1.0	<0.5	<0.5	≤2000	Health
Iron Total	μg/L	6	9	15	68	23	34	15	17	≤ 300	Aesthetic
Lead Total	μg/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	5	Health
Magnesium Total	μg/L	215	208	218	114	216	193	218	183	none	
Manganese Total	μg/L	3	5.5	6.5	9.1	1.8	9.8	8.1	6.6	120	Health
Mercury Total	μg/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	1.0	Health
Molybdenum Total	μg/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	none	
Nickel Total	μg/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	none	
Potassium Total	μg/L	177	207	181	150	177	196	176	189	none	
Selenium Total	μg/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	50	Health
Silver Total	μg/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	none	
Sodium Total	μg/L	1870	2850	1610	8470	1810	3770	1810	4280	≤ 200,000	Aesthetic
Zinc Total	μg/L	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	≤ 5000	Aesthetic

#### 2023 Metals Test Results

**Vinyl Chloride Test Results** 

#### 2023 Vinyl Chloride Test Results

Sample Site Number	Sample Reported Name	1st Half of 2023	Vinyl Chloride	2nd Half of 2023	Vinyl Chloride
		Sampled Date	(mg/L)	Sampled Date	(mg/L)
DEL-223	#10 Centennial Parkway	19-Jun-23	<0.001	5-Dec-23	<0.001
DEL-310	4905 Galbraith Street	19-Jun-23	<0.001	5-Dec-23	<0.001
DEL-313	5191 Robertson Road	19-Jun-23	<0.001	5-Dec-23	<0.001
DEL-319	5169 Kilkenny Drive	19-Jun-23	<0.001	5-Dec-23	<0.001
DEL-321	9434 117A Street	19-Jun-23	<0.001	5-Dec-23	<0.001
DEL-323	7348 Priory Place	19-Jun-23	<0.001	5-Dec-23	< 0.001

Notes:

Canadian Guideline Limit for Vinyl Chloride is 0.002 mg/L

**Health Information** 

## Responsibilities of a Water System Owner/Operator



Under the Drinking Water Protection Act and Regulation owners and operators of a drinking water system are responsible by law to ensure that the water is safe for domestic use. Domestic use is defined as water used for human consumption, food preparation or sanitation (i.e., water used for drinking, cooking, cleaning, etc.).

The following table is a summary of the water system owner and operator responsibilities.

1.	Supply Safe Drinking Water (Act s.6, Reg s.5)	All water supplied to customers/users must be free from harmful microorganisms (bacteria, viruses or parasites). Health related chemicals found in the drinking water must not exceed certain levels. Drinking water taken from surface sources (lake, creek or spring) or ground water sources (shallow well) at risk of containing harmful microorganisms must be treated (i.e. Chlorine, Ultra Violet light).
2.	Construction Permit (Act s.7, Reg s.6)	Construction permits are required to construct a new water system or to alter or extend an existing water system.
3.	<b>Operating Permit</b> (Act s.8, Reg s.7)	To operate a water system requires a valid Operating Permit issued by Fraser Health. Terms and Conditions may be applied to the permit where necessary.
4.	<b>Operator Training</b> (Act s.9, Reg s.12, 4.2)	A Certified Operator is required for all water systems serving a population of 500 or more persons. A small water system is not required to have a certified operator unless otherwise required by the Drinking Water Officer/Inspector as a condition on your operating permit.

Health Protection | Ensuring Healthy People and Healthy Environments

August 2010

5.	Water Sample Collection & Testing (Act s.11, Reg s. 2,8,9)	Owners/operators are required to collect and submit water samples to an approved laboratory. The laboratory tests for the presence of total coliform and E.coli bacteria. Owners/operators are expected to have the drinking water tested for specific chemicals every 3 to 5 years.
6.	Emergency Response Plan (Act s.10, Reg s.13)	Owners/operators must have a written plan detailing what they will do in the event of an emergency (e.g. if the drinking water supply becomes contaminated with E.coli bacteria – issue a boil water advisory to all users).
7.	Immediate Reporting (Act s.12, Reg s.9)	If an owner/operator receives a report from a laboratory regarding an E.coli positive water test result, he/she must immediately notify Fraser Health (Drinking Water Officer/Inspector).
8.	Notify Drinking Water Officer of Threat (Act s.13)	As soon as an owner/operator becomes aware of a possible threat to their water system (e.g. chemical is spilled into their water supply or someone has tampered with their system) he/she must immediately notify Fraser Health (Drinking Water Officer/Inspector).
9.	Notify Water Users of Threats to Drinking Water (Act s.14)	If an owner/operator becomes aware of a possible health threat and is unable to immediately notify the Drinking Water Officer/Inspector, he/she must immediately notify the users of the drinking water supply of the threat.
		For example:
		<ul> <li>Owner/operator receives a report from a laboratory regarding an E.coli positive water test result or</li> </ul>
		<ul> <li>Owner/operator considers that there may be a health threat to the drinking water system.</li> </ul>
10	Publication of Information     (Act s.15, Reg s.11)	Owners/operators are required to make various types of information public. This includes information regarding their emergency response plans and water quality monitoring test results.
Op	commendation: peration & Maintenance cordkeeping	Owners/operators should keep a record of routine maintenance and repairs, water test results, operational issues, etc.


🐼 fraser**health** 

Unofficial versions of the act and regulation can be downloaded from: <u>www.hls.gov.bc.ca/protect/dwact.html</u>

> For any questions or concerns contact your Drinking Water Officer/Inspector at 604-870-7900.

Website: www.healthspace.ca/fha www.fraserhealth.ca

Health Protection | Ensuring Healthy People and Healthy Environments



## What can I do if there is arsenic in my drinking water?

Water with arsenic is a problem only if you are using it for drinking, preparing food or watering food plants. Exposure through breathing and skin contact is not harmful. For example, there are no known health effects from hand washing, bathing, or washing clothing in water with arsenic. If an initial test detects arsenic, even at levels below the guideline, it is important to have a second test done to confirm the results. If arsenic is present, then you can either use another source for drinking water or treat the current source. Chlorination and mechanical filters do not remove arsenic from water. **Boiling water may increase the concentration of arsenic and make the problem worse.** There are several treatment options for removing arsenic including reverse osmosis filters and distillation. There is no regulatory control over treatment devices for private homes, so you have to be careful to buy one that works for removing arsenic. Look for a treatment device that has been certified by an organization accredited by the Standards Council of Canada (SCC) and meets one of the following standards:

- NSF/ANSI Standard 62 on drinking water distillation systems; or
- Standard 58 on reverse osmosis drinking water treatment systems; or
- Standards 53 on drinking water treatment units – with specific designation for arsenic.

Be sure to operate and maintain your treatment device as per the manufacturer's instructions and test your raw and treated water regularly for arsenic to make sure that the device is indeed working properly.

For more information pertaining to drinking water and other services, visit the Fraser Health website below or contact the Drinking Water Program staff at 1-604-870-7900.

www.fraserhealth.ca/your\_environment

Health Protection is responsible for regulating and monitoring many public facilities and those aspects of the environment that have a direct impact on public health. Our mission is "ensuring healthy people and healthy environments".





# Arsenic in Well Water

Information for Private Well Owners



Revised: December 2013

Drinking water that contains arsenic can have serious short-term and long-term health effects. As you can see on the map, some groundwater in the Fraser Valley is known to contain arsenic concentrations exceeding Health Canada's Maximum Acceptable Concentration (MAC) of 0.010mg/L (10 ug/L or 10 parts per billion). This pamphlet provides information about arsenic, including how to test your well water for arsenic and what to do if arsenic is found in your well water.

## **Pre-Treatment Arsenic Levels**



For a detailed and larger area view of the above Arsenic Map visit the Fraser Health website at: www.fraserhealth.ca/your\_environment/ drinking\_water/resources/private-well-owners/.

# How does arsenic get into drinking water?

Arsenic can get into drinking water from natural deposits or runoff from agriculture, mining or industrial processes. In British Columbia, natural minerals are the most common sources of arsenic in drinking water. The amount of arsenic found in groundwater wells is usually higher than that found in surface water supplies such as lakes, streams and rivers.

# What are the health effects of arsenic exposure?

Arsenic in water is a concern only if the water is being used for drinking or preparing food. Exposure through breathing and skin contact is not harmful. For example, there are no known health effects from hand washing, bathing or washing clothing in water with arsenic.

However, if you use your water for drinking or preparing food, water that contains arsenic can have serious short-term and long-term health effects, depending on how much arsenic is in your water and for how long you drink it. Short to medium-term (days to weeks) exposure to very high levels of arsenic (over 200 parts per billion) in drinking water can lead to arsenic poisoning. For an added margin of safety, do not drink water containing 100 parts per billion arsenic or greater. Symptoms of exposure to high levels of arsenic include stomach pain, vomiting, diarrhea, and impaired nerve function, which may result in 'pins and needles' sensation in hands and feet. As children tend to drink more water per unit of body weight than adults, they may have more exposure to arsenic in drinking water and may be at greater risk of illness when higher levels of arsenic are present.

Long-term (years to decades) exposure to even relatively low amounts of arsenic in drinking water can increase your risk of developing certain cancers,

including skin, lung, kidney, and bladder cancer. The risk of cancer is the reason for developing the Canadian guideline for arsenic in drinking water. Long term arsenic exposure can also cause skin changes, including darkening, and wart or corn-like growths mostly found on the palms of the hands and soles of the feet.

Health Canada set a Maximum Acceptable Concentration (MAC) of 0.010 mg/L (10 ug/L or 10 parts per billion) for arsenic in drinking water. This level was set based on the ability to treat water practicably to this level. This amount is still linked with a health risk higher than the level considered to be a very minor risk. For this reason people should consider taking precautions with their drinking water even if the arsenic levels are slightly below the guideline. For more information on arsenic in drinking water and the Guidelines for Canadian Drinking Water Quality visit the Health Canada website at www.hc-sc.gc.ca.

# How can I find out if there is arsenic in my drinking water?

Any well may contain arsenic or other contaminants. As the well owner, it is your responsibility to test your well water for arsenic and other indicators of water quality.

Arsenic in drinking water has no odour or taste. It is detected by a chemical test that is done only by specialized laboratories. For a list of "Laboratories Analytical" check the yellow pages in the telephone book or contact an Environmental Health Officer in the Drinking Water Program at 1-604-870-7900. For more information on water testing go to www. healthlinkbc.ca/healthfiles/hfile05b.stm. See file #05b "Should I Get My Well Water Tested?"



February 1, 2022

Water System Operators

#### Re: Metals in Drinking Water – "Flush" Message in Annual Reports

Fraser Health has recently revised its metals at the tap "Flush" message and we are asking all water systems to please include the following health message with your next annual reports to your users.

Anytime the water in a particular faucet has not been used for six hours or longer, "flush" your cold-water pipes by running the water until you notice a change in temperature. (This could take as little as five to thirty seconds if there has been recent heavy water use such as showering or toilet flushing. Otherwise, it could take two minutes or longer.) The more time water has been sitting in your home's pipes, the more lead it may contain.

Use only water from the cold-tap for drinking, cooking, and especially making baby formula. Hot water is likely to contain higher levels of lead.

The two actions recommended above are very important to the health of your family. They will probably be effective in reducing lead levels because most of the lead in household water usually comes from the plumbing in your house, not from the local water supply.

Conserving water is still important. Rather than just running the water down the drain you could use the water for things such as watering your plants.

If you have any questions, please contact our Drinking Water Program at 604-870-7903.

Sincerely,

Drinking Water Program Fraser Health Authority HPLand@fraserhealth.ca

Fraser Health Authority Health Protection Suite 400 2777 Gladwin Rd Abbotsford BC V2T 4V1 Canada

Tel (604) 870-7900 Fax (604) 852-1558 www.fraserhealth.ca